Type-C to HDMI Cable-6ft

User Manual



Contents

1.0	INTRODUCTION	1
2.0	FEATURES	1
3.0	SPECIFICATIONS	1
4.0	PACKAGE CONTENTS	2
5.0	OPERATION	2

DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

1.0 INTRODUCTION

This is a USB-C male to HDMI cable (6ft) which allows you to transmit signals from your new Macbook pro or Chromebook to an HDMI monitor. Besides, there is no need for you to connect the source display to the sink display with an HDMI cable as it is equipped with 6ft cable. With this product, you can watch videos or slideshows together on the big screen.

2.0 FEATURES

- Support USB-C Male input with 6ft fixed cable and HDMI Male output
- Support content protection of HDCP
- Support HDMI resolution max up to 4kx2k@30Hz
- USB bus power (no external power supply)

3.0 SPECIFICATIONS

Tanat / Output Connector			
Input/Output Connector			
Input	USB-C Male x1		
Output	HDMI Male x1		
Resolutions(HDTV)			
Max Resolution	3840*2160@30Hz,		
	4096*2160@30Hz		
Warranty			
Limited Warranty	1 Year		
Environmental			
Operating Temperature	0 °C to +45°C		
Operating Humidity	10% to 85 % RH (no condensation)		
Storage Temperature	-10℃ to +70℃		
Storage Humidity	5% to 90 % RH (no condensation)		
Regulatory Approvals			
Certifications	FCC,CE		
Accessory			
User Manual	English Version		

4.0 PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit x1
- User Manual x1

5.0 OPERATION

- ① Connect USB-C Male port of this product to the Macbook pro or other Type-C host PC
- ② Connect HDMI Male port of this product to HDTV