

AUTOMATIC CLAMPING WIRELESS CAR CHARGER

User Guide




Thank you for purchasing the Automatic Clamping Wireless Car Charger.
Please take a moment to read this guide and store it for future reference.

FEATURES

- Compatible with all Qi-enabled devices for fast wireless charging, including iPhones and Galaxy/Android devices
- Clip seamlessly to your car air conditioner vent
- Rotate seamlessly for horizontal or vertical viewing
- LED indicator light
- Overload protection keeps your device safe
- Overheat protection for additional safety

IDENTIFICATION OF PARTS

- A. Automatic retractable arms
- B. Intelligent sensing area
- C. Phone cradle
- D. Touch sensor
- E. Air vent clip
- F. LED status indicator
- G. USB port
- H. USB power cable (not shown)



INSTALLING THE MOUNT

1. Place the tightening ring over the vent clip ball joint.
2. Place the ball joint into the socket on the back of the car mount.
3. Screw the clip ring over the socket until the mount is securely attached to the vent clip.
4. Squeeze the vent clip button until the clamp opens.
5. Clamp the mount onto your car air conditioner vent.
6. Adjust the mount angle by loosening the ball joint, then re-tighten the clip ring.
7. Connect the USB power cord to the USB-C port of the device.
8. Plug the other end of the power cord into your car's USB port or car charging adapter (car charging adapter not included).
9. The LED indicator light will be BLUE when the device is ready to charge your Qi-enabled phone.

CHARGING YOUR DEVICE

1. Hold your phone 2" to 7" from the device. The arms will automatically open. Rest your phone in the phone cradle as the arms automatically close to clamp your phone.
2. At this point, wireless charging will automatically begin. The GREEN LED charging light will be on.
3. To remove your phone, tap the touch sensor on the back of the device to open the arms.

NOTE: This device has numerous safety features including overheat protection. In the event of overheating, it will shut off automatically. Unplug the device and let it cool down. Then, re-connect the device to resume charging.

WARNING

- Do not use this device for anything other than its intended purpose.
- Keep away from heat sources and direct sunlight.
- Operational temperature range: 32°F to 95°F.
- Do not let this device come in contact with water.
- If you have an electrical implant such as a pacemaker, consult your physician before using this product.
- Do not place a magnetic stripe card (credit card, ATM card, ID, etc.) near this product.
- Do not attempt to repair this device. There are no user-serviceable parts.
- Use only the cable that came with this device.
- Keep out of reach of children at all times.



Any Changes or modifications not expressly approved by the party responsible for compliance could

void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference,

and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.