INSTEON®

Connected Kit
Quick Start Guide

INSTEON Hub

Status LED
- Idle / Linking
- Unlinking

Factory Reset   Power

INSTEON

Ethernet Port

Ethernet Cable   Power Cable

Setup Your Kit

1 Connect the Hub to power and your internet router using only the cables provided.

Avoid power strips and switched outlets

2 Download and install the latest INSTEON for Hub App from your device's app store.

🔍 insteon for hub

INSTEON for Hub

INSTALL

3 Connect to the same network as the INSTEON Hub and launch the App. Create a new account.

INSTEON

Sign In 〉

Create an Account 〉

Add Devices

4 Follow the on-screen instructions to add your devices.

Dimmer Module



- On
- Off

Status LED

On
Brighten

Off

Dim

Set Button

INSTEON

Up to 300W maximum load

Open/Close Sensor

Set Button

Status LED

Magnet

AA Battery
(Included)

(Cover Removed)

Motion Sensor

Status LED

Wall Mount
Retention Slot

Settings
Jumpers

Set Button

9V Battery
(Included)

(Cover Removed)

Leak Sensor

Set Button — | — Status LED

Water Contacts
(Metal)

AA Battery
(Included)

(Cover Removed)

Thermostat

Temperature Adjust

Mode

Status LED

Set Button

WiFi Camera

Day/Night Sensor

Night Vision LEDs

Speaker

Microphone

INSTEON

Ethernet

Power

Audio Antenna