

Model

75M7000UWD

Image display		
Resolution (Horiz x Vert)	[Pixel]	3840x2160
3D image		Yes
Brightness		400
Native contrast ratio		4000
Viewing Angle (Horiz / Vert)	[Degrees]	89/89

Connectivity		
RF- Radio frequency input		1
Component or Y Pb (Cb) Pr (Cr) input		1
Audio L/R for component input (Shared with AV input)		1
AV input (Qty / shared with component input)		1 / Yes
USB interface type 3.0 (Qty / List....)		1 / USB 3
USB interface type 2.0 (Qty / List)		2 / USB 1, USB 2
Optical digital audio output (SPDIF)		1
Earphone jack		1

HDMI ports		
HDMI inputs		4
HDMI type 4K@60Hz with HDCP version 2.2		HDMI 3, HDMI 4
HDMI type 1.4 with HDCP version 1.4		HDMI 1, HDMI 2
ARC -Audio Return Channel		HDMI 2
MHL - Mobile High Definition Link input		HDMI 1
CEC- Consumer Electronics Control via HDMI		Yes

<i>Smart TV</i>		
Ethernet port (RJ45 connector)		1
Wi-Fi protocols IEEE 802.11 {b, g, n, ac, ad, ..}		b, g, n, ac
Wi-Fi bands	[GHz]	2.4 / 5
DLNA compliance (Anyview Stream)		Yes
SVOD		Netflix, YouTube
UHD (4k) streaming		Yes
Installed Applications {List}		Netflix / YouTube/ Facebook/Redbull TV
Installed Applications {List}		SBS ON DEMAND/Dailymotion
Freeview Plus - HbbTV		Yes
Web browser		Opera

<i>Digital TV Reception</i>		
Television system (DVB-T / DVB-T2)		Yes / Yes
Video decoder (MPEG2 / MPEG 4)		Yes / Yes
AC3 Surround sound decoder		Yes
AS 4599.1 compliance		Yes
AS 4933.1 compliance		Yes
LCN- Logical channel number and DTV Service name support		Yes
Teletext / Teletext signal interruption (TAB compliant) / 16 : 9 TLTX		Yes / Yes / Yes
Subtitles		Yes
RF Signal strength indicator		Yes
RF Signal quality indicator		Yes
EPG- Electronic programming guide, 7 days for all services		Yes
Parental rating lock		Yes

<i>Analogue TV Reception</i>		
Colour-Sound systems in VHF band		PAL B
Colour-Sound systems in UHF band		PAL B
Stereo sound decoder {A2, Nicam,}		A2 / NICAM
Teletext / Teletext signal interruption (TAB compliant) / 16 : 9 TLTX		Yes / Yes / Yes
Subtitles		Yes

<i>Image control</i>		
Backlight control		Yes
Local dimming / controllable zones		Yes
Zoom function settings (4:3 / 16:9 / Auto / Zoom 1 / Zoom 2)		Yes / Yes / Yes / Yes / Yes
HDR - High Dynamic Range for luminance		Yes
Motion enhancement and compensation (MEMC)		Yes

<i>Sound</i>		
Audio power output per channel	[Watt]	15
Number of speakers (Tweeter / Midrange / Woofer)		2 / 2 / 0
Automatic volume level (AVL)		Yes
Audio equalizer		Yes
Dolby Digital		Yes
Audio enhancement -Type {SRS, BBE, SAP, DBX-TV....}		DBX
Lip-sync adjustment		Yes

<i>Features</i>	
On/off timer	Yes
Power off if no signal	Yes
Sleep timer	Yes
Program lock	Yes
Favourite channels list	Yes

<i>USB media player</i>	
Personal Video Recorder	Yes
Time Shift	Yes
DTV Recording (EPG scehduling / start from Standby)	Yes / Yes
DivX decoder	Yes
MPEG4 / H264 / H265 decoder	Yes / Yes / Yes
DMP- Digital media player content (Music / Video / Photos / Text)	Yes / Yes / Yes / No
List of DMP formats for audio and video provided [Yes No]	Yes
DMP Auto-play	Yes
DMP for UHD content via USB	Yes
DMP File allocation table (FAT / FAT32 / exFAT / NTFS)	Yes / Yes / No / Yes
PVR File allocation table (FAT / FAT32 / exFAT / NTFS)	Yes / Yes / No / Yes

<i>Hotel lock</i>	
Password protected Hotel lock submenu	Yes
Clone function for programs, sound and image settings.	Yes
Tuning lock	Yes
Maximum volume lock	Yes
Power on volume	Yes
Power on source selection	Yes
Power on RF channel selection	Yes
Power on mode (On / Standby / Last)	Yes / Yes / Yes
Inputs access (Enable / Disable)	Yes

Hardware		
Colour (Front bezel, rear, stand)		Silver / Black / Silver
Speakers mounted in a box		Yes
Compact packaging		Yes
Supply range [Voltage / Frequency]	[Volt / Hz]	100 ~ 240V/50 60Hz
Standby consumption	[Watt]	<1W
Wall mount dimensions (Horiz / Vert)	[mm]	600 × 400
Wall mount, screw thread	[mm]	M6, 22

Accessories		
Remote controller (Technology / Part number)		IR / EN2B27
Battery (size / quantity)	[Qty]	AAA / 2
Detachable power cord	[Qty]	1
User manual (Available online) / Quick setup guide (Print)	[Qty / Qty]	1 / 1
3D glasses type [Passive Shutter] / Link [RF IR BT]	-	Shutter / BT
3D glasses (Qty / Part number)	[Qty / -]	1 / FPS3D08

Dimensions		
Dimensions with stand (W x H x D)	[mm]	1676 × 1034 × 326
Dimensions without stand (W x H x D)	[mm]	1676 × 962 × 56
Carton box dimensions (W x H x D)	[mm]	1852 × 1147 × 398
Net weight (with stand / without stand)	[kg]	49.2 / 48.1
Gross weight	[kg]	60.7