



j5create
CONNECTED to THE FUTURE



j5create | **CONNECTED to THE FUTURE**

ASIA +886.2.2269.5533
EUROPE +31.10.798.6117
AMERICAS +1.888.988.0488



2025
BROCHURE

WHY CHOOSE j5create?



WE DEVELOP. WE INNOVATE. WE CREATE.

U.S. Based Customer Care


Made in Taiwan

Limited Product Warranty

Top-Selling Brand

j5create is a team that has come together from a diverse set of backgrounds to make technology more meaningful and inclusive. We design, build, sell, and support innovative technology. We find creative ways to apply new technologies and provide computing solutions.

Worldwide safety certification




In-house R&D and product design team

At j5create, we create high-tech products that help improve the way we experience our everyday lives. We do this by always designing with the customers' needs in mind. We tackle issues that affect you daily and turn to technological innovation to find solutions. We're on a mission to make your life simpler, more efficient, and more productive.

Safety and protection for your devices

- OVP (Overvoltage) Limits output voltage
- OC (Overcurrent) Limits the current flow
- SCP (Short Circuit Protection) Protects your device against short circuits
- OTP (Over-Temperature) Regulates the internal temperature



GLOBAL STRATEGIC LOCATIONS

North America
Sales : sales@j5create.com
Support: service@j5create.com
Phone:+1-888-689-4088

Canada
Sales: sales@j5create.com
Support: service@j5create.com
Phone: +604-265-3568

Europe
Sales: sales@j5create.com
Support: service@j5create.com
Phone: NL | +31 (0)107 98 61 17
UK | +44-161-302-2230
ES | +34-935-22 25 76

Taiwan
Sales: sales@j5create.com
Support: service.tw@j5create.com
Phone: +886.2.2269.5533

j5create has strategic partnerships and locations conveniently located worldwide to streamline all of our processes including sales, support, and service. You can see a global list of where to purchase our products on our website at www.j5create.com. We are always just an email, live chat or phone call away, so feel free to contact us with any questions, concerns or comments.

Toll Free : 888.988.0488
Sales : sales@j5create.com
Customer Service / Support: service@j5create.com

Connected to the Future

WORK WITH THE BEST
In collaboration with the suppliers of top PC manufacturers, we create our high-performance products by using premium components and materials.

COMMITMENT TO QUALITY
From concept generation through software and hardware development, and end-product design to production, we're involved in every stage of the vertical integration process.

MAKE AN IMPACT
We aim to elevate your computing experience to be more productive, more efficient, and more convenient.

DOCKING STATIONS

P.14-15




MOBILE ACCESSORIES & CABLES

P.24-25



DOCKING STATIONS & MONITOR ARMS

P.16-17



MINI DOCKS

P.18-19



CHARGERS & POWER BANKS

P.26-29



WEBCAMS & SPEAKERPHONE

P.31-32



ADAPTERS & MULTI HUBS

P.20-21



SPLITTERS

NETWORKING ADAPTERS & HUBS

P.23




VIDEO & AUDIO ACCESSORIES

P.30



DISPLAY ADAPTERS & CABLES

P.22-23



INPUT DEVICES

P.23



VIDEO CONFERENCE

P.32



WIRELESS DISPLAY

P.33



Versatile Docking Stations for All Your Connection Needs!

Stay ahead of the curve with our cutting-edge solutions. Your leading experts in laptop expansion.

USB4® Triple 4K Display | Docking Station

Featuring Intel® USB4® 40Gbps Controller | JCD554

Features

- Includes the latest Intel® USB4® controller, ensuring industry-leading quality.
- Supports up to three (MST) 4K displays.
- Provides 4 USB™ ports to offer connectivity and performance: USB-C® 10Gbps with DP™ Alt Mode x 1, USB™ Type-A 10Gbps x 2, and USB™ Type-A 2.0 x 1.
- Integrated Gigabit Ethernet port, SD™ 4.0 card reader, audio combo, and up to 85W of pass-through charging.
- Compatible with Windows® and macOS®.



Thunderbolt™ 4 Quad Display | Docking Station

Intel® Thunderbolt™ 4 certified | JTD568

Features

- Intel® Thunderbolt™ 4 certified for proven reliability and compatibility.
- Supports up to quad/triple 4K@60Hz displays, dual 5K@60Hz displays, or single 8K@60Hz display with crystal clear image quality.
- Supports 2.5G Ethernet, USB™ 3.2 10Gbps, and SD™ 4.0 card reader.
- Offers up to 98W PD charging.



Thunderbolt™ 5 Docking Station

| with eGPU/NPU JTD5174

Features

- Provides Thunderbolt™ 5 ultra-high performance and multiple expansions to meet the needs of professionals and creators.
- Comes with a built-in MXM (Mobile PCI Express® Module) GPU/NPU for enhanced productivity with AI PCs.
- Supports M.2 2280 SSD slot to expand storage capacity for AI PCs.
- Supports up to three 8K60Hz/4K144Hz displays and 2.5G Ethernet.



	USB™ 3.1	USB4®	Thunderbolt™ 4	Thunderbolt™ 5
Maximum Bandwidth	10Gbps	40Gbps	40Gbps	120Gbps
Display Output (max)	4K60 x 1	4K60 x 2	4K60 x 2	8K120 x 2 or 4K144 x 3
Power Delivery	100W	100W	100W	240W
Daisy Chain	✗	✗	✓	✓

Elevate Your Experience with Next-Level Power Delivery

Seamlessly power your laptop, USB™ devices, and smartphone all through one innovative docking solution.

PD 140W Power Dock

JCDP3140

Features

- A compact and powerful connectivity solution designed to streamline your workspace.
- Features a built-in 140W GaN power adapter for providing up to 95W of power to the laptop, and includes a 30W USB-C® port for fast charging smartphones or other mobile devices.
- Additional connectivity options include two 5Gbps USB™ Type-A ports, 4K60 HDMI™, and Gigabit Ethernet.
- The innovative reversible design allows for use on both sides, offering flexibility and ease of use.



USB™ 80Gbps 240W | USB Type-C® Cable

JUC30L08

Features

- USB-IF® Certified Cable
- Up to 80Gbps data transfer speed lets you move large files in seconds
- Supports up to 48V/5A 240W charging for all USB-C® devices, including phones, tablets, and laptops.
- Built-in PD 3.1 E-Marker (USB4®) chip ensures safe and stable 240W fast charging.
- Supports resolutions up to 8K@60 Hz.
- Supports Thunderbolt™ 4 daisy-chaining for connecting Thunderbolt™ devices.



245W GaN PD 3.1 USB-C® | 2-Port Charger

JUP27245

Features

- Powered by GaN technology. Compact size with foldable plug design, ready for on-the-go.
- Enormous total output of 245W (180W+65W) . Fast charging 2 devices simultaneously.
- Surge protection, overcurrent protection, overvoltage protection, short-circuit protection, and overheat protection to ensure safe charging.
- Suitable for MacBook Pro®, Air, laptops, iPhone® 16 series, smart phone, iPad®, tablet, handheld game console, earphone, watch and other devices.



USB-C® Dock Dual 4K HDMI™

JCD3197

Features

- Supports dual 4K HDMI™ (4K@60Hz + 4K@30 Hz).
- Supports Power Delivery 3.1 180W power in. Offers up to PD 140W pass-through charging to host.
- Two USB™ 10Gbps and two USB™ 5Gbps ports for connecting peripherals.
- Reliable network connectivity via the Gigabit Ethernet.
- Supports SD™/microSD™ 3.0 card reader.
- Cable storage compartment
- Security lock



AC POWER
PD 3.1 180W

UP TO 100W
PD CHARGING

UP TO PD18W



Experience a Tidy Workspace and Enhanced Productivity

Wireless Display Ergonomic Ultra Monitor Arm

JTSAW51

Support your monitor and eliminate cable clutter.

- Ergonomic Multi-Angle Arm with a reinforced base, capable of supporting the weight of ultra-wide monitors.
- The hidden wireless receiver enables you to wirelessly share content from your computer, tablet, or mobile device to your HDTV, creating a clean and cable-free workspace.



JTS126

Multi-Angle Laptop Stand with RGB Cooling Fan

Features

- Fits most laptops up to 16 in.
- Aluminum construction with a weight capacity of up to 9 lbs. (4 kg).
- Adjustable viewing angle and height helps reduce eye strain and improve posture.
- RGB cooling fan to help keep your laptop at high performance.
- Non slip protective pads help prevent slipping and scratches.
- Foldable for easy storage.



JTSA202

Dual Ergonomic Monitor Mount for 35 Inch Monitors

Features

- An ergonomic solution for your comfort, the perfect companion for your monitor.
- Fully adjustable gas spring monitor arm. Easily adjust your monitor to any height.
- Allows the screen to swivel 180°, tilt -45° to +90° and rotate 360°. Conveniently set your monitor at an optimal angle.
- Supports 17" to 35" monitors weighing up to 13kg/28.6lbs per arm, works with most VESA®-compatible monitors.
- Simple to install, includes clear instructions and all necessary tools.



JTSA103

Single Desk Mount Stand

Features

- Designed with ergonomics in mind, effortlessly adjust your monitor's height with just one hand!
- Allows smooth height adjustments between 355-555mm, ensuring perfect ergonomics for a comfortable workspace.
- The 360° rotation capability lets you easily switch your screen orientation, offering more flexibility for creative tasks.
- Fits screen sizes ranging from 13" to 32" and can securely hold monitors weighing up to 8kg, making it perfect for a wide range of monitors.

wormhole^{switch} Share Files and Work Across Devices Easily

WormholeSwitch® USB-C® Dock with 15W Wireless Charger | JCDW640

Features

- A 5-in-1 multi-function 4K60 hub that allows you to easily share screens, keyboard, mouse, clipboard, and files between your mobile device (iPad®, iPhone®, Android™ phone) and a Windows® laptop.
- Remote control your USB-C® mobile device on a Windows® laptop without hassle.
- Features a built-in 15W magnetic wireless charger that also functions as a convenient phone stand.
- Offers multi-expansion options including 4K60 HDMI™, two 5Gbps USB™ Type-A ports, and PD 100W pass-through charging for your laptop.



WormholeSwitch® USB-C® Hub | JCDW620

Features

- Share screen, keyboard, mouse, clipboard, and files efficiently between a USB-C® mobile device (iPad®, iPhone®, Android™) and Windows®.
- Turn your USB-C® mobile device into a 2nd display for your Windows® computer.
- Remote control your USB-C® mobile device on a Windows® laptop without hassle.
- Integrate one USB-C® 5Gbps port, one PD 100W pass-through charging port, and a microSD™ card slot for your mobile device.

WormholeSwitch® USB-C® Hub | JCH422

iPadOS® / iOS® x Windows® Touch Collaborative Sharing

Features

- Easily transfer files between USB-C® iPad®/iPhone® and Windows®.
- Turn your iPad® into a 2nd display for your Windows® computer.
- Gives you the ability to use an iPad® as a graphics tablet for your Windows® desktop.
- One USB-C® 5Gbps port and one USB™ Type-A 5Gbps port for connecting various peripherals (compatible with Windows® host only).



Turn an iPad® into a touch monitor for your Windows® computer.



Extend Mode



Mirror Mode



Touch and Pen Function Sharing



	JCDW640	JCDW620	JCH422
Platform	iPad®/iPhone®/Android™ to Windows®		iPad®/iPhone® to Windows®
Sharing Screen/ Files	✓	✓	✓
Sharing Keyboard/ Mouse/ Clipboard	✓	✓	
4K60 HDMI™	✓		
USB™ ports	5Gbps USB™ Type-A x 2	5Gbps USB-C® x 1	
PD Pass-Through Charging	✓	✓	
microSD™ Slot		✓	
Wireless Charging			

Multi-Port Chargers



100W GaN USB-C®
5-Port Charger
JUP53100



140W GaN USB-C®
5-Port Charger
JUP57140

Wireless Chargers

Qi2 3-in-1 Magnetic Foldable
Wireless Charging Station
JUPW3415

Qi2

For iPhone®
16/15/14/13/12

Apple Watch®
AirPods



Qi2 3-in-1 Magnetic Travel
Wireless Charging Station
JUPW3215W/R/C



Surge Protector



Matter Certified Smart
Plug with IR Receiver
JSPAC100IR



Matter Enabled Smart Plug
Power Strip With 4-Outlets
and 4 USB™ Ports
JSPAC4430

Works with Apple® HomeKit®,
Google Home™, Amazon Alexa®

App Remote
Control

Voice Control

Scheduling

Scene &
Automation



ScreenCast

Bigger Screen, Smart Rotation
Elevate Your Entertainment

ScreenCast

FHD USB-C® Wireless Display with Power Delivery
JVAW64

macOS® / Windows® / Android™ / iPhone® 15,16 / iPad Pro® / Chrome OS™ Compatible



Compatible with
iPhone® 15,16 / iPad Pro®



USB-C™ TX HDMI™ RX

ScreenCast

Compatible With Various Devices,
Effortless, Wire-Free Presentations

ScreenCast 4K PRO

Wireless Display Adapter
JVAW76Pro

4K UHD



No Wi-Fi® Needed for
AirPlay® / Miracast®



Wireless Display
Adapter



Windows®, macOS®, Chrome OS™, iOS®, iPad OS®, and Android™ Compatible

Effortlessly Capture All Meeting Details Your Handy AI Meeting Assistant On The Go!



SpeechTrack - AI Recording Speaker

Features a built-in Bluetooth® speaker, storage capabilities, and supports call recording and text summarization.

- Dual functionality for calling and recording
- Extensive Compatibility
- Outstanding Sound Quality
- Smart AI app for easy recording.

JSS830



AI-Powered



Voice Recording



Translation



Summarization



Transcript



Speakerphone

Livestream Production

AutoScene Studio for Multi-Cam Livestream

Features

- Triple UVC camera input with AI face tracking for easier setup in medium or large rooms.
- Capture different viewing angles of a scenario.
- An additional HDMI™ input for sharing screen content.
- AI enabled live switcher or mixer for auto editing three views (3 UVC webcam or 2UVC + HDMI™).
- Application mode or USB™ mode supported.

Specifications

- 7" display and touch panel
- 2 USB™ 3.0 ports and 2 USB™ 2.0 ports for triple UVC camera inputs.
- One HDMI™ input
- Easily adjust camera and display layout.
- Provides smart layout using advanced AI technology to get a good view of the participants.

JVS20



Upgrade Your Video Calls Today! Transform Your Smartphone into a 4K Webcam.

Phone Camera Mount

Wireless Smartphone Video Call Kit

- Use a phone as a webcam for your PC to enhance camera quality while video calling or recording.
- Wireless camera/video transmission from iPhone® or Android® phone to PC/Mac®/Chromebook™.
- Supports resolutions up to 1080p@30 in MJPEG format, and 1080p@60 and 4K@30 in H.264 format.
- Supports 360-degree rotation, allowing you to easily stream vertical or horizontal videos.
- Built-in cold-shoe screw for light ring (not included).

JTS26 + JVV120RX



Smart Screen Casting Wireless Charging 3-in-1 Holder

- Wirelessly charge your smartphone while live streaming.
- Wirelessly mirror your phone screen with support for landscape and portrait display modes.
- Supports 360-degree rotation, allowing you to easily stream vertical or horizontal videos.

JTSW28



Experience wireless charging and seamless screen mirroring all-in-one. With a powerful suction cup and adjustable angles, you can easily capture live video while enjoying a larger display.

Seamless Collaboration In Any Space

Effortlessly Connect and Collaborate from Anywhere

BOARDROOM



CONFERENCE ROOM



MEETING ROOM



1 4K AI Video Conference Sound Bar
JVU480



2 4K 360° AI Video Conference Camera
JVU468



3 AutoScene Studio for Multi-Cam Livestream
JVS20



4 Wireless Extender for 4K60 HDMI™ and USB™ Cameras / Microphones / Speakers
JVAW80



5 5.5M Active 10Gbps USB-C® Extension Cable
JUCX33L55



6 USB-C® to USB-C® video with Power Delivery
JCA164S

USB4® Triple 4K Display Docking Station
JCD554 Featuring Intel® USB4® 40Gbps Controller



A B C
Triple 4K
Extend & Mirror

- 4K60 HDMI™
- 4K60 DP™
- USB-C® 10Gbps with 4K60 DP™ Alt Mode
- USB-C®
- Gigabit Ethernet
- SD™/ microSD™ 4.0
- USB™ Type-A USB™ 2.0
- USB™ Type-A 10Gbps
- Mic / Speaker
- K-Slot

Thunderbolt™ 5 Dual 8K60 Display Docking Station JTD5172



- 120 Gbps Thunderbolt™ 5
- M.2 Expansion SSD Slot
- 2.5G Ethernet
- Dual 8K60
- 140W PD

- USB-C®
- SD™/ microSD™ 4.0
- USB™ Type-A USB™ 2.0
- USB™ Type-A 10Gbps
- Mic / Speaker

Thunderbolt™ 4 Quad Display Docking Station JTD568



- 2.5G Ethernet
- Single 8K
- Dual 5K
- Quad 4K
- 98W PD

- 10 Gbps USB™ 3.2 Gen 2



Thunderbolt™ 4 Docking Station JTD562



- 8K60/4K144 Display
- 96W PD



- 4K60 HDMI™
- 4K60 DP™
- USB-C® Gen2 10Gbps
- Mic / Speaker
- 2.5 Gigabit Ethernet
- SD™/ microSD™ 4.0
- USB™ Type-A 5Gbps
- USB™ Type-A 10Gbps
- USB™ Type-A with BC 1.2
- K-Slot

- Gigabit Ethernet
- SD™ 4.0
- USB™ Type-A 10Gbps
- USB™ Type-A with BC 1.2
- Thunderbolt™ 4
- Mic / Speaker
- K-Slot

USB-C® Dock Dual 4K HDMI™ with PD 3.1 Pass Through Charging
JCD3199



Includes 140W GaN PD3.1 Power Adapter

JCD3199P

- 140W PD 3.1 Power Delivery
- 4K Dual Display

- 4K60 HDMI™
- 4K30 HDMI™
- USB-C® PD 3.1
- USB-C® 5Gbps
- USB-C® 10Gbps
- Mic / Speaker
- Gigabit Ethernet
- SD™/ microSD™ 3.0
- USB™ Type-A 5Gbps
- USB™ Type-A 10Gbps
- 15W Wireless Charging
- K-Slot

Type-C Dock Dual 4K HDMI™
JCD3196



- 4K60 HDMI™
- 4K30 HDMI™
- USB-C® PD 3.1
- USB-C® 5Gbps
- USB-C® 10Gbps
- Mic / Speaker
- Gigabit Ethernet
- SD™/ microSD™ 3.0
- USB™ Type-A 5Gbps
- USB™ Type-A 10Gbps
- K-Slot

USB-C® Triple Display Docking Station JCD543



A B C
Triple Display

- 4K60 HDMI™
- 4K30 DP™
- USB-C® 5Gbps
- USB-C®
- Gigabit Ethernet
- SD™/ microSD™ 3.0
- USB™ Type-A 5Gbps
- 1080p VGA
- Mic / Speaker

Includes 100W PD Adapter
JCD543P



USB-C® Dual 4K Display Docking Station JCD552



- 4K60 HDMI™/DP™ Display
- 10 Gbps USB™ 3.2 Gen 2
- M.2 Expansion SSD Slot
- Dual Display

- 4K60 HDMI™
- 4K60 DP™
- USB-C® 10Gbps
- USB-C®
- Gigabit Ethernet
- SD™/ microSD™ 3.0
- USB™ Type-A 5Gbps
- USB™ Type-A 10Gbps
- K-Slot

Includes 100W PD Adapter
JCD552P



PD 140W Power Dock
JCDP3140



- 140W PD Power Delivery 3.1

- 4K60 HDMI™
- USB-C®
- USB-C® 5Gbps
- Gigabit Ethernet
- USB™ Type-A 5Gbps
- K-Slot

Dual Ergonomic Monitor Mount for 35 inch
JTSA202 Dual Mount



Ergonomic Monitor Mount for 35 inch
JTSA201 Single Mount



Single Desk Mount Stand
JTSA103 Single Mount



Ergonomic Dual-Monitor Mount
JTSA102 Dual Mount



JTSA302 with Docking Station




Ergonomic Monitor Mount
JTSA101 Single Mount



JTSA301 with Docking Station



Ergonomic Dual Monitor Mount
JTSA482 with Thunderbolt™ 4 Dock



Laptop Stand with Dock
Multi-Angle Laptop Stand
JTSA126 with RGB cooling fan




Multi-Angle Stand with
JTSA224 Docking Station for iPad Pro®



Wireless Display Ergonomic Ultra Monitor Arm
JTSAW51



Multi-Angle Laptop Stand
JTSA127 Stand Only



Laptop Stand with
JTSA223 USB™ 4-Port Hub



Mini Docks



4K60 & 10Gbps Gen 2

USB-C® 10Gbps
JCD393 Mini Dock

9-in-1 Functions



- 4K60 HDMI™
- Gigabit Ethernet
- SD™/ microSD™ 4.0
- USB™ Type-A 10Gbps
- USB-C® 5Gbps
- USB-C® 10Gbps

USB-C® Triple-Monitor
JCD397 10Gbps Mini Dock

11-in-1 Functions



- 4K60 DP™
- 4K60 HDMI™
- Gigabit Ethernet
- SD™/ microSD™ 4.0
- USB™ Type-A 10Gbps
- USB-C® 5Gbps
- USB-C® 10Gbps

USB-C® Dual 4K HDMI™
JCD398 10Gbps Mini Dock

7-in-1 Functions



- 4K60 HDMI™
- 4K30 HDMI™
- USB-C®
- Gigabit Ethernet
- USB™ Type-A 10Gbps
- Mic / Speaker

8K USB4® Travel Hub
JCH453

5-in-1 Functions



- 8K60 / 4K144 HDMI™
- 8K60/4K144 HDMI™
- USB-C® 10Gbps
- USB-C® 10Gbps
- USB™ Type-A 10Gbps

4K60 Elite USB-C®
JCD3191 Travel Adapter


5-in-1 Functions



- 140W PD 3.1
- 4K60 HDMI™
- USB-C® PD 3.1
- Ethernet
- USB™ Type-A 10Gbps

USB4® Dual 4K Multi-Port Hub
JCD401

5-in-1 Functions



- 4K60 DP™
- 4K60 HDMI™
- USB-C® 10Gbps with 4K60 DP™ Alt Mode
- USB-C®
- USB™ Type-A 10Gbps

4K60 Elite USB-C®
JCD390 Multi-Adapter

7-in-1 Functions



- 4K60 HDMI™
- USB-C®
- USB-C® 10Gbps
- SD™ & microSD™ 3.0
- USB™ Type-A 10Gbps

Made for Specific Devices

Mini Docking Station

JCD620 for Nintendo Switch™

4-in-1 Functions



- 4K Display
- 4K30 HDMI™
- USB-C®
- Gigabit Ethernet
- USB™ Type-A 480 Mbps

USB-C® PD Multi-Port
JCD391 Adapter

5-in-1 Functions



- 4K60 HDMI™
- USB-C®
- Gigabit Ethernet
- USB™ Type-A 5Gbps

Made for MacBook®

USB-C® 6K Premium Hub

Designed for MacBook Air® M2

JCD394 9-in-1 Functions

USB4® modular kit



- USB-C® 10Gbps with 4K60 DP™ Alt Mode
- 4K30 HDMI™
- USB-C®
- USB-C® 5Gbps
- USB™ Type-A 5Gbps

HDMI™ Splitter

8K HDMI™ 2.1 4-Way Splitter

JDSH814



- 130W PD 3.1
- Laptop
- Game Consoles
- Apple® TV
- Chromecast™
- Blu-ray™ Player

Mini Docking Station

JCD624 for handheld game console

7-in-1 Functions



- 95W PD 3.0
- 4K60 HDMI™
- USB-C® PD 3.0
- USB-C® 5Gbps
- Ethernet
- USB™ Type-A 5Gbps

USB-C® to 4K 60Hz HDMI™
JCD612 Travel Dock for iPad Pro®

5-in-1 Functions



- 4K60 HDMI™
- USB-C® 5Gbps
- Mic / Speaker
- SD™ & microSD™ 3.0
- USB™ Type-A 5Gbps

4K60 Pro USB4® Hub with MagSafe® Kit

Designed for MacBook Pro® 2021 / 2022 / 2023 and

MacBook Air® (2022)

JCD395 8-in-1 Functions



- 4K60 HDMI™
- Gigabit Ethernet
- USB™ Type-A 10Gbps
- 6K60 USB4® 40Gbps
- USB-C® 10Gbps
- Mic / Speaker

8K HDMI™ 2.1 2-Way Splitter

JDSH812



- 130W PD 3.1
- Laptop
- Game Consoles
- Apple® TV
- Chromecast™
- Blu-ray™ Player

USB-C® to Dual USB-C® Hub
JCH165W



USB-C® 10 Gbps
USB™ 10Gbps
PD 60W Pass-Through Charging
Supports a Portable SSD Drive

USB-C® to Dual USB-C®
JCH167W/B



USB-C® 5 Gbps
Plug-and-play
95W PD Pass-Through Charging
microSD™/SD™ 3.0

USB-C® Multi-Port Hub
JCH168W



USB-C® 10 Gbps
USB™ 10Gbps
PD 60W Pass-Through Charging
Supports a Portable SSD Drive
microSD™/SD™ 3.0

USB-C® to 4K HDMI™
JCA152 Adapter with Power Delivery



USB-C® to 3.5mm Audio
JCA122 Adapter with Power Delivery



USB-C® to Dual USB-C®
JCA164 with Video or Power Delivery



USB-C® to 4-Port Type-A Gen 2 Hub
JCH341E

4-in-1 Functions
ECO FRIENDLY



USB-C® to 4-Port Type-C & Type-A Gen 2 Hub
JCH342E

4-in-1 Functions
ECO FRIENDLY



USB-C® to 4-Port Type-C Gen 2 Hub
JCH345E

4-in-1 Functions
ECO FRIENDLY



USB-C® Multi-Port Hub
JCD373E with Power Delivery

7-in-1 Functions
ECO FRIENDLY



4K30 HDMI™
USB™ Type-A 5 Gbps
USB-C®
SD™ & microSD™ 3.0
Mic / Speaker

USB-C® to HDMI™ & USB™ Type-A
JCA379E with Power Delivery

3-in-1 Functions
ECO FRIENDLY



4K30 HDMI™
USB™ Type-A 5 Gbps
USB-C®

USB-C® to HDMI™ 4K144Hz & USB™ 3.2
JCA399 with 100W Power Delivery



4K @ 144 Hz HDMI™
USB-C®
USB™ Type-A 5 Gbps

USB-C® to USB™ 10Gbps & HDMI™ 4K144Hz Adapter
JCA399G



4K @ 144 Hz HDMI™
USB-C®
USB™ Type-A 10Gbps

USB-C® to 4K HDMI™
JCD353 Multi-Port Hub

6-in-1 Functions



USB-C® to HDMI™ & USB™ 3.1
JCD371 Power Delivery

4-in-1 Functions



USB-C® 3.1 SuperSpeed+
JCD372 Multi-Adapter

5-in-1 Functions



4K HDMI™
USB™ Type-A 5Gbps
USB-C®
SD™ & microSD™ 3.0

4K HDMI™
USB™ Type-A 5Gbps
USB-C®

4K30 HDMI™
USB™ Type-A 10Gbps
SD™ & microSD™ 3.0

USB-C® Multi Adapter
JCD383

9-in-1 Functions



4K HDMI™
USB™ Type-A 5Gbps
Gigabit Ethernet
USB-C® 5Gbps
SD™/microSD™

USB-C® Multi Adapter
JCD384

10-in-1 Functions



4K HDMI™
USB™ Type-A 5Gbps
Gigabit Ethernet
USB-C® 5Gbps
SD™/microSD™
VGA

USB-C® Multi-Adapter
JCA374

5-in-1 Functions



4K HDMI™
USB™ Type-A 5Gbps
Gigabit Ethernet
USB-C®

USB-C® Dual HDMI™
JCD381 Mini Dock

6-in-1 Functions



Dual Display
HDMI™
USB™ Type-A 5Gbps
Gigabit Ethernet
USB-C®

Display Adapters & Cables



USB-C®

USB-C® to HDMI™ 2.1
8K Adapter
JCA157



USB-C® to HDMI™ 2.1
8K Cable
JCC157




8K USB-C® to Dual HDMI™
Display Adapter
JCA465



8K USB-C® to HDMI™ / DP™
Triple Display Adapter
JCA461



USB-C® Display Adapters
& Cables JCC155G



USB-C® to 4K HDMI™
Adapter JCA153G



USB-C® to 4K HDMI™
Cable JCC153G





USB-C® to 4K DisplayPort™
Cable JCA141



USB-C® to Dual HDMI™
Multi-Monitor Adapter
JCA365



USB-C® to 4-Port HDMI™
Multi-Monitor Adapter
JCA366



Monitor Display Cables

16K DisplayPort™ Cable
JDC44L16



8K / 4K DisplayPort™
Cable

JDC43L30

* DisplayPort™ v1.4 HBR3 certified
* Resolutions up to 8K @ 60 Hz
* Length: 3m (JDC43L30)

JDC43L10

* DisplayPort™ v1.4 HBR3 certified
* Resolutions up to 8K @ 60 Hz
* Length: 1m (JDC43L10)

JDC42

* DisplayPort™ 1.2 certified
* Resolutions up to 4K @ 60 Hz
* Length: 1.8m



Ultra High Speed HDMI®/™
Cable

JDC53L30

* Resolutions up to 8K @ 60 Hz
* Length: 3m (JDC53L30)

JDC53L10

* Resolutions up to 8K @ 60 Hz
* Length: 1m (JDC53L10)



Premium High Speed
HDMI®/™ Cable

JDC52

* HDMI® PREMIUM Certified
* Resolutions up to 4K @ 60 Hz
* Ethernet & audio return channel
* Length: 2m



Ethernet Adapter | USB-C®

USB-C® to 2.5G
Ethernet Adapter
JCE145C



USB-C® to 2.5 Gigabit
Ethernet Adapter
JCE145




USB-C® to Gigabit
Ethernet Adapter
JCE133G



USB-C®
7-Port HUB
JCH377



USB-C®
Multi-Adapter
JCH471



Keyboard, Mouse, Stylus

USI Stylus Pen for Chromebook™
JITP100




Compact Wireless Keyboard & Mouse for Chrome OS™
JIKBW602




Mobile



USB-C® 60W Cable JUCX17 | W/R/C/P
Liquid Silicone Fast Charging Cable (100 cm / 3.3 ft)



USB-C® 60W Cable JUCX18L18 | W/R/C
Ultra Soft Double-Braided Fast Charging Cable (180 cm / 5.9 ft)



USB-C® 10Gbps/60W Ultra Soft Double-Braided JUCX19L12 | W/B Fast Charging Cable
Ultra Soft Double-Braided Fast Charging Cable (120 cm / 3.9 ft)



USB-C® Dynamic Power Meter Charging Cable JUCP14



6-in-1 Meter

- Direction | Amp | Voltage
- mA·h | Timer | Watt



Laptop

USB4® 40Gbps Full-Featured USB-C® Coaxial Cable
(1.2m/3.9ft.) 40Gbps/5A
JUCX27L12



Full-Featured USB-C® Cable (USB4® Gen 3)
(0.8m) 40Gbps/5A
JUC28L08



USB™ 40Gbps 240W USB Type-C® Cable
(0.8m) 40Gbps/5A
JUC29L08



USB™ 80Gbps 240W USB Type-C® Cable
(0.8m/2.6ft.) 80Gbps/5A
JUC30L08



USB-C® to USB-C® Sync & Charge Cable
(1.8m / 5.9 ft.) / (3m / 9.8 ft.) 480 Mbps/3A
JUCX24/ JUCX24L30



USB-C® 100W Sync & Charge Cable
(1.8m / 5.9 ft.) / (3m / 9.8 ft.) 480 Mbps/5A
JUCX25L18/ JUCX25L30



10Gbps USB™ Type-A to USB-C® Adapter
JUCX45



10Gbps USB™ Type-A to USB-C® Cable
(10 cm / 4 in.)
JUCX35



USB-C® 3.1 to Type-A Adapter
(10 cm / 4 in.) 5Gbps/1.5A
JUCX05



Laptop



File Sharing Between Mac® and PC



Model	JUC501	JUC500	JUC400
Interface	USB™ 3.0 A+C	USB™ 3.0	USB™ 2.0
Operating system	Windows® to Windows® Windows® to Mac® Mac® to Mac®	Windows® to Windows® Windows® to Mac® Mac® to Mac®	Windows® to Windows® Windows® to Mac® Mac® to Mac®
Keyboard and mouse sharing functions			
Keyboard and mouse sharing between two devices	Yes	Yes	Yes
Hotkey Switch [Alt+S]	Yes	Yes	Yes
Keyboard sharing	Yes	Yes	Yes
Clipboard sharing			
Text sharing	Yes	Yes	Yes
Photo sharing	Yes	Yes	Yes
Data transfer			
Duplicate / Paste	Yes	Yes	Yes
Drag and Drop	Yes	Yes	Yes
Data transfer management software (File Shuttle)	Yes	Yes	

Chargers

Wireless Chargers

Qi2 3-in-1 Magnetic Foldable Wireless Charging Station

JUPW3415



Qi2 3-in-1 Magnetic Travel Wireless Charging Station

JUPW3215 W/C/R



Qi2 2-in-1 Magnetic Foldable Wireless Charging Station

JUPW2415



Wood Grain 2-in-1 Magnetic Wireless Charging Stand

Compatible with / Suitable for iPhone® MagSafe® and AirPods®

JUPW2106NP



JUPW2106
20W USB-C® Power Adapter Included



Wall Chargers

140W GaN PD 3.1 USB-C® 5-Port Charger

JUP57140

GaN



245W GaN PD 3.1 USB-C® 2-Port Charger

JUP27245

GaN



100W GaN USB-C® 5-Port Charger

JUP53100

GaN



70W GaN USB-C® 4-Port Charger

JUP4370

GaN



130W GaN USB-C® 4-Port Charger

JUP43130

GaN



65W GaN USB-C® 3-Port Travel Charger

JUP3565CV

GaN



40W GaN USB-C® 2-Port Mini Charger

JUP2540W/R/C

GaN



JUP2540WC/RC/CC

65W GaN Slim PD USB-C® 2-Port Charger

JUP2465

GaN



67W GaN USB-C® 2-Port Charger

JUP2367

GaN



65W GaN USB-C® 3-Port Charger

JUP3365

GaN



20W 1-Port

JUP1420

CERTIFIED USB CHARGER 20W



Laptop Chargers

67W GaN PD USB-C® Mini Charger

JUP1565N

GaN USB-C®

Includes 4.5mm DC Converter JUP1565



140W GaN PD 3.1 USB-C® 2-Port Charger

JUP27140

GaN USB-C®



JUP1565DC

GaN USB-C®



JUP27140



Laptop Super Chargers

100W PD USB-C® Super Charger

JUP2290



100W PD

USB™ Type-A USB-C®



100W Super Charger PD 90W + USB™ Type-A 10W

JUP2290C



USB™ Type-A USB-C®



100W PD USB-C® Super Charger with 6 Types of DC Connectors

JUP2290DC



65W PD USB-C® Charger

JUP1265

USB-C®



108W PD USB-C® Super Charger

JUP34108

USB™ Type-A USB-C®



200W GaN PD3.1 USB-C® 6-Port Charger

JUP67200

GaN



140W GaN PD3.1 USB-C® Charger

JUP17140

GaN

PD 3.1



185W GaN PD3.1 USB-C® 3-Port Charger

JUP37185

GaN

USB™ Type-A USB-C® PD 3.1



JUP37185W

Smart Surge Protectors



6-Outlet Surge Protector Power Strip with 3-Port USB™ 65W Charging Station
JUPAC6365

GaN



3-Outlet Surge Protector Power Strip with 3-Port USB™ 30W Charging Station
JUPAC3330

GaN



Matter Certified Smart Power Strip

Matter Enabled Smart Plug Power Strip With 4-Outlets and 4 USB™ Ports
JSPAC4430

GaN



Matter Certified Smart Plug with IR Receiver
JSPAC100IR

GaN



Power Bank

USB-C® Pocket Power Bank
JPB5220W / R / C



Charging Station for JPB5220
JPB5220S



26800mAh PD 100W 4-Port Power Bank
JPB264100



26800mAh PD65W 4-Port Power Bank
JPB26465



Smart Card Reader

USB™ Smart Card / CAC Reader
JUR261



USB™ Smart Card / CAC Reader
JUR262



Video Capture



Quad HDMI® Video Capture Station JVA08

- 4x HDMI™
- 1080p 60



- 5 Different Screen Modes
- Single View
- PIP
- PBP
- Quad View [1+3]
- Quad View

Dual HDMI® Video Capture JVA06 EFP

- No driver required
- PIP
- PBP
- Chroma Key



HDMI®



- 1080p 60
- Audio Mixer
- 60W PD

4K60 Game Capture Station JVA34

- 4K 120
- 4K 60



Video Capture USB™ Hub JVA01

- 1080p 30
- 60W PD

- 4K HDMI®
- USB™ Type-A 5Gbps
- Mic / Speaker



Live Capture Adapter JVA02

- 1080p 60
- 60W PD



Webcams



2K AI-Powered Webcam with Wireless Microphone JVU300

- Webcam / Document Camera
- Auto/Manual Focus
- 1440p 60fps
- 1080p 60fps
- USB-C/USB™ Type-A
- 9:16 vertical view shooting
- AI Tracking
- Tripod-ready Mount

2K AI-Powered Webcam with Auto-Focus JVU302



USB™ 4K ULTRA HD Webcam JVU430

- 4K 30
- 1080p 60
- Privacy Cover
- F/2.0 Aperture
- Built-in Microphone



USB™ 4K ULTRA HD Webcam with 5x Digital Zoom Remote Control Model: JVCU435

- 4K 30
- Privacy Cover
- F/1.6 Aperture
- 5X Digital Zoom
- Built-in Microphone

HD Webcam with Auto & Manual Focus Switch JVU250

- 2-in-1
- Auto/Manual Focus
- 1080p
- Tripod-ready Mount
- USB-C/USB™ Type-A



USB™ HD Webcam Model: JVCU100

- 1080p
- F/2.4 Aperture
- H.264 Hardware Acceleration
- Built-in Microphone



Video Conferencing

4K 360° AI Video Conference Camera JVU468

- 360° video conference camera
- Built-in omnidirectional microphone
- Advanced Acoustic Echo Cancellation (AEC) technology
- Automatic Gain Control (AGC) function
- Automatic Noise Reduction (ANR) reduces unwanted background noise
- 5W clear speaker
- Five display modes deliver exceptional viewing angles with flexibility and versatility.
- Adjustable fields of view
- 4K video playback @ 30 Hz
- USB™ UVC/UAC plug-and-play
- Supports IR function and IR controller
- Includes remote control for 4x digital zoom in/out and pan functionality
- Supports HDR Function
- Wide Compatibility: Zoom™, Facebook™ Messenger, Skype™, Microsoft Teams™



4K AI Conference Videobar JVU480

- Wide Compatibility: Microsoft Teams™, Zoom™, Facebook™ Messenger, Skype™, etc.
- Super-wide field of view with a 120° video conferencing camera.
- Featuring a built-in IPU (Intelligence Processing Unit) to enhance AI processing.
- Detects the number of participants and automatically provides the optimal display mode for video conferences.
- Supports multiple modes, delivering exceptional viewing angles with flexibility and versatility.
- Ultra HD 4K video playback @ 30 Hz.
- Supports HDR (High Dynamic Range).
- High-definition Sony® sensor.



360° AI-Powered Webcam with Speakerphone JVU368

- Smart Tracking / Auto Framing

Native AI Plug & Play

Compatible with Windows® and Mac®
- HDR

Crystal Clear Audio
- 1

ONE-STOP Solution for Video Conference



360° All Around Webcam Model: JVCU360

- 1080p

Resolution
- Six Display Modes
- Host Selection Touch Control



red dot winner 2021



USB-C® Dual 4K Speakerphone Dock Pro JCDS337

- Built-in Speaker and Microphones

MST Dual 4K60 HDMI®

USB™ Type-A 10Gbps
- USB-C® 10Gbps

Power Delivery



USB-C® 4K Speakerphone Dock JCDS335

- Built-in Speaker and Microphones

4K60 HDMI®

USB™ Type-A 5Gbps
- USB-C® 5Gbps

Power Delivery



Wireless Displays



ScreenCast FHD USB-C® Wireless Display Extender JVAW61

1080p
Resolution



ScreenCast Wireless Display Adapter JVAW56

1080p
Resolution



USB-C® Wireless Display HDMI® Extender JVAW62

1080p
Resolution



Wireless Display Adapter JVAW76PRO 4K

4K
Resolution



Wireless Display HDMI® Extender JVAW75 4K

4K
Resolution



Wireless Display HDMI® Extender JVAW53



1080p 60
Resolution

Ultra-Low Latency

Up to 200 ft (60m)

Wireless Extender for 4K60 HDMI® and USB™ Cameras / Microphones / Speakers



4K

4K 60
Resolution

Wireless Display HDMI® & USB™ Extender JVAW50



1080p 60
Resolution

Ultra-Low Latency

Up to 200 ft (60m)

Wireless Extender for USB™ Cameras / Microphones / Speakers JWV120



5 GHz
Stable Connection

Low-latency

Up to 25m (82 ft)

Supports USB™ microphones & speaker

Docking Stations

Docking Station Comparison



					
Model No.	JCD554	JCD552	JCD543	JCD542	JCD533
Name	USB4® Triple 4K Display Docking Station	M.2 NVMe™ USB-C® Gen 2 Docking Station	USB-C® Triple Display Docking Station	USB-C® Dual HDMI® Docking Station	USB-C® 4K HDMI® Docking Station with Power Delivery
Features	USB4®, 12-in-1 Functions, Triple 4K60 Display	11-in-1 Functions M.2 NVMe™, Dual 4K60	13-in-1 Functions Triple Display	10-in-1 Functions Dual Display	9-in-1 Functions Single Display
Display	4K60 HDMI® x 2 4K60 DisplayPort™ x 1 4K60 USB-C® (DP™-Alt) x 1	4K60 HDMI® x 1 4K60 DisplayPort™ x 1	4K HDMI® x 1 4K DisplayPort™ / HDMI™ x 1 1080p VGA x 1	4K HDMI® x 1 2K HDMI® x 1	4K HDMI® x 1
M.2 NVMe™		M.2 NVMe™ SSD Slot x 1			
USB™ Type-A	10Gbps x 2, USB™ 2.0 x 1	10Gbps x 2 5Gbps x 1	5Gbps x 2 5Gbps with BC 1.2 x 1	5Gbps x 3	5Gbps x 3
USB-C®	10Gbps with DP™-Alt mode x1	10Gbps x 1	5Gbps x 1		
Ethernet	●	●	●	●	●
SD™ & microSD™	4.0	3.0	3.0	3.0	3.0
PD Pass-Through	●	●	●	●	●
Audio	3.5 mm Combo Audio Jack		3.5 mm Combo Audio Jack	3.5 mm Combo Audio Jack	3.5 mm Combo Audio Jack
Security Lock	●	●		●	●

Mini Docks

Mini Dock Comparison




							
Model No.	JCD403	JCD401	JCD3191	JCD398	JCD397	JCD393	JCD392
Name	USB4® 8K Multi-Port Hub	USB4® Dual 4K Multi-Port Hub	4K60 Elite USB-C® Travel Adapter	USB-C® Dual 4K HDMI® 10Gbps Mini Dock	USB-C® Triple-Monitor 10Gbps Mini Dock	USB-C® 10Gbps Mini Dock	USB-C® 10Gbps Travel Dock
Features	USB4®, 6-in-1 Functions 8K60/4K144 Display	USB4®, 5-in-1 Functions Dual 4K Display	Supports PD 3.1, 5-in-1 Functions 4K60 Display	7-in-1 Functions Dual 4K Display	11-in-1 Functions MST Triple 4K Display SuperSpeed+ 10Gbps	9-in-1 Functions 4K60, SuperSpeed + 10 Gbps	6-in-1 Functions 4K60, SuperSpeed +10Gbps
Display	8K60/4K144 HDMI®	4K60 HDMI® x 1 4K60 DisplayPort™ x 1 4K60 USB-C® (DP™-Alt) x 1	4K60 HDMI®	4K60 HDMI® x 1 4K30 HDMI® x 1	4K60 HDMI® x 2 4K60 DisplayPort™ x 1 *Supports Dual 4K60 or Triple 4K30	4K60 HDMI® x 1	4K60 HDMI® x 1
USB™ Type-A	10Gbps x 2	10Gbps x1	10Gbps x 2	10Gbps x 2	10Gbps x 2	10Gbps x 2	10Gbps x 2
USB-C®	10Gbps x 1	10Gbps with DP™-Alt Mode x1			10Gbps x 1 5Gbps with PD Pass-Through x 1	10Gbps x 1 5Gbps with PD Pass-Through x 1	10Gbps with PD Pass-Through x 1
Ethernet	● 2.5 Gigabit		●	●	●	●	●
SD™ & microSD™					●	●	
PD Pass-Through	●	●	● PD 3.1 140W	●	●	●	●
Audio				3.5 mm Combo Audio Jack			

Charger


Charger Comparison



							
Model No.	JUP67200	JUP37185	JUP43130	JUP25102V	JUP53100	JUP4370	JUP1565
Name	200W GaN PD3.1 USB-C® 6-Port Charger	185W GaN PD 3.1 USB-C® 3-Port Charger	130W GaN USB-C® 4-Port Charger	102W GaN PD USB-C® 2-Port Charger	100W GaN USB-C® 5-Port Charger	70W GaN USB-C® 4-Port Charger	67W GaN PD USB-C® Mini Charger with 4.5 mm DC Converter
PD	PD 3.1	PD 3.1	PD 3.0	PD 3.0	PD 3.0	PD 3.0	PD 3.0
Watt (Max)	200W	185W	130W	102W	100W	70W	67W
Output Port	6	3	4	2	5	4	1 (Cable)
GaN	●	●	●	●	●	●	●
USB-C® Output	USB-C® 1 / 2: PD 140W Max USB-C® 3: PD 45W Max USB-C® 4: PD 20W Max	USB-C® 1: PD 140W Max USB-C® 2: PD 45W Max	USB-C® 1 / 2: PD 100W Max USB-C® 3: PD 20W Max USB-C® 1 + 2: 130W Max	USB-C® 1 (Cable): PD 100W Max USB-C® 2 (Port): PD 20W Max USB-C® 1 + 2: 102W Max	USB-C® 1 / 2: PD 100W Max USB-C® 3 / 4: PD 20W Max	USB-C® 1: PD 70W Max USB-C® 2 / 3: PD 20W Max	67W via USB-C® Cable
Type-A Output	USB™ Type-A 1 / 2: QC™ 18W Max	12W Max	QC™ 18W Max		QC™ 22.5W Max	QC™ 18W Max	
Detachable	AC power cord (*Varies by region)	AC power cord (*Varies by region) USB-C® PD 3.1 240W Charging Cable (100 cm)	AC Plugs (Optional)	AC plugs	AC plugs (Optional)	AC Plugs (Optional)	4.5 mm DC Converter
Size	118x52.5x52.7 mm	28x141.8x68 mm	87x68x32mm	68.5x68x33 mm	68x68.5x33.5mm	60x31x57mm	31.2x50.6x56.6 mm
Suitable for							

								
JUP2367	JUP3565CV	JUP2465	JUP2540	JUP2440	Model No.	JPB264100	JPB26465	JPB5220
67W GaN USB-C® 2-Port Charger	65W GaN USB-C® 3-Port Travel Charger with Changeable AC Plugs and USB-C® Cable	65W GaN Slim PD USB-C® 2-Port Charger	40W GaN USB-C® 2-Port Mini Charger	40W USB-C® 2-Port Charger	Name	26800mAh PD 100W 4-Port Power Bank	26800mAh PD 65W 4-Port Power Bank	USB-C® Pocket Power Bank
PD 3.0	PD 3.0	PD 3.0	PD 3.0	PD 3.0	Watt (Max)	100W	65W	20W
67W	65W	65W	40W	40W	mAh	26800 mAh	26800 mAh	4900 mAh
2	3	2	2	2	Output Port	4	4	2
●	●	●	●		USB-C® Output	USB-C® 1: 100W Max USB-C® 2: 45W Max	USB-C® 1: PD 65W Max USB-C® 2: PD 27W Max	USB-C® Connector/ Port: PD 20W Max USB-C® Connector + Port: 15W Max
USB-C® 1: PD 67W Max	USB-C® 1 / 2: PD 65W Max	USB-C® 1: PD 20W Max USB-C® 2: PD 65W Max USB-C® 1 + 2: 65W Max	USB-C® 1 / 2: PD 40W/PPS 33W USB-C® 1 + 2: 40W Max	USB-C® 1 / 2: PD 20W Max USB-C® 1 + 2: 40W Max	Type-A Output	USB™ Type-A 1: QC™ 18W Max USB™ Type-A 2: 18W Max	USB™ Type-A 1: QC™ 18W Max USB™ Type-A 2: 15W Max	
QC™ 18W Max.	QC™ 30W Max				Detachable	100W USB-C® Cable (100 cm)	60W USB-C® Cable (JUCX17)	
29x57.5x49 mm	59.57x57.15x31 mm	86x47x19 mm	45x30x44.8 mm	31x51.5x51.5 mm	Size	118x76x48 mm	112.8x70.3x42 mm	25x78.5x46 mm
					Suitable for			




							
Model No.	JUCX24 /JUCX24L30	JUCX25L18 /JUCX25L30	JUCX27L12	JUC28L08	JUC29L08	Model No.	JUCX17
Certification						Max Data Transfer Rate	480 Mbps
Max Data Transfer Rate	480 Mbps	480 Mbps	40Gbps	40Gbps	40Gbps		
Max Resolution			7860 x 4320 @ 60 Hz	7860 x 4320 @ 60 Hz	7860 x 4320 @ 60 Hz	Max Resolution	
Max Wattage	60W	100W	100W	100W	240W	PD Charging	60W
E-Marker		●	●	●	●	Cable Jacket Type	Ultra-Soft Silicone Gel
Material	Braided Polyester	Braided Polyester	Braided Polyester	TPE	TPE		
Length	5.9 ft (180 cm) / 9.8 ft (300 cm)	5.9 ft (180 cm) / 9.8 ft (300 cm)	3.9 ft (120 cm)	2.6 ft (80 cm)	2.6 ft (80 cm)	Length	3.28 ft (100 cm)
Color	●	●	●	●	●	Color	

					
JUCX18L18	JUCX19L12	Model No.	JVAW56	JVAW76	JVAW76PRO
480 Mbps	10Gbps	Feature	Most cost-effective wireless solution supported on many devices	Allows you to set up your visual style and lecture without unwanted interruption	Cast any Windows® or Apple® device without needing to connect to Wi-Fi®
		Resolution	1080p	4K	4K
	3840 x 2160 @ 60 Hz	Miracast®	●	●	●
		AirPlay®	●	●	●
60W	60W	Chromecast™ (Google Cast™)	●	●	●
TPE with Braided Polyester	TPE with Braided Polyester	Customizable Background		●	●
		Miracast® PIN Code Function		●	●
5.9 ft (180 cm)	3.9 ft (120 cm)	Admin Gateway Password			●
		Cast without Wi-Fi® connection			● Miracast®, AirPlay®
		Wireless Transmission Distance	15m	15m	15m

Video Capture

Video Capture Comparison



Webcams

Webcam Comparison

							
Model No.	JVA01	JVA06	JVA08	JVA11	JVA14	JVA34	JVA44
Features	A Unique USB-C® Hub With Video Capture Functionality	Capture 2 Channels Simultaneously	Easily Switch Between 3 Different Audio Modes	A Compact 4K Capture Device	4K Gaming/Live Capture Station	4K Gaming/Live Capture Station Video Pass-Through up to 4K@120Hz	4K Gaming/Live Capture Station Video Pass-Through up to 4K@144 HDR
Video Capture	1080p30 fps	1080p60 fps	1080p60 fps	4K30 fps 1440p60 fps 1080p120 fps	4K30 fps 1440p60 fps 1080p120 fps	4K60 fps 4K30 fps 1440p60 fps 1080p120 fps	4K60 fps 4K30 fps 1440p120 fps 1080p120 fps
HDMI® Input	1	2	4	1	1	1	1
Video Pass-Through		1080p60 Hz			4K60 Hz HDR 1440p144 Hz HDR 1080p240 Hz HDR	4K120 Hz 1440p144 Hz 1080p240 Hz	4K144Hz HDR 1440p144Hz HDR 1080p240Hz HDR
PD Pass-Through	60W	60W	N/A	N/A	60W	60W	N/A
HDMI® Display	USB-C® Display: 4K @ 30						

								
Model No.	Model: JVU250	Model: JVU300	Model: JVU302	Model: JVU430	Model: JVCU435	Model: JVU468	Model: JVCU360	Model: JVU368
Features	Conference/ Document Webcam With Auto/ Manual Focus	AI-Powered Webcam with Wireless Mic	AI-Powered Webcam with Auto-Focus	4K UHD Webcam	4K UHD Webcam with 5x Digital Zoom Remote Control	360° All Around Webcam with Speaker 4K UHD Supports AI function and IR controller	360° All Around Webcam	360° All Around Webcam with Speakerphone
Resolution	1080p30 Hz	1440p60 Hz	1440p60 Hz	4K30 Hz 1080p60 Hz	4K30 Hz	4K30Hz 1080p24 Hz	1080p30 Hz	1080p30 Hz
AI		Smart Tracking	Smart Tracking Auto Framing			Smart Tracking Auto framing Detects people automatically and chooses the appropriate mode		Smart Tracking Auto Framing
Display FOV	83.3°	87.6°	87.6°	94°	70°	1. Host Mode: 92.8°~47.3°(H), 57.5°~30°(V) 2. Dual Host Mode: 2~46.4°~24.7°(H), 57.5°~30°(V) 3. Three Speakers Mode: 180°~115.6°(H), 57°~16.7°(V) 2~90°~46.4°(H), 57.5°~14°(V) 4. Multi Speakers Mode: 2~180°~115.58°(H), 57.5°~30°(V) 5. White Board Mode: 92.8°~47.3°(H), 57.5°~30°(V) 1. Full Screen Mode: 2~180°(H), 53°(V) 2. 360° All Around View Mode: 360°(H), 53°(V) 3. Host Mode: 360°(H), 120°(H), 53°(V) 4. Dual Host Mode: 360°(H), 60°(H), 53°(V) 5. Single View Mode: 98°(H), 58.5°(V) 6. Wide Angle View Mode: 120°(H), 88.6°(V)	1. Full Screen Mode: 2~180°(H), 53.1°(V) 2. Host Mode: 119.5°(H), 51.1°(V) 3. Dual Host Mode: 46.5°(H), 47.7°(V) 4. Three Speakers Mode: 55.8°(H), 47.3°(V), 56.9°(H), 37.1°(V) 5. 360° All Around View Mode: * Zoom in/out 3.6X 360°(H) ~ 25.5°(H) adjustable, 49.2°(V) 6. Single View Mode: * Zoom in/out 2.75X 119.1°(H) ~ 61.4°(H) adjustable, 84.6°(V) ~ 37.4°(V) adjustable	1. Full Screen Mode: 2~180°(H), 51.1°(V) 2. Host Mode: 119.5°(H), 51.1°(V) 3. Dual Host Mode: 46.5°(H), 47.7°(V) 4. Three Speakers Mode: 55.8°(H), 47.3°(V), 56.9°(H), 37.1°(V) 5. 360° All Around View Mode: * Zoom in/out 3.6X 360°(H) ~ 25.5°(H) adjustable, 49.2°(V) 6. Single View Mode: * Zoom in/out 2.75X 119.1°(H) ~ 61.4°(H) adjustable, 84.6°(V) ~ 37.4°(V) adjustable
Privacy Cover	●	●	●	●	●			●
Focus	Auto/Manual	Auto/Manual	Auto/Manual	Fixed	Fixed	Fixed	Fixed	Fixed

Trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others. For a non-exhaustive list of trademarks that j5create references, please visit <https://en.j5create.com/pages/attribution-statements>.