

Dual Fuel Range 30", Self-cleaning

Series 9 | Contemporary

Stainless Steel



Get the best of both worlds with dual fuel. A gas cooktop is paired with a nine function convection oven.

- Four burner gas cooktop with two dual wok burners
- Convection oven with 3.5 cu. ft total capacity and nine oven functions including Aero™ Pastry with Pizza mode, Roast, and Rapid Proof.
- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	35 3/4 - 37 5/8"
Width	29 7/8"
Depth	25 1/4"

FEATURES & BENEFITS

Multi-shelf cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials with glowing halo all add up to an exceptional, premium range.

Easy to clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large capacity oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

Accessories

2-pc grill system (Broil pan and	•
Broil pan	•
Broil rack	•
Full Extension Telescopic	2 sets (part 578776)
Hob rear trim	3 1/8" (part 81656)
Kick strip, stainless steel	Part 81660 / 81813
Small pot support	1 (part 533981 cast)

Burner ratings

Dual wok burner inner/outer	1000 - 18000BTU
Dual wok burner inner/outer	1000 - 18000BTU
Maximum burner power	18000 BTU
Semi-rapid burner (LPG)	1500 - 7600BTU
Semi-rapid burner (natural	1500 - 8000BTU
Total cooktop power	52000 BTU

Capacity

Shelf positions	7
-----------------	---

Cleaning

Acid resistant graphite enamel	•
Dishwasher proof grates	•
Drop down broil element	•
Flat easy clean glass surface	•
Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•

Removable oven door	•	True convection	•	Height	35 3/4 - 37 5/8"
Removable shelf runners	•	Turned stainless steel clock	•	Width	29 7/8"
		Warming drawer	•		
Controls		Oven functions		Rangetop features	
Audio feedback	•	Aero Bake	•	Brass burner spreader (power	•
Automatic cooking/minute	•	Aero Broil	•	Embossed brass burner cap	•
Automatic pre-set	•	Aero™ Pastry with Pizza mode	•	Hob rail	•
Celsius/Fahrenheit	•	Bake	•	Hob rear trim	3 1/8" (part 81656)
Electronic clock	•	Broil	•	LPG/Natural gas compatible	•
High resolution display	•	Maxi Broil	•	Sealed range top	•
Laser etched graphics	•	Number of functions	9		
Metal illuminated dials	•	Rapid proof	•	Rangetop Performance	
Precise electronic temperature	•	Roast	•	Number of burners	4
Sabbath mode	•	Self-clean	•		
Turned stainless steel clock	•	True Aero	•	Safety	
Turned stainless steel dials	•			ADA compliant	•
				Advanced cooling system	•
Gas Requirements		Oven performance		Anti-tilt bracket	•
Supply Pressure (LPG)	11" W.C.P	Broil power	4050W	Balanced oven door	•
Supply Pressure (natural gas)	4" W.C.P	Combined warming/Storage	220W	Catalytic venting system	•
		CoolTouch door	Triple glazed	CoolTouch door	•
		Warming drawer power	220W	Full extension telescopic	•
Oven features				Non-tip shelves	•
AeroTech™ technology	•	Power requirements		Spill containment	1/2 gallon
Auto re-ignition system	•	Amperage	30A		
Automatic rapid pre-heat	•	Supply frequency	60Hz	Warranty	
Concealed element	•	Supply voltage	120 - 240V	Parts and labour	2 years
Electronic oven control	•				
Full extension telescopic	•	Product dimensions			
Internal light	2 x 25W halogen (rear)	Depth	25 1/4"	SKU	82764
Soft open/close door	•				

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



User Guide



Guide D'Utilisation



Energy Label



Service & Warranty



Installation Guide



Guide D'Installation



Data Sheet Dual Fuel Range



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 W www.fisherpaykel.com