

Tecturis S

Single lever basin mixer for concealed installation wall-mounted EcoSmart+ with spout 22,5 cm

Finish: **Matt Black** Art. no. : **73351670**



Description

product features

- Consists of: single lever basin mixer for concealed installation, waste set
- spout 225 mm long
- Handle variant: Lever
- wall-mounted
- Spray pattern: normal spray
- Maximum flow rate (at 3 bar): 4 l/min
- ceramic cartridge
- free flow non-closing waste
- Material waste set: metal
- handle can be positioned on the right or left, depending on the basic set installation
- WRAS 2306324
- WRAS 2306324 - Approval letter 2306324

Article Details

Price excl. VAT

£ 331.67

Technology



Design awards




Certificates / Sustainability



Product image



Scale drawing




Tecturis S

Single lever basin mixer for concealed installation wall-mounted EcoSmart+ with spout 22,5 cm

Finish: **Matt Black** Art. no. : **73351670**



Flowchart



Tecturis S


Single lever basin mixer for concealed installation wall-mounted EcoSmart+ with spout 22,5 cm

Finish: **Matt Black** Art. no. : 73351670



Exploded Drawing

Year of production: >06/23



Tecturis S

Single lever basin mixer for concealed installation wall-mounted EcoSmart+ with spout 22,5 cm

Finish: **Matt Black** Art. no. : **73351670**



Spare part list

Year of production: >06/23

Pos.	Description	Art. no.	Price	PU
1	handle	93986670	-	1
2	hollow set screw M5x5	98446000	-	1
3	sleeve	93989670	-	1
4	escutcheon for handle	93988670	-	1
5	washer	97600000	-	1
6	nut	94752000	-	1
7	O-ring 34x2	98383000	-	1
8	cartridge, assy	93760000	-	1
9	seal	93383000	-	1
10	adapter for cartridge	95634000	-	1
11	O-ring 26x2	98147000	-	1
12	spout 225 mm	87109670	-	1
13	spray former	93973000	-	1
14	special tool	98987000	-	1
15	hollow set screw M5x6	97768000	-	1
16	escutcheon for spout	93987670	-	1
17	connecting thread G½	95626000	-	1
18	O-ring 13x2	98128000	-	1
19	fixing set	97971000	-	1
20	extension set 25 mm for 13622180	31971000	-	1
a	base body	13622180	-	1
b	adapter for exchanged connections	93819000	-	1
c	waste	50001000	-	1