

# WATCHDOG NXT 600c/85c

## Basic Pump Cleaning



### **Tools:**

- Cleaning Solution (choose one of the following):

#### **Option #1**

- 4 ounces white vinegar
- 12 ounces water

#### **Option #2**

- 1 ounce bleach
- 15 ounces water

- Approx. 32 ounces clean water

1. First, mix your cleaning solution using one of the options listed above.

2. Next, remove the magnetic filter strip.



3. Pull on one of the black tabs to remove the prefilter.




4. Slide out the MERV-10 filter (the MERV-10 filter comes standard on the unit but you may also have a carbon or HEPA filter).



5. If you have moved the dehumidifier out of its normal spot to clean it, make sure the drain tube is installed and the water has somewhere to drain. Press the drain button on the display to drain the reservoir. Disconnect power to the dehumidifier



6. Slowly pour the cleaning solution into the drain tray, moving from side to side to evenly distribute it. *NOTE: If you get any of the cleaning solution on the coils, flush with water.*



7. Let the cleaning solution soak for 10-15 minutes. Reconnect the dehumidifier to power.

8. Pour clean water into the drain tray, until you hear the pump activate twice (normally 16-32 ounces).



9. Finally, replace the filters and the magnetic strip to return the unit to operational status.

