

OWNER'S MANUAL

Safety and Reference

*LG LED TV applies LCD screen with LED backlights. Please read this manual carefully

804106809A

Important Safety Instruction

- Pack translations
- Neathweightelen.
- Heat all comings. Tollog all intractions
- It not not thappen has no restored.

- Cisch on ywith dry done.
- Do not blocks as year lation openings, install in accompance with the manufacturer's instructions.
- Denot in all mana y instructors such much danches suggions, and energender (includ reprodifice) trasposate and.
- Denot de les l'America parque voir le précise des grandings proping é précise dyécques voir de le vide provincient que le précise de la communité des la communité de la communité de la communité des la communité des la communité des la communité de la communité des la communité de la communité des la communité de la communité des la communité de la communité des la communité des la communité des la communité des la communité de la communité des la communité de la communité des la communité des la communité des la communité des la communité de la communité des la communité de la communité des plughes worlde can be find your ding many. The wide blacker the first many averaging by such as it. If they exchalled pluggies and it in the car callet, on all an electrician for replacement of the absorber and et-
- Potest disposer und finn schopealtes or orphis adpartit, adject dug, so verienci expasses, addition in the other chips of finn disapparties. - Only read edition is a resource specified by the room declarer.
- These years the vary date, injust, in otal, or latter pentients, the manufacture, counts with the appears of When your notice, a record provides reving the collappeol as one ballon look or injury from lip-mes.
- Unprodictive parates during lightning atoms or whom naises, for long periods of finals.
- District control standed leveropers on the control operation and only only in the control of the c plogis de augas, figuid les becaspilles en abjects les afollon et all exigenator, des genetos es exercepens die la non reisone, docs not exceste r or raily, or law both dropped.

By using the product paragraph and discuss, between parameter in equation could not a manager of dispendent find of its tors, must be found to the product find of the first tors, must be digate) skillbered vederker, at, transpribilding arbitation om individadischt Ferans af tre ordinationapie nort finkell vedetals om bet proceins formse sing digasterisk stallable er weekt om et skillbroten USV, orwawd geom/og et skillbroten (Errode).

Before reading this manual

- Resolution manual thorse girly both corporating your TV and beguit for future reference.
- Or the wester you can download them a subfind using i stallating using should short reposition to see the advicent content on your PCo. motifiede iz.
- Uses Guide : For note inforger on aggree dis TA residete USES GUES and odd or lief epitolact. (Depending upon model). 1k spenink L986-L06∰ → (§) → (Support) → (Jix+9.kk)


Optional Extras

- Opi profession to diarged or not flectious alty improvement without any metitication. So notice your design for expiring these forms. These devices work on ywith cortain models.
- The model name in distant may be changed due to the menufacturer's chounstances or politics.
- Magic Remote Consult
- Classiculation year "Vinedal suspecta Blacked himite Windess Naukle Specification at an by Alekhonit can be used with the Aleja. Yen at a Assole komme hader a varietieren descentas beguntsverksperdet.

- Probative of this work attended the manual method language and cut provided as a upgrade of credict, a storm.
- The demonstrating approximation $\mathcal{G}_{\mathcal{A}}$ and the strong representation of the strong $\mathcal{G}_{\mathcal{A}}$
- Inspection may differ from your IV.

Warning! Safety instructions







CARLO BERROLD BURGER ALS BURGERS REPORTED AND DIAMETER AND RESPONDED AND THE DAME OF THE PARTY. PERMIT.

Two quibalis intended to also the user or the power confirming lated thinguings will appeal thin the product is end once if at may be of sofficient. <u>/\$\</u> in agnitode to constitute a risk of electrical addito personal.

A Terrymbolisi standal x abort benson a dispessor sedimon tant operatings del sinterar sedjenking), estudio simble iterature.

A terrymposition to de to accompanying incide/los

VANSANCE POR BOOK THE EXECUTION AND ILLUTHICS FOCK CONCIDENTS INDIA BOOKETIC BASIC SWOKING.

- TO POWER THE SECOND FOR THOS, WHE CANDES OF CITE OF INVAVE ID. CYRCHAMES MASH FROM THIS DROCK LITTLATED, TIMES.
- Do not place the TV and/or remote control in the following errainamenta:
- Seep Despitional every from direction up in 1
- Anamory Inhigh lumicity secres abathrooms.
- Non-rights towards of assisted and other designs that produce
- Non-bitcherus artes or non-iolites where they can easily be exposed. to examine oil.
- An and expectations in or wind.
- Do not copied to dryping onspiret ingrand constitution abjects filled
- with liquids, such as weeks, cupt, act, on one or the apparatus (e.g., on the reconsent aunit. Sear Lamma tile cojects such as gasoline or cardies, or expose the "Vi
- ted website and distring.
- for at install in expectably dusty places. Otherwise, this may result in the, a actric shock, combination, expliction,
- ny frantica oramdam deterrordos. Tientilation
- intal your T/whee here is proper vertically. Constitute little section are that everphenium Io not install the productions carpel or pathion.
- is not blank protective product with both proflemments is with a
- Discrete not in the district verifiation openings. When waithing the IV.
- for a long period, the worldlation opening; may become hot.
- Protect the yower cordifioning live call on mechanical abuse, such as heing twisted Minkel, glindhed, desed in a deprior walker upon. Pay cartio, is: to slugs wall outlets and the points device.
- Constructed TVwh sinhe Pavencox bip agged in.
- So at a cardening also less of thing power and.
- Resolving to play when any deputing the presence Life and pull. untreprentuation plug to IA
- He not connect for many devices to the same 90 present of short its. sculding. In investigation shock.
- Disconnecting the Device from the Main Power Betweening streetwarening feets, have at an energy by
- the prevent against trens in each acceptable Hone) impound lidear inhanding polatity IV Obstate, he IV.
- may bill over, with throughts are the principle by Outdoor Antenna Securiting (an efforty our by):
- Han cubical amona is hetallise following presurtors below. As addressed error system shalls not be into led in the visibility of evertised preventions or after sket field gall or preventionins, or where than considerable with subposering control is extent at serious injury or norms.
- He must be antenno system is consisted to provide some protection. againmeológica ageszadha. Eup states raiges.
- · Many of the following scarr, unplug the product immediately and contact a service center. Treproduct has been canaged.

- Treproduct has been carriaged.
- Every competitive substance enters the product (libe an ACadapter. power cord, or TV).
- Iyou and since or other oders conlegifior the TV When lightning stoms or when unused for long periods of time.
- Smithe IV is tempol of the someter control of button, AC denses source is connected to the unit if not unplugged in.
- Boral ceebigh valing-electricated opinion in earth of Viring, a bay.
- Appeli, his rayma. Fir product red are in a
- Joinst attempt to medify this product in any way or incur writer. authorization from Milledon or Addisorbilitie and work shock C28 2001.L
- Is, info in authorizal attendments (success its approved by IG) Shehunisa Gillerwise, Lisanay result in ling chetric anask, muliu naisa,
- or modest damage. Been drawenthethe All adapter or power cost. The means of this be-
- ar el-cino ánico. Handle the adapter carefully to sec it dropping or striking it. An impact.
- multi tamage the adapte: To recuce the risk of the prefects salls real, do not touch the TA with wet.
- hands. If the power can't arrange are wester covered with dust, dry the power plue completely on vince dust of C.
- Batteries Inct Included)
- Store the accessorio: Dottery, ciculina sefe location out of the reads of thick to
- Do not short displit, disassemble, or allow the batteries to every cal-For at dispose of letteries in a fire, Satteries should not be exposed. to excess we hear.
- noned tyx.
- Moring
- When making make and the product is turned of the plugged, and al tablishin absolution with 1 may kitake menapasalah tarany. arger TVs. Euros press or paristos a confection is purel of the TA. Observise, this interest improduct durants, for record or injury.
- Sep the pushing an introduce material and pushing out of the .
- Zonat a low-an impact shock largest, acts to fail into the product, and do not drop a withing activate state
- Compacts through upon the parel with a hand enable appealed such as and Lipendi, unperviountable a scratch on following value damage. postecen.
- Gearing
- What does not up a philoporousi and wise grady with a off? thy cath. Do not carry was not other liquids directly until TV. Inrets non you TV with the night industries also discover and travel. ir firaliene, ji saadi: daalulaisin ta, waxtan, ir dustriaf, almasiya, thinner, sensons, also refer at, which can demograth appeal at antiaritagan di Marwise, fris nayresalt in electric crecker and atkrep.

Installation

Lifting and moving the TV

When the original think the 18, multibable to replace worth the 71 mm. Twine courbes and in wighting in the strong challed recording of distribution a włoże.

- It is recommended in new the TV in the lock repeating material that the IV originally same in-
- Netwernsking or itum: the 18 discounsed the powers ordered all scales.
- When holding the TV, the screen should be exway training at least-ac-
- Hold the log-and dediction of the 17 formetismly. Wake sure action at 2 the transport, participately as personal across
- Used the blood department of the place.
- Winning opening the IV, denotes passe the IV is into the covere. winds: L

See distributing the steem shall limes, not his may result in damage in.

When hard nights TV, as suctained to danage the protection batters.

- Winntersporting the PC begut of Vicinigate over worthe TV or it.

- those are
- He not also the product or the food with its limit being the a without padd no fei ero o de corray scall incurrage te die sozero.
- When a tading the stand text of Visit, place the screen facing downer. a pashioned table or flat surface to proper the sauter from su status.

Mounting on the Table

side or all, towards the left or right.

- Utiland tile tile Tvilate i krup tight pedden or sitable. Here a minimum of 10 cm (4 incress spare from the valid suppose
- well labor. Comet in-presence that we loate.
- Donot apply largin saletances (ets, laterants, -ic it at he arrest and s when extend in quille product, their given as damage the module.)
- If you make the inverse stands you must be taken as how to prove the product for rowstarning Otherwise the graduatine yieldows, which ne sucificy.
- Denot use any unapprevention to ensure the safety and lifespan of the greduct.
- Any demagns of injures by using mapproved items are not covered by the warranty.
- Make strict fait the screws are fissioned dot/by (1 they are not fastered) securely enough, the TV may distributed after acting installed ϵ
- Donot faster the coravs with occasive fine otherwise they may still.
- Periody the shadbelgrounds from the 10 on a wall mount by parking the candattachina timewise. For notein lengther of cross are well men it broket, whertather
- Separate Furthese. If you intending mount the product the well, of act VEA standard. mount against face to grow I parts to the back of the product. When you install the sectoruse the wall mounting by doctroptional parest fibriand is matching as
- When mounting a Tylen the wall in also sure not to install the Tyley handing the proversing single philes on the hads of the TA.
- Denotifistal this production awail if it confibe exposed to elicited. mint. This may demonst the production discussed to ball

 When it stalling the sent mounting backet, it is recommended to assert the standard energiage, is providing executive interesting and needs. (Copyright agent to \$4).

Securing TV to the Wall

- Insert and addition howevels disput Visited where that you the backet.
- If there are hold interest at the eye hold post and remove the holds.
- 2. Wount teval Visides with the beast of teval. Visit in the loss on of the wall brackets ad independents on the train of the TV

Mounting to the Wall (WI markkinstinkahd) Progressival your content-situality on Alderson, Great with pour books to refer a continue of the supports the MSA standard and by your TV model. Carefully actual the wall mean troublet at the reun of the TA. heralithe well mome brader on a solid wall peryondicular to the floor. If ye name transleggter. "Attachment uilding materials planse contact qualified personne is in the little well mount i fetalled in recording will be introduced. title willie mil. Avies meed huly a zean Chendrol memb The LG wall mount is now to adjust on to some of the cools. When you do not ask 25 well moint leaded, ask a well mount tracket where the cerior is a degrately secures not nerver I with chough coace to allow connectivity to esternal devices. Hydusa villeting a end vid jedable nerunt, attact the nerunt. In the wall. Albein the coblected by Tétrics, then albein the "Violite mount."

- 3. Connect the excitof and wall fundered birth with a stury recent rable. Units care in besy the rape panel electric the risk surface
- the applicance obtained and output and temperatural temporal flat
- Breaks A, lot b, and representing and Life average an adultion a constraint for your built or or

Antenna/Cable

Compute nantering cable or rable section at: ("Vivilibratering to the following. The linease are may differ from the coursi bens are an IF cable.



- Value control in bendith except with of the II colds.
- Considered context as between decrea, and the orienter. The prevention the powers of at top ower I damage logs on IV.
- Tearing of piliterious / "Assumes
- DIV Audio Supported Carles N 96, 148 y Decital
- The PC armothese in The 40 (384) call (Apies by branchests directly) locates the soluted standards have not licen for firmed (Depending ape round st.

Starting TV

Turning on the TV

You can turn yield statched With rations, using the better.



Fower On Process Force Of * (Press and Hold) Maria (Chiada) Francis

Men, Selection The condition? Itamingaspan Ildos.

3) Four can use the fund an whomey accommend control.

⊕5ate

 Month-IV istumes at fail a instinct of a behavior dispersion for fortage initialisation of the Throughthe approximate your minute.

Some devices are not marginal termination / of floation from notifying

 Year IVV Cabitanis reen 6 qub gi may di leral glatty ilem Tradishmen. The decreased be warpy accessed to a long one out of reserving a costs.

designant ampliquing the power and. Product Information

(Pr.y(M.04°)

COSTUGUES SERVING

Militaless module () 6 STA 8 812 (Specifications				
Wieden AS (IIII)	EATE differentially			
Inspecyonge	Calp & Prove (Van)			
Q4001/3,472AB	17d km			
\$190 k/\$.254 MID	ind in			

Ji Yannanese sunded, of the menuty person the bullet of entity on a

Frequency Large Subject Force: (Max.)								
ă.	kath							
5,945 to 7, 35 MHz	ldän							
3,72,63,22,860								

2/10 to 3 488 5 AME 5 dBm As lead thannels can very year country, the user cannot thange anadjust the operating frequency. This product is configured for the regional

For consideration of the user this device should be intra led and operated

with a minimum distance of All co. (7.8 increase between the device and

DODE I DOMANOS AN ESTRADORANGA.

Invisency range

2400 to 3,488 5 MHz

Only ONE 2811, ONE 2851, ONE 2911, 880, WO751, 830,0751, 830,0751,

2017/01/28/09/01/2 Wireless module 1.5.98 VAC95 (Specifications

Frequency range	Susput Fove: (Viso)
/10462.4015AB	103 d im
STANKSSAMP	19.5 lm
SAN MARKETAND	71.5 km

Output from: (Ass.)

\$48m

the operating frequency. This product is configured for the regional. Program; ytable. For consideration of the conjuties designs hould be invaded an apenate. with a minimum distance of 21 cm [7,8 inches) between the device and

Ar band drameds carried specificality, the user compatibility or adjust

the self-RCD, BELIZEWARDS / C 2008 - ZERANDS

(Leophicogal Date, gal Date, gal Date, gal Date, art Na 1751, ka kipate, PRIDAY, MARQUAY, MOROSON,

Mission module(IGSBMXC255pic Rection) Why exting the destination with

Belga: Physics (Mac.) lequery may 3,4 Ohr (Albert File 17/dbm $\sqrt{240} \log s/(2500) k$ 15/thm 5,735 to 5,850 V Hz 15 dBar Bludavile

2,400 to 2,445.5 MHz Astendon melson cayper county, the constraint conject of jest the operating inscrease. This words to configured for the regional

Output Power (Marc)

frequency table. On prisk erar an efficiency of the device should be installed and encycled aminimum distance of 20 cm (2.4 inches) netween the di-

tishods. OF DELESTANCE / NO 2008 HIGHWOOD

Боринау мада

Open Source Software Notice Information

-blain Lessage rode Lai prophared rath-project, ard-rolft, Gff, While a policy open concentration to the fact of policy field of the will be a policy for the disconnection. searceade, and telephone like selecting, copyright neither and ed er oderin televarje, at plane, visit i hossylgen om redystare.

Connections

Year can connect verticate descriptive/destining 1%, primary information on e demail devices connection, refer to the manual provided with each device

- When connecting the 42M liable, the productiand second devices.
- should be turned off and unplingeed. Supported 43Al Audioformat (Depeny agrupor model); True FD (16 dHg).
- De By Digital/De By DigitalPlex (2265 c/ 44.1 JHz/48 bH). PSM3286741 14778 867531477 \$2647
- If the device connected to bould for a consequent sHDMITtex (c.m.) your picture may be dearer. However, if the derive doesn't suppose it, it. may not work projectly. In the sease, dianger the TVS (HDMID explicit) scting to off.
- $\begin{array}{l} -(\widehat{\mathbb{Q}}) \to (\widehat{\mathbb{Q}}) \to [\mathsf{Sump}] \to [\mathsf{Dentos}] \to [\mathsf{HDMSetHup}] \to [\mathsf{FLVI}] \\ = \mathsf{Dep}[\mathsf{Sum}] \end{array}$ - they certified obtains in the 10M topolatic hed. Typical cost awar or affect HDM habitatic sector may not display to a connection and

Pason mental FSV hable type, (5 mit).84 feet(collas);

- Utraffiqh Speed HDWF/* with a

PROBLEM

Some USB Falserray not work. Mai USB device connected through a USB Hub. is not detected, connect it directly to the USB portion the TV (Departing

⊗ Note

 For an optimal connection. HDMI schlessing 158 devices should have beset less than 10 mm (0.35 mines) tribed 19 mm (0.3 mines) which is

and 8 mm (0.21 inches) switz clameres. (Depending upon models. Use an extension collien at supports £59.2.0 if the USE cable or USE fashdive cocherfeirtoydarIVAUSE oor.

Professiona 85,900 personal contra en aprofessional, alconolida asca-Questioned actual of the stand Department of such - Local drap happened at \$1 of very letter and \$100 or \$100 or

codes from to inkiners thing gyardengeneths are at - Afterward a step of delivers transfer process was exactly supplied and of the Alleria or ground of the wind repedenting

Remote RS-232C setup

Diletory with mayor over eyer brought open at. IR Blaster Control the set top box (able/satellibe/8/071). But ray/0/70 player. scumber, game consides less, using the Bibliotic (Depending upon country).

(Expending), see morely.

⊗ Nata - termed the II Section adjets the IV-III Bederand.

- Use in what cortic settings to control the descrip-Secure the BURStor with the SM laps provided.

External Devices

Supported a demail contention of Managephoto, 40 media of WD players, VC Seaucie color o USB stangenesion. PC que a aquesione a unable otona derico. For necciniomerior an external derices connection, releto the rancal provided with sacreer te-The image shown here is for illustrative purposes only and may be subject to change. The actual number of ports and their locations

may vary depending on the model. Illustrations may differ from actual product. We are constantly striving to improve our products; therefore the

specifications contained herein are subject to change without notice



€ Nate

- The lotter of continues tions allowing any differ slightly from illustrations in a manual.
- In PC mode, there may be not be a waight doubt if more union, writing pathon, control or bright may finish is present, can use the PC cutput taknot remachation, change therefor imate to another rate or acids. the brightness ard soutsection the β stant) in entropy little picture is
- dear Departing mounting eightestand some resolution settings may not a lew the image to be positioned on the screen properly.
- When connecting to a wired IASL uses IAST sets ewithinigh speed. Inter ici transmission.
- The IV may be supplied for exting without a so top loof on a. nukidar ici Adopicgranni igobribito (MPX).

Specifications

Product specifications may be changed without orient rates due to upgrade of product functions.

à finate, park, energ, ancomptioni misseulenthe FIC land is macroned in account cowith the Text Procedures for Television Set. (USA only). The actual charge or some prior depends on the magner winning of (The contract world by TV settings, etc.).

- or information of the power apply and power onto imprior, refer to the label attracted to the product

- The type diprovements map with a meaning in a combiner with 10 AAR7 crossition in rytemacy (e.g. define).
- Unsame made suffer label our statute external device connection lemmas cover.
- Depending upon the model or country, the typical power converged on may not be on taken .

Describgups auray)

OF YORK SEASON, OHE SEASON,

	Breadcasting Specifications
Television system	AYSO, AYSTER (M. AYSTA, AYSO), IN SIZER OVAN
Craind creage (Red)	MIRALIC BETTARN, TRANSPORTED TO CARRYLLIA
External antennal impedience	73.0
.cp. (a 00E060A09, 00E065A09)	
	Amadeasting Specifications
Below intern by shore	APK, MISSER, AMAR PANYA
Crossel tree oge- tilked)	MES 18, DEF14 60, XIV.2 92, OVV 1-25, GASEV 1-185
Internal science impediance	20

- Certain Koupul Secoring connectionay and be supported through income may be necessary in expect occurs to duration. I mail extended a many of # measod way-framing upon three recorded (Separatrum context).

Environment (nt Condition
Operating Pemperature	0°55/2°57(3°76/104°1)
Operating Humidity	kertan 8%
Sarap Tarpestar	2FC(66FC) 4F (6F4F)
Skoupehon dit.	landam85%

Troubleshooting

-	
Cassed central the TV with the remote control	Directiful method on a construction for over planet as entire new ver. Directiful tripped body classed a fortace the process and the remote control. Replace the batteries with new linest lanes.
An inageriby upont ne as and is produced.	Tradiffic product intendice Tradiffic power profile context to a velocite; Subdiffice power profile context to a velocite; Subdiffice, is upode to in the wall out of speciment, a year a product.
The Filtures off suddenly.	 The distription of making the power stop years of the interests; The billion acts of Yuncian is attended in the chings manual. The distribution of the factor is the Texture of the office acts and only after 15 in acts of inaction.
Manoreal Diplop	 If the TV feet cold to the tendent theories, he as the fide rivef on this transition. This is remaind the element in growing with IV. So permitted to defections, he visible on the street, appearing at the process of the elements of the IV. So were also begin the elements of the elements o
General ad Scar &	or he bis over one-desidency but have. Contamprobations but one designs of meadon or at means the Management by plot of every or he design the factor of the meadon of the means of the design of the means of the m
	 Both set simulations registered baseing * ewisted in this consisted time. It gives to set in quantities to be executed to the set to produce the product T is give studied and describe affected performance or is believed to set out.
W. M. W. JA	C

- Applicant triped alterers and bed wast pur who grounds contributed between temporary
- elocidisk Allepan ad Leakepant, Developans and
- Materials is write any receive water and earlier to the distillation. Band knews excludeness edly stable? We ex-
- Make size to spray, amendingly of varieties descend only a style of the value of extress.

Regulatory

This equipment has been to sted one Roard to comply with the firm blor a Carta Buildful doeses, pursuant to Nort 15 of the PC Publis. These limits are designed to provide reasonable protection against he mild interference in a residential installation. This equipment persones, uses, and can led one earlie frequency energy and. I not largefled and used in accordance with the liest subtless, may cause instrated interference founds communications. However, there is no querial test in terference will not occur in a particular installed on. If It is equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment of and or, he centremorated to by a correct be interference by the construct the following invaries:

- Deprient or relocate the receiving enternal
- here the specific between the equipment and there show Connect the equipment to an author on a gircuit different from that to which the receiver is connected.
- Consultation des er or an experience dradio Twiteshnisten for help.

device compiles with part 15 of the FCX Rules. Operation is subject to the following two conditions: (1) this device may not cause formful. ateriesents and 12-th is device must accept any interiesents received including interference that may cause undestred operation. Any changes or modifications in construction of this device which are not expressly approved by The party responsible for compliance could vaid. The rise's will be by takepende the equipment and landscorus only assembly to the modern to over ity this man almoy elabel the ICI. requisitions of white the users. Incrity to exist epitical

FCC Radio Frequency Interference Requirements (for UNII devices)

High governadors are allocated as grimming users of the 5.25 to 5.35 GHz and 5.65 to 5.35 GHz labels. These radar stations can cause interference with one/or domage this device. This device connot be so located with any other transmittee

FCC RF Radiation Exposure Statement

For having wireless function (WLAH, Bluetcoth....)

This equipment compiles with PCC ad indompopasure limits set forth for an uncontrolled on the moent. This transmitter must not be collected or operating in conjunction with envioling antenna or transmitter. This equipment should be installed and operated with minimum distance 20 on 30.00 holdes) between the uniternal and your poly. Oversimust follow the specific operating instructions for reliabilitying 60 exposure compiliance

NOTE THE MANUSACTURES NOT RESPONDIBLE FOR ANY PADIO DATA INTERFEEND CALDED BY LIMAN-OF EXECUTABLE CALDED AND LODIAN THE SOCIENCE I CATOMS COLLD VOICH IN LISTERS A JUDICALLY OR A LAMB THE COLLANDAR. NOTETO CABLE/TV INSTALLER

I was also avaidated. Next in which shall not be surveyed to the state of detrotely 1.5%. Incodescents justice or supernomenand, spans, appetitement is saliege of the becomes contege, of tags, and of the latter consistency and of the salies.

WARNING! (STABILITY HAZARD)

A Metal on entire, for participants of the process of the control of the control

- MOST we do not do not not profit to not relate the south of the theory of a Most to the south of the south of

- 6.7. Consequence of the control o
- . Sever and the decimal estimation them a walk before the delitite on the block on the form of opinion \$450, as well in the might be upon the block of the bloc
- His existing block on a regard to an taken and it soluted for an ambituation of specialistic deposits.

Symbols	5			
	Эференциялировит(X)	di.	Béanc moite.	
	Note advantage (DC)		Risak Wilgers	
	Printed as Replanes	ŕ	béancáng taradha.	

Using Magic Remote Control

- Power lass the You and it.
- \$27 Ameson the (Guide). € - (Bash) lesers a -- between numbers ad al-tat21.
- Amountle sweddingel list.
- 2000; Ames on the (Enit Oxida Access);
- [Brit Suith Access] Auriceland Parl allows you to enter a specified applica-Live IV directly by pressing and he ming the market humans.
- Volume burnious Adjunction or large
- Hame Access the Home menu.
- Rame Laurates the last user appr Wheel (00) Preside control () button te jakot a mane foe can change the mels
- beute Otene Wheel (011) Access the July a Balanery. Yang ing the Wack Explored feature when the pointer color has weged to purple. If waithing a channel, press and hold down the points of to the vides.

When avoig [10 Gode], [Settings], [Sports

- Nett or little Salley), precion with down on the less. Tp/Down/left/Right Free Irena down, left ciright button to scrott the nare.l'you were Chefren will ette contension of the pointer will disappear ton be seementary clausewill. operate their general remote control. In display the pointer on the street again,
- Sack fotometrate process and

andle Magic Remark to the left and right.

Back Deals on steen displays and returns print top tide



(Batteries not supplied)

SVP (Secondary Audio Program) feature can also be small and by pressing the 🕙 Channel buttons Spoks through the 0 own the sale 0 Mute Nutra el rounds Mute Accesses the Agrential Refinery. Valor necognition With a consisting Bireculted to use the virial reprografiant. Deckformenmedet autort form encome addresses myratha malishk ir surrecountries). Volcencognition Spiel with proving and halfing the butter to use the value recognition learning. 0 logut Charges the Input source. Input Assertable House Lightwest. Ø, Q. Settings Accesses the Delet Settings. 35 Q Settings Deploys the [#15etterp] Dept

Œ,

0

Terresconages al facción di espera

Number buttom Intercounts is

More actions litinion mare remain

Attesses the Yould Healt

control functions.

Red butter fais the record fairt an. Streaming Service Buttons Courses to the Value Sewaring Service.

The remote control vary depend of model: The buttons on the remote control may have a different name or location than the remote control shows in this manual.

TI.

** To use the better, press and hold for race than 1 second.

The descriptions in this manual are pased on the buttons on the remote grated, Picospread this manual control yands switch IV removely. Tristomers associations: Bats, Wheelin use it should be pointed in the discriminatific PVS remote scasou.

(Semetystans and remitted may not be provided depending about models

How to register the Magic Remote Control inusa Jawage Banesi, first pairit with 500-70.

Fathallenwardathalkeyk famataandtan (167) as.

- Point the Magic Remote of your (Valuations of a CDM heat (OR) or instance entral.
- " Bithe 14 fells to register the Magic Remote, by again when turning the IV offend backen.

How to deregister the Magic Remote Control Feet de ⊙(Back) erd ⊘(Homo) balla vel the same to e, he he seconds, ox unpain the Macic Remote with your Pa-

 Press and hald the (2) (Home) and (3) (1. Settlings) but one for ment than 5 seconds to disconnect and relief contributely: Remote at Individual lands.



- Rikeron meratet Protza Access & aud C bekontetinuse I wa $1.2m(0.6)\,\theta$ equivalent the 18. I the Affin model at six as the r9.7m (CEVR), the Magazier of expectations and perform a septimid. due to long, except sterferonse.

Using Always Ready

(Perem agrupos analet).

You can uperwise the TR and counset to Binefor the with direct valve. recognition while the power is of

- (%) → (%) → (%) retail → (Mixay): Restail, secting Knek either
- Transport for \$5 out to mobile wat shirts IV soft showing the street to [4 copy to b] the former any otherway I of Shaller and rays burn the amen'ts (thory, itself) that is a radiofic
- ' Propiete 🚱 (Home) by the critic 💮 (Back) herbe la switch (A when the screen bilt (Albays Ready) that is timed or .

Produced (C) Wheel (MID button to display the value part when the strenkin Mage Real/I that is turned off and preside \$20 kullon to wort IV.

- Using Always Ready may increase one dy consumption.
- for non-booth meson variant at mat Q, 15% tetraces of WH. the mater we can the IA will turn only accepted to the form.
- termoreholomationskapt diefectors refer to the 😂 🛶 🕕 $(Supper) \rightarrow (herGade) \rightarrow (health) acting) \rightarrow [Lean March$ Abada op Embl.

Connecting Smart Devices using NFC Tagging MPC is reconnal ogy that use: Nez r Pield Communication (18,56 MPC)

allowing you to conveniently send and receive information without sque ado settinos. By bringing a smart device near the MR-enabled remote control, you can install the LSTM n0 appendion meet the device.

- Lamor Mt. In the analytic devices artifage, for set MFC & first discillent devices, et du Millophor tou aude espelerite tagain for a natidesigns withings The MCC antings rate year, one angular the
- a dang die soort devoer naart e 🔛 (新文 on than in de callet Tu-
- requires diviance for 4.00 tagaing coalcout 1 are (0.50 in los). is switte in to disnot a trail in the Little Jugaco you you t
- Be regging the smart device to the remote confine of aways on \boldsymbol{x} Siminflance

- This feature is available for MK-enabled smart devices only. Tristestate is only available if the remote control has not Micloga.

Specifications

Specifications (MRZb9H, MILZBSJ)							
	equacy wage	Output Town (Max.)					
Bludavih	2,400 to 2,483,5 MHz	7.68m					
1FC	13.55 NHb						
C#YMP2380							


























55QNED85AQA 55QNED85UQA 65QNED85AQA 65QNED85UQA 65QNED90UQA 65QNED99UQA


8040068091








Accessory type and quantity may vary depending on the model.




The cables mentioned in this guide is not supplied with your unit.



The remote control vary depend of model: The buttons on the remote control may have a different name or location than the remote control shows in this manual.



MODELS SSQNED8SAOA SSONED8SAOA	0		0		0		O .		(3)		0		00		Power consumption
	215 (46.5)	1230 (48.3)	779 (50.6)	379 (306)	277	757. (10.1)	(26.1)	716 (28,1)	(17)	45,5 (1,7)	20.2 (44.5)	(445)	(43.5)	19.8 (43.6)	195 W
esonedisaga esonedisaga	1,647 67.13	1,452 (57,1)	904 (35.5)	(317.0	295 (*10)	(11.6)	533 (22)	(33)	(1.7)	46,9	30.6 (87.6)	30,6 (62,4)	20.1 (26.5)	30.5 169.50	250/W
евојчервовоја	644 (55.8)	1444 (568)	(35.5)	.895 (35.3)	295 (11.6)	296	874 (344)	974 (32,6)	29.5	29.1	26.8 (91.0)	25,8 (50,0)	264 (584)	234 (544)	290W
GSQNEC99UQA	1,444 (\$54)	1 444 (56,8)	(356) (35, 3)	595 (35,3)	295 (11.7)	195 (11,6)	024 (32.5)	634 (37.8)	29.5 (1.1)	29,5 (°.3)	28.5 163.4)	25,8 (65,4)	28 ¢ 207 0	25.4 (67.6)	4:0W
Power nagazonanti									- 0	AC	120 y - 5.	A60Hz			



804006809I