


## TEST AND STANDBY SOLUTION

with red dye **Ra**

Dynamic Biosensors GmbH & Inc.  
TS-0 v5.1



## Key Features

- **Adapter strand 1 - Ra - lfs** and **Adapter strand 2 - Ra - lfs** (ligand free strand) for functionalization of **heliX<sup>®</sup> Adapter Chip** on Spot 1 and Spot 2, respectively.
- Compatible with **heliX<sup>®</sup> Adapter Chip**.
- Includes **Adapter strands** for more than **50 regenerations**.
- Ideal for **heliX<sup>®</sup> Adapter Chip** status test and storage
- **Adapter strands 1** and **2** carry a moderately hydrophilic red dye (Ra) with a single positive net charge.

## heliX<sup>®</sup> Adapter Chip Overview

2 spots with 2 different anchor sequences for DNA-encoded addressing.



## Product Description

Order Number: **TS-0**

Table 1. Contents and Storage Information

Material	Cap	Concentration	Amount	Buffer	Storage
<b>Adapter strand 1 - Ra - lfs</b> <b>Adapter strand 2 - Ra - lfs</b>	Orange	100 nM	5 x 400 µL	TE40 <sup>[1]</sup>	-20°C

For research use only.

This product has a limited shelf life, please see expiry date on label.

To avoid many freeze thaw cycles please aliquot the nanolever.

Solution is ready to use for biochip functionalization.

## Contact

**Dynamic Biosensors GmbH**  
Perchtinger Str. 8/10  
81379 Munich  
Germany

**Dynamic Biosensors, Inc.**  
300 Trade Center, Suite 1400  
Woburn, MA 01801  
USA

**Order Information**   [order@dynamic-biosensors.com](mailto:order@dynamic-biosensors.com)  
**Technical Support**   [support@dynamic-biosensors.com](mailto:support@dynamic-biosensors.com)

[www.dynamic-biosensors.com](http://www.dynamic-biosensors.com)

Instruments and chips are engineered and manufactured in Germany.  
©2024 Dynamic Biosensors GmbH | Dynamic Biosensors, Inc. All rights reserved.