


Instructions for airbag vest

Read this user guide carefully and keep it for future use. Activities for which this PPE has been designed This product has been designed for horse-riding. It is not suitable for any other use. This is a Level 2 PPE garment. This vest has been designed to protect against mechanical impact by activating the airbag in the event of a fall. Impact protection is only guaranteed when the vest is inflated. No protective garment or vest can offer full protection against injury. Any modification or misuse of the airbag vest will have a dangerous impact on its performance.

Terms of use

This airbag vest may not be used by riders weighing less than 20 kg. Do not wear a backpack on top of the airbag. Wear the airbag on top of all items of clothing. Wearing the airbag under clothing may reduce its performance. Designed for use at temperatures between -5°C à 40°C.

Size selection




	10/11 Y/A	12/13 Y/A	S	M	L
1	70-74 cm	74-80 cm	80-85 cm	85-94 cm	94-100 cm
2	27-29 cm	28-34 cm	33-37 cm	36-38 cm	36-38 cm
CO2 CYLINDER	63 CC/46 gr R3 : 5323924	63 CC/46 gr R3 : 5323924	85 CC/60 gr R3 : 5157952	85 CC/60 gr R3 : 5157952	85 CC/60 gr R3 : 5157952

Waist measurement


1. Chest measurement: Measure the chest circumference at the widest point. 2. Waist-shoulder length: Length measured down the back from the waist to the shoulder line.

INSTRUCTIONS FOR USE


Parts of airbag




5mm Allen key



Attachment strap Maximum length = 38 cm



CO2 canister



Firing pin mechanism



Airbag vest




Saddle strap




Gas bottles are hazardous materials and must be kept away from children and used carefully. Only use DECATHLON-certified cartridges.

Setting up the airbag


The user is responsible for attaching the saddle strap to the stirrup bars on either side of the saddle. Always attach the saddle strap to the saddle stirrup bars. The attachment strap must be connected to the saddle strap. If the saddle strap is attached to any other element, there is a serious risk that the vest will fail to inflate in the event of a fall. Risk of damaging parts of the saddle (other than the stirrups).




Replacing the canister




3




4




5



6





Care and storage

Caring for, transporting and storing your product: Do not wash Do not bleach Do not tumble dry Do not iron Do not dry clean This product should only be cleaned using a damp cloth. The protector should be stored in a dry, ventilated environment away from direct sunlight, heat sources, and sharp objects. Do not expose clothing to chemical substances, dangerous substances or fires which may contaminate the product and adversely affect the level of protection provided by these products. Store flat or on a hanger. Never fold the vest as this may damage the inflatable bladder. Store the gas canisters at a maximum temperature of 40°C.

Caution

Check that the product is in good condition before each use (no tears, sign of wear etc.) An airbag vest is designed to be used several times. The anticipated service life of this product is 4 years although this will be affected by product use and the type of falls experienced. If you notice damage to the stitching, torn straps or broken plastic parts, you should refrain from using the product and replace it immediately. If the seams / main fabric / lining are damaged, exposing the inflatable bladder, then the vest cannot be used and must be replaced immediately. The noise generated by the triggering mechanism may cause the horses to panic.

Notified body


This protective device complies with EU regulation 2016/425 and NF S72-800 Protective Garment for equestrian activities - Jackets and vests for horse-riders, equipped with airbags. Certified by ALIENOR Certification ZA du Santal 21 rue Albert Einstein 86100 Châtelleraut - France (2754)

Product composition

Transport your vest in clean packaging, ensuring it remains flat, protected from moisture and away from direct sunlight. Spare parts are available from our DECATHLON stores or on our website


Declaration of conformity: See the statement on the website: www.supportdecathlon.com 1) Select your language on the homepage. 2) Fill in the article code and/or model in the search engine 3) Open the product data sheet 4) The declaration is available at the bottom of the product data sheet The EU Declaration of Conformity for this product can be found at: www.supportdecathlon.com

ADULT



Minimum height of attachment point = 1.1 m.

JUNIOR



No minimum height