# T40

# **Bluetooth Audio Receiver**



Manual PID: CM402 80895

3. Turn on the phone's Bluetooth, search for "T40" and connect.



- 4. The connection is successful, and the voice prompts "connected".
- 5. After use, press and hold the multi-function button for 3
- seconds to power off, and the voice prompts "power off". The receiver will automatically connect to the device the next time it is powered on.

## Bluetooth connection -- 1 drag 2

- 1. Please follow the steps of "Bluetooth connection", after connecting the receiver with the Bluetooth of mobile phone A, turn off the Bluetooth of mobile phone A.
- 2. Connect the receiver with B mobile phone via Bluetooth,
- 3. Turn on the Bluetooth of mobile phone A, and mobile phone A will automatically connect back to the receiver.
- 4. A mobile phone and B mobile phone have been connected to the receiver at the same time, and the one-to-two is completed.

## Foreword

Dear user, thank you for purchasing this product. In order to have a better understanding of the product, please read this manual carefully before use. Have a great experience!

# Packing list





Bluetooth audio receiver x 1





3.5mm audio head x 1

## Bluetooth connection -- help

If the Bluetooth connection fails, please try the following methods to troubleshoot.

- 1. Before connecting, please make sure that the receiver or mobile phone is not connected to other Bluetooth devices.
- 2. If the connection fails for many times, please turn off the receiver and then turn it on again.
- 3. In the crash state, press and hold the switch for 8 seconds to restart.

## NFC connection

1. Press and hold the multi-function button for 3 seconds to turn on the phone, and the voice prompts "turned on".



2. Bring your NFC-enabled phone close to the receiver.



## **Buttons and Interfaces**







Charging interface

- TX/RX mode switch TF card socket
- Short press a song/ long press volume + Multifunction key

3. Click the pop-up window on the phone to complete the NFC connection.



## Power and Charging

- Power display: The status bar of the mobile phone can display the power information of the product (the mobile phone version needs to support this function).
- Low battery reminder: When you hear the voice prompt "low battery" (about 10% remaining battery), please charge it for 2 hours.

State LED indicator	
Charging	Steady red light
Finished charging	Red light goes out

## First time using

- 1. The factory setting of the receiver 's prompt tone is English. Press and hold the multi-function button for 3 seconds to turn on the device and enter the waiting state (the blue light flashes when receiving, the blue light is always on when connected, the red light flashes when transmitting, and the red light is always on when connected)
- 2. This receiver can not only be used as an audio receiver through NFC connection or Bluetooth connection.

## **Key Function**

Button	Function	Operate	
	Play / Pause	Short press	
	On/Off	Press and hold for about 3 seconds	
0	Answer the call	Short press	
	Hang up	Short press	
	Reject ca <b>ll</b>	Long press and double tap to call back/private answer	
Ω	Turn up the volume	Press	
	Previous piece	Dog	
	Volume down	Press	
	Next track	Dog	
		,	

## Bluetooth connection

1. Press and hold the multi-function button for 3 seconds to power on, and the voice prompts "power on".



2. The receiver is in the state of waiting for pairing, and the indicator light flashes blue for receiving and red for transmitting.



# Indicator light

State	LED indicator	Voice prompts	
Boot	Bright red and blue	power on	
Pairing	Flashing blue/red	/	
Shutdown	Annihilate	power off	
Pairing	Flashing blue/red	1	
Bluetooth connection is successful	Long bright	Connected	
NFC connection is successful	Long bright	Connected	

## Technicai parameter

- Item model number: T40
- Bluetooth version: 5.1
- · Bluetooth protocol: HFP/A2DP/AVCTP/HID
- Input/output interface: 2.5/3.5mm audio
- Charging port: USB-C
- Frequency range: 2400MHz-2483.5MHz
- Frequency Response: 20Hz-20kHz
- Output load: 16-600Ω adaptive
- · Signal-to-noise ratio: >120dB
- · Audio decoding: SBC
- · Battery type: Lithium polymer battery
- Rated battery capacity: 200mAh 3.7V (1.48Wh)
- Charging limit voltage: 5.25V
- · Battery full time: 1.5 hours
- Battery life: 8 hours
- Transmission distance: 15m

#### Safety warning

- This product has a built-in lithium battery, and it is prohibited to disassemble, impact, squeeze or throw it into fire.
- · Do not continue to use if severe swelling occurs.
- Do not place in high temperature environment.
- · Do not use the battery after immersion in water!

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. NOTE 1: This equipment has been tested and found to comply
- with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user
- the following measures: - Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver. -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

is encouraged to try to correct the interference by one or more of

-Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

The device must not be co-located or operating in conjunction with any other antena or transmitter.