

90cm Series 9 Classic 5 Zone Induction Pyrolytic Cooker, 2 SmartZones

Series 9 | Classic

Red




With large oven and cooktops that can be paired to create an expansive cook zone, this is a range made for those who love to cook.

- Five cooking zones that can be bridged to form SmartZones
- Convection oven with 140L total capacity, nine oven functions plus rotisserie, including Pastry Bake with pizza mode and rapid proof for making bread

- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Large, Flexible Cooking Area

SmartZone links two cooking zones and controls them as one, giving you the flexibility to use large pans and griddles and easily handle bigger food items such as a whole fish.

SPECIFICATIONS

Accessories (included)

Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Full extension telescopic shelves	2 sets (part 578744)

Grill rack	true	Audio feedback	•	Oven functions	
Roasting dish	1	Automatic cooking/minute timer	•	Bake	•
Rotisserie set	1 set	Automatic pre-set temperatures	•	Fan bake	•
Step down wire shelf	•	Celsius/Fahrenheit temperature	•	Fan forced	•
		Electronic clock	•	fanGrill	•
		High resolution display	•	Grill	•
		Laser etched graphics	•	Number of functions	9
		Precise electronic temperature control	•	Pastry Bake with Pizza mode	•
		Sabbath mode	•	Rapid proof	•
		Toughened fused glass graphics	•	Roast	•
		Turned stainless steel clock buttons	•	Rotisserie	•
		Turned stainless steel clock crown (dial)	•		
Accessories (sold separately)					
Kick strip, black (optional)	KICKOR90B1				
Kick strip, red (optional)	KICKOR90R1				
Kick strip, stainless steel (optional)	KICKOR90X1				
Kick strip, white (optional)	KICKOR90W1				
Capacity		Installation Dimensions		Oven performance	
Shelf positions	6	Installation cutout dimensions (Depth)	600 mm	CoolTouch door	Quadruple glazed
Shelf positions (main oven)	6	Installation cutout dimensions (Width)	900 mm	Warming drawer power	202 W
Total capacity	140 L				
Usable capacity	120 L				
Cleaning		Oven features		Power requirements	
Acid resistant graphite enamel	•	AeroTech™ technology	•	Amperage	68 A
Drop down grill element	•	Automatic rapid pre-heat	•	Supply frequency	50 Hz
Flat easy clean glass surface	•	Bright chromed, cast zinc dials with illuminated halos	•	Supply voltage	220 - 240 V
Pyrolytic self-clean	•	Convection	•		
Removable oven door	•	Electronic oven control	•	Product details	
Removable oven door inner glass	•	Full extension telescopic sliding shelves	•	Self Cleaning Sf	Yes
Removable shelf runners	•	Internal light	4 x 25W halogen (2 side & 2 top)		
		Soft open/close door	•	Product dimensions	
		Twin cavity fans	•	Depth	600 mm
		Warming drawer	•	Height	898 - 946 mm
Controls					

Width	897 mm
Rangetop features	
Auto heat reduce	•
Dual colour display	•
Gentle heat	•
Heat settings	9
Hob rail	•
Hob rear trim	60 mm
Induction cooking technology	•
SmartZone	1
Zone bridging	•

Rangetop Performance

Centre	2300 W
Left front	1600 W
Left rear	2100 W
Number of cooking zones	5
PowerBoost	•

Safety

Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Child lock	•
CoolTouch door	•
Full extension telescopic shelves	2 sets (part 578744)

Full extension telescopic sliding shelves	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	12 L
Spillage auto off	•
Surface hot indicators	•

Warranty

Parts and labour	2 years
SKU	81696

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) Service & Warranty
- [↓](#) Installation Guide Freestanding Cooker
- [↓](#) Installation Guide - Kick Strip
- [↓](#) Revit Induction Cooker
- [↓](#) Rhino Induction Cooker
- [↓](#) SketchUp Induction Cooker
- [↓](#) User Guide Freestanding Cooker
- [↓](#) User Guide

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1300 650 590 W www.fisherpaykel.com