

30" Series 7 Classic 4 Burner Gas Range

Series 7 | Classic

Stainless Steel




Create a striking classic kitchen. Your freestanding range has a spacious oven capacity and four gas burners for precise control.

- Four burner gas cooktop with two dual wok burners
- Gas oven with 3.5 cu ft total capacity
- Three oven functions: Bake, Convection Bake and Maxi Broil

DIMENSIONS

Height	35 3/4 - 37 5/8 "
Width	29 7/8 "
Depth	25 1/4 "



FEATURES & BENEFITS

Design Quality

This range has been carefully crafted in every detail from performance to durability using quality materials including the balanced soft-close door and rounded hob rail.

Large Capacity Oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

Performance power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

Easy Cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)	•
Broil pan	•
Chromed shelf runners	1 set
Full extension telescopic shelves	2 sets (part 578776)
Small pot support	1 (part 533981 cast)

Accessories (sold separately)

Hob rear trim	3 1/8" (part 81657)
Kick strip, black (optional)	KICKOR30B1
Kick strip, red (optional)	KICKOR30R1
Kick strip, stainless steel (optional)	KICKOR90X1
Kick strip, white (optional)	KICKOR30W1

Burner ratings

Dual wok burner inner/outer (LPG)	1000 - 18000BTU
Dual wok burner inner/outer (natural gas)	1000 - 18000BTU
Maximum burner power	18000 BTU

Semi-rapid burner (LPG)	1500 - 7600BTU	Oven functions		Rangetop Performance	
Semi-rapid burner (natural gas)	1500 - 8000BTU	Convection bake	•	Number of burners	4
Total cooktop power	52000 BTU	Number of functions	3		
Cleaning		Oven performance		Safety	
Acid resistant graphite enamel	•	Bake power	14000 BTU	ADA compliant	•
Removable oven door	•	Broil	11000 BTU	Advanced cooling system	•
Removable shelf runners	•	CoolTouch door	Triple glazed	Anti-tilt bracket	•
Controls		Power Requirements		Balanced oven door	•
Laser etched graphics	•	Connection	3-prong grounding type [NEMA 5-15P plug]	Full extension telescopic sliding shelves	•
Gas Requirements		Service	15 A	Non-tip shelves	•
Supply Pressure (LPG)	11" W.C.P	Supply	120 V, 60Hz	Spill containment	45.42 L
Supply Pressure (natural gas)	4" W.C.P			Spill containment	1/2 gallon
Oven features		Product Dimensions		SKU	81712
Auto re-ignition system	•	Depth	25 1/4 "		
Concealed element	•	Height	35 3/4 - 37 5/8 "	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Convection	•	Width	29 7/8 "	Other product downloads available at fisherpaykel.com	
Electronic ignition	•	Rangetop features		↓ 2D-DWG Gas Range	
Full extension telescopic sliding shelves	•	Hob rail	•	↓ 2D-DXF Gas Range	
Internal light	2 x 25W halogen (rear)	LPG / Natural Gas compatible	•	↓ Data Sheet Gas Range	
Soft open/close door	•	Sealed range top	•	↓ Service & Warranty	
Storage drawer	•			↓ Installation Guide EN	
				↓ Guide d'installation FR	

- [↓](#) Revit Gas Range
- [↓](#) Rhino Gas Range
- [↓](#) Sketchup Gas Range
- [↓](#) User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com