



150W AC LED flood light with adjustable mounting bracket.

IP65 rated for outdoor use.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	21 Industrial & Floodlights
Family	AC LED Floodlights 100-250W
Order Code	7028CE/B/C
Colour	Black
Material	Die Cast
Diffuser Material	Glass
Shape	Rectangular
Length	400mm
Width	310mm
Height	30mm
Surface Ceiling	Yes
Surface Wall	Yes

Surface Floor/Ground
Outdoor
Adjustable
IK Rating

Yes
Yes
1 Direction
7

Electrical Characteristics

Gear

No

Fitting + Driver

Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
Cable Length
F Mark

220-240V
Yes
Yes

150W
IP65
LED built in
No
30cm


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram

4000K
13500lm
90lm/W
80
110°


Packing Info

Box Length

29.5cm

Box Width	4.5cm
Box Height	28cm
Box Weight	3,4Kg
Pcs/Carton	4
Carton Length	41.1cm
Carton Width	17.2cm
Carton Height	33.1cm
Carton Weight	13,8Kg
Barcode	5291889056027
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

