


# Kensington wall light

## INSTRUCTIONS

### INCLUDED




<b>Location</b>	Exterior
<b>Class</b>	Class II
<b>IP rating</b>	IP44
<b>Driver required</b>	No
<b>Fire rating</b>	No
<b>Cable length</b>	N/A
<b>Bulb type</b>	E27
<b>Max wattage</b>	12W
<b>Bulb included</b>	No
<b>Switched</b>	No
<b>Dimmable</b>	Bulb dependent
<b>Rated voltage</b>	230V-250V
<b>Rated frequency</b>	50-60Hz

This product must be installed in dry conditions by a qualified electrician. Turn off electrical supply to circuit before installation.

## Kensington wall light instructions


### TOOLS YOU'LL NEED




Drill



6mm drill bit




Clippers or scissors




Crosshead screwdriver


## Kensington wall light instructions




Remove the grommet to cut off the tip.



Put the grommet back and push the wires through it. Make sure the gasket is in place on the mount base.




Drill three 6mm holes and set the anchors. Use the screws provided to attach the base ring to the wall.




Consult a qualified electrician to wire in the light.


## Kensington wall light instructions




Attach the light to the mount base using the screws provided.



Screw the brass ring onto the base.



Add the bulb.



Place the glass cover over the top and secure in place with the ring.