RACKS BRAX®

COMPATIBILITY POCKET GUIDE

FOR



FAST DPF!



AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

THE BUSH COMPANY® 180 XT MAX	3
THE BUSH COMPANY® 270 GULL WING Mk I, Mk II	4
THE BUSH COMPANY® 270 XT Mk I, Mk II	5
THE BUSH COMPANY® 270 XT MAX	6



THE BUSH COMPANY® 180 XT MAX

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS 2

HITCHES NEEDED 9000 – XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS 2

BRACKETS NEEDED

✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS
(WITH NO PERIMETER LIP)

9100 - XD Adjustable Brackets Short (DOUBLE)*; or

9104 - XD Side Twist Bracket Short Foot (DOUBLE)*.

✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP) 9102 - XD Adjustable Brackets Long (DOUBLE)*; or

9106 - XD Side Twist Bracket Long Foot (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 – XD Wall Mounts⁺

✓ LOCKED GARAGES
✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 - XD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA

*NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.



THE BUSH COMPANY® 270 GULL WING MK I. MK II

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

2 MOUNTING POINTS

HITCHES NEEDED 9000 - XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

2 MOUNTING POINTS

BRACKETS NEEDED

✓ FOR BARS OR PLATFORM STYLES WITH **E SLATS** (WITH NO PERIMETER LIP)

9100 - XD Adjustable Brackets Short (DOUBLE)*; or

9104 - XD Side Twist Bracket Short Foot (DOUBLE)*.

✓ FOR PLATFORM STYLES WITH L SLATS (WITH NO PERIMETER LIP)

9102 – XD Adjustable Brackets Long (DOUBLE)*; or

9106 - XD Side Twist Bracket Long Foot (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK **GUIDE** FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR **BENEFITS**

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 - XD Wall Mounts+

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 - XD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA

*NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these

are for static wall use ONLY.



THE BUSH COMPANY® 270 XT MK I, MK II

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS 2

HITCHES NEEDED 9000 – XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS 2

BRACKETS NEEDED

✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS
(WITH NO PERIMETER LIP)

9100 - XD Adjustable Brackets Short (DOUBLE)*; or

9104 - XD Side Twist Bracket Short Foot (DOUBLE)*.

✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)

9102 - XD Adjustable Brackets Long (DOUBLE)*; or

9106 - XD Side Twist Bracket Long Foot (DOUBLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE PACKERS TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 - XD Wall Mounts⁺

✓ LOCKED GARAGES
✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 - XD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.



THE BUSH COMPANY® 270 XT MAX

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS 3

HITCHES NEEDED 9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS 3

BRACKETS NEEDED

✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP) 9101 - XD Adjustable Brackets Short (TRIPLE)*; or

9105 - XD Side Twist Bracket Short Foot (TRIPLE)*.

FOR PLATFORM STYLES WITH LONGITUDINAL SLATS
(WITH NO PERIMETER LIP)

9103 - XD Adjustable Brackets Long (TRIPLE)*; or

9107 - XD Side Twist Bracket Long Foot (TRIPLE)*.

*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO ROOF RACK GUIDE FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.

SECURED LOCATION 9010 – XD Wall Mounts⁺

✓ LOCKED GARAGES
✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 - XD Lockable Wall Mounts⁺

✓ OPEN CARPORTS

✓ PUBLIC/SHARED GARAGE AREA

*NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.