

48" Series 7 Professional 5 Burner Griddle Gas Range, LPG

Series 7 | Professional

Stainless Steel | LPG



- With Professional styling, this large range has five burners delivering powerful high heat, a griddle and two gas ovens.
- Griddle with burners that deliver up to 17,000 BTU heat per burner, for seriously fast boiling
 - Expansive 7.7 cu ft total oven capacity across two oven cavities
 - Non-tip full-extension shelves in main cavity for safe removal of hot dishes

- Made from quality materials and real stainless steel

DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Depth	29 1/8 "

FEATURES & BENEFITS

- Generous Capacity**
- Featuring a generous total capacity of 7.7 cu ft, with enough room to fit a 32 lb turkey. The griddle plate allows you to cook several foods at once.
- Cooktop Power**
- Sealed Dual Flow Burners™ deliver cooktop power up to 17,000 BTU (NG models) for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.
- Cooking Flexibility**
- The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.
- Design Quality**
- This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and titanium coated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful legs to the powerful cooktop, the Range is built to last.
- Easy To Clean**

- Cleaning up spills is effortless with the continuous, porcelain basepan. Your cooktop simply needs a quick wipe to keep it looking good as new.
- Total Control**
- Precise control across high and low settings is delivered through the halo-illuminated cooktop dials.
- SPECIFICATIONS**
- Burner ratings**
- | | |
|----------------------|-----------|
| Maximum burner power | 16000 BTU |
| Power back left | 11500BTU |
| Power back right | 11500BTU |
| Power centre | 16000BTU |
| Power front left | 15000BTU |
| Power front right | 15000BTU |
| Power griddle | 22000BTU |
| Total cooktop power | 91000 BTU |
- Capacity**
- | | |
|-------------------------------|-----------|
| Shelf positions (main oven) | 5 |
| Shelf positions (second oven) | 5 |
| Total capacity (main oven) | 5.3 cu ft |
| Total capacity second oven | 2.4 cu ft |
| Usable capacity (main oven) | 3.9 cu ft |
- Cleaning**
- Easy clean porcelain basepan

Controls		Internal light	true	Recommended hood	HCB48-12_N (48"" Professional Range Hood, Dual Blower)
Electric circuit	3 wire	Titanium coated, illuminated metal dials	•		
Metal illuminated dials	•				
		Oven functions			
Gas Requirements		Bake	•	Safety	
Fitting and pipe	½ NPT, min. ⅝" flex line	Broil	•	ADA compliant	•
Supply Pressure (LPG)	11" to 14" W.C	Convection bake	•	Full extension telescopic sliding shelves	•
		Slow cook	•		
				Secondary oven features	
Main oven features		Power Requirements		3/4 Extension racks	2
Electronic oven control	•	Amperage	15 A	Electronic oven control	•
Full extension telescopic racks	•	Supply frequency	60 Hz	Internal light	•
Infrared broiler	•				
Internal light	•	Product Dimensions		Secondary oven functions	
		Depth	29 1/8 "	Bake	•
Main oven functions		Depth (excluding handles)	2918 mm	Convection bake	•
Bake	•	Height	35 3/4 - 36 3/4 "	Number of secondary oven functions	4
Broil	•	Width	47 7/8 "	Proof	•
Convection bake	•			Slow cook	•
Number of oven functions	4	Rangetop features			
Slow cook	•	Sealed range top	•	SKU	81997
		Vent trim included	•		
Oven features		Recommended Back Guards Ventilation			
Auto re-ignition system	•	Combustible situation	BGRV3-3048H		
Electronic oven control	•	Non combustible situation	BGRV2-3048 / BGRV2-1248		
Full extension telescopic sliding shelves	•				
Infrared Broiler	•				

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) ArchiCAD Gas Range
- [↓](#) Service & Warranty
- [↓](#) Revit Gas Range
- [↓](#) Rhino Gas Range
- [↓](#) SketchUp Gas Range
- [↓](#) User Guide

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com