

iQ300, washer dryer, 7/4 kg, ,
White
WK14D321GC



iSensonic Built-in WasherDryer with waterPerfect load detection for water-saving laundry care.

✓ High load capacity for wash loads up to 7 kg and dry loads up to 4 kg.

Maximum capacity in kg in a Wash/Dry cycle (EU 2017/1369): 4.0 kg
Maximum capacity in kg in a wash cycle (EU 2017/1369): 7.0 kg
Installation type: Built-in
Removable top: No
Door opening: Left
Length electrical supply cord: 220.0 cm
Dimensions of the product: 820x595x584 mm
Net weight: 81.9 kg
Drum volume: 52 l
Connection rating: 2300 W
Fuse protection: 10 A
Voltage: 220-240 V
Frequency: 50 Hz
Energy consumption (wash and dry of full wash load): 5.50 kWh
Energy consumption (wash only): 1.27 kWh
Water consumption (wash and dry full wash load): 99 l



WX975600 Floor securing component
WZ10130 Extension for cold water inlet /Aquastop

iQ300, washer dryer, 7/4 kg, , White WK14D321GC

Main features

- Label: B / A
- electricityconsumption wash and dry 5.5 kWh, waterconsumption wash and dry 99 l in label-/normprogramme
- Capacity: 7 kg washing - 4 kg drying
- Drum volume: 52 l
- Non-stop wash and dry programme 4 kg
- Spin speed selection 1400 to 600 rpm
- Noise level washing (dB): 57
- Noise level spinning (dB): 74

Programmes

Options

- Short-stroke buttons: Spin speed reduction, Menu, drying, start/pause, options und 19 h Start time delay

Convenience and Safety

- Eltek hose
- Display for programme progress indication, remaining time and 19 h end time delay
- Fully electronic control dial for all wash- and special programs
- Timed programmes
- Aquatronic wash system
- multiple-stage
- Foam detection system
- Unbalanced load detection
- Buzzer to indicate the end of cycle
- Childproof door lock
- Porthole with glass cover
- side opening door, hinge left
- Metal door closing hook
- Magnetic porthole lock

Technical information

- adjustable base hight: 16.5 cm
- adjustable base depth: 6 cm
- Dimensions (H x W x D): 82 x 59.5 x 58.4 cm

iQ300, washer dryer, 7/4 kg, ,
White
WK14D321GC

