

DGC 7845 XL

24" Combi-Steam Oven, Plumbed - PureLine

Features:

- Combi-Steam Ovens: Steam ovens with full fledged oven function
- DirectWater Plus - water and drain plumbed in
- M-Touch Display with Motion React - Simple to use touch controls that react when approached
- Roast Probe - Precise temperature control of food
- Mix & Match - use your Miele@home app or the WiFi enabled appliance to create recipes for full meals

Included:

- 1 Universal Tray with Perfect Clean
- 1 Wire rack with Perfect Clean
- 1 pair FlexiClip runners with Perfect Clean
- 2 perforated stainless steel containers
- 1 solid stainless steel container




MATERIAL

11876580


| SPECIFICATIONS | |
|----------------------------------|--|
| Overall Unit Dimensions | 23 ⁷ / ₁₆ " (595 mm) W x 17 ¹⁵ / ₁₆ " (455.5 mm) H x 23 ¹ / ₄ " (590 mm) D |
| Niche | |
| Minimum Cabinet Niche Opening | 22 ¹ / ₂ " (562 mm) W x 17 ¹¹ / ₁₆ " (450 mm) H x 24" (610 mm) D |
| Plumbing | |
| Water Supply Requirements | <ul style="list-style-type: none"> • 3/8" cold water connection with a roughed in accessible shut off valve • Water pressure range 14.5 psi (1 bar) and 87 psi (6 bar) |
| Water Connection Line (Supplied) | Length: 6' 6" (2 m) Female 1/4" compression. |
| Drain Hose (Supplied) | Length: 9' 10" (3 m) 3/4" to 3/8" steel braided hose |
| Electrical | |
| Electrical Requirements | 208V/240V, 60Hz, 20 Amps |
| Power Cord | NEMA 6-20 plug, 6' 6" (2 m) |
| Shipping | |
| Shipping Weight | 128 lbs (58 kg) |
| Shipping Dimensions | 27 ⁷ / ₁₆ " (697 mm) W x 23 ⁷ / ₁₆ " (595 mm) H x 26 ¹ / ₁₆ " (677 mm) D |

PRODUCT DIMENSIONS






FLUSH CUTOUT DIMENSIONS

Front View



Side View




A - Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation

ⓘ- Electrical and water supplies are recommended to be placed in adjacent cabinetry.




Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

PROUD CUTOUT DIMENSIONS

Front View



Side View



A - Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation

ⓘ- Electrical and water supplies are recommended to be placed in adjacent cabinetry.

Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.