

Motorola

MOSCAD M UHF-L

FCC CFR47 Part 90

Report of Measurements

Revision 1.0

December 3, 2001

Approvals		
Written By	<div>Tammy Remple</div>	<div>Date</div>
Checked by	<div>Robert Stirling, P. Eng.</div>	<div>Date</div>

Protocol Labs, Abbotsford B.C., Canada
FCC Registration Number 96437
Industry Canada Registration Number IC3384

Index of Submitted Measured Data

Index	2
Testing Details	3
Equipment Under Test	3
Photogrphs	
Appendix A Figure 1 Test Setup Front View	
Appendix A Figure 1 Test Setup Rear View	
Graphs and and Data	
Appendix B Table 1, Figure 1 4.0 Watts, 408 MHz Harmonics	
Appendix B Table 2, Figure 2 4.0 Watts, 408 MHz Spurious	
Appendix B Table 3, Figure 3 4.0 Watts, 438 MHz Harmonics	
Appendix B Table 4, Figure 4 4.0 Watts, 438 MHz Spurious	

CE Mark EMC Directive Compliance Test Report

FCC CFR47 PART 90 Report of Measurements

Testing Details

TESTED BY: Rob Stirling

TEST CONDITIONS: Temperature and Humidity: 18 C, 35%

TEST VOLTAGE: 12 Vdc

Test Facilities

Protocol Labs
28945 McTavish Rd.
Abbotsford B.C., Canada, V4X 2E7

FCC Registration Number 96437
Industry Canada Registration Number IC3384

Test Equipment List:

Device	Model Number	Serial No.	Last Cal.	Next Cal
Antenna	EMCO 3141 Bilog Antenna	1127	09/13/01	09/13/02
Horn	EMCO 31405 Horn Antenna	2024	09/10/01	09/10/02
Amp	Hewlett Packard 8349A	2512A00824	09/13/01	09/13/02
LISN	Solar 8012-50-R-24-BNC	863092	02/20/01	02/20/02
Spectrum Analyzer	Hewlett Packard 8566B	2241A02102	12/16/00	12/16/1801
RF-Preselector	Hewlett Packard 85685A	3107A01222	12/16/00	12/16/01
Quasi-Peak Adapter	Hewlett Packard 85650A	2043A00240	12/16/00	12/16/01
Tower	Rhientech Labs	Custom		
Turntable	Protocol	Custom		

Equipment Under Test:

THE TEST SYSTEM:

EUT

Manufacturer Motorola
Model Number MOSCAD M UHF L
Serial Number Eng 002

Auxiliary Equipment Host Controller/PC

Manufacturer Compaq Presario
Model Number 1255
Serial Number 1V93CFK6226S

RADIATED SETUP:

The equipment was set up in a 3 meter open field test site. Spurious Emissions in both horizontal and vertical polarizations were measured while rotating the EUT on a turn table to maximize the emissions signal strength

Motorola Moscad M UHF L
AZ489FT4839

and the results recorded on the attached tablkes and plots. Refer to Photographs in Appendix A

CABLING:

Cable	Connector	Load/Termination?
DC Power Input	2-wire	Yes
Ethernet Cable	To Host System	Yes

TEST FIRMWARE:

Tools Kit

TEST DATA:

Refer to Appendix B for Individual Graphs and Test Results at High and Low Transmitting Bands.

CONCLUSION:

The EUT complies with the requirements of FCC Part 90