

Dual Fuel Range, 48", 8 Burners

Series 9 | Professional

Stainless Steel | LPG




A striking addition to your kitchen, with eight powerful gas burners and two ovens with a combined capacity of 6.9 cu ft.

- Top burner heat of 19,000 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two convection oven cavities
- Non-tip full-extension shelves in main cavity for safe removal of hot dishes

DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Depth	29 1/8 "



FEATURES & BENEFITS

Cooktop Power

Sealed Dual Flow Burners™ deliver cooktop power up to 23,500 BTU (NG models) for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

Total Control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials. The ovens have true convection and electronic oven control for precise and consistent temperatures.

Consistent broiling

The Dual Fuel Range broiler provides an even heat that covers a very large surface area — perfect for browning a fully loaded oven tray.

Easy to clean

The Dual Fuel Range oven has a self-cleaning function and removable side racks. The cooktop has sealed burners and an encapsulated cooking surface with a commercial-style stainless steel finish.

Instant Visibility

Control dials have halo-illumination glowing white – heating up; orange – temperature reached; red – self-cleaning mode. The oven is illuminated by two powerful incandescent lights.

Cooking flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

SPECIFICATIONS

Accessories (sold separately)

Square handle option	AH-R48
----------------------	--------

Burner ratings

Maximum burner power	19000 BTU
Power back centre	13000BTU
Power back centre (2)	13000BTU
Power back left	13000BTU
Power back right	13000BTU
Power front centre	15000BTU
Power front centre (2)	15000BTU

Power front left	19000BTU	Main oven functions		Width	47 7/8 "
Power front right	19000BTU	Bake	•		
Total cooktop power	120000 BTU	Broil	•		
		Clean	•	Rangetop features	
		Convection bake	•	Sealed range top	•
		Convection broil	•	Vent trim included	•
Capacity		Number of oven functions	6		
Shelf positions	5	Self cleaning	•		
Shelf positions (main oven)	5	True convection	•	Safety	
Shelf positions (second oven)	5			Full extension telescopic sliding shelves	•
Cleaning		Oven features		Secondary oven features	
Pyrolytic self-clean	•	Auto re-ignition system	•	Broil	•
		Internal light	true	Concealed element	•
				Electronic oven control	•
Controls		Oven performance		Internal light	•
Electric circuit	4 wire	Bake power	4600		
Metal illuminated dials	•	Broil	3600 W	Secondary oven functions	
		Main oven - True convection power	2500 W	Bake	•
				Number of secondary oven functions	3
Gas Requirements				Proof	•
Fitting and pipe	½ NPT, min. ⅝" flex line	Power Requirements			
Supply Pressure (LPG)	11" to 14" W.C	Rated current	50 A		
		Supply frequency	60 Hz		
				SKU	71367
Main oven features		Product Dimensions			
Concealed Element	•	Depth	29 1/8 "		
Electronic oven control	•	Depth (excluding handles)	2918 mm		
Internal light	•	Height	35 3/4 - 36 3/4 "		
Large broil pan	•				

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com

Other product downloads available at fisherpaykel.com

- [↓](#) 2D-DWG Dual Fuel Range
- [↓](#) 2D-DXF Dual Fuel Range
- [↓](#) Archicad Dual Fuel Range
- [↓](#) Data Sheet Dual Fuel Range
- [↓](#) Service & Warranty
- [↓](#) Installation Guide EN / Guide d'installation FR
- [↓](#) Planning Guide Dual Fuel Range
- [↓](#) Revit Dual Fuel Range
- [↓](#) Rhino 5
- [↓](#) Sketchup Dual Fuel Range
- [↓](#) User Guide EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.