

2019

Products

Brochure

2019.01 havit in acceleration



GATARIĆ
group
www.gataric.net

WIRELESS MOUSE

2.4GHz wireless technology can provide a reliable connection and not be subject to any interference in the 360 degrees within 10 meters.



HV 989MGT

Wireless technology: 2.4GHz
Wireless distance: 8m
Size: 104*58*37mm
The number of keys: 4
Resolution: 800-1600dpi
Key life: 1,000,000 times
Power supply: 1*AA
(Alkaline batteries are recommended)



HV 910GT

Wireless technology: 2.4GHz
Wireless distance: 10m
Size: 101.5 * 58 * 38MM
The number of keys: 3
Resolution: 1000DPI
Key life: 3,000,000 times
Power supply: 1*AA
(Alkaline batteries are recommended)



HV 925GT

Wireless technology: 2.4GHz
Wireless distance: 10m
Product size: 82*51*31mm
Net weight: 50g
The number of keys: 3
Resolution: 1000DPI
Key life: 1,000,000 times
Power supply: 1*AA
(Alkaline batteries are recommended)





HV 706MS

Size: 108*65*38MM
 Interface Type: USB
 The Number of Key: 3 keys
 Resolution: 1000DPI
 Key Life: 1,000,000
 Cable Length: 1.2m
 Operating Voltage: 3V
 Operating Current: 15mA



6 950676 256055



6 950676 256192



6 950676 256185



6 950676 256208



HV 675MS

Size: 101.5X58x38mm
 The Number of Key: 3 keys
 Image processing: 3000FPS
 Resolution: 1000DPI
 Key Life: 3,000,000 times
 Cable Length: 1.35m
 Operating Voltage: 5V
 Operating Current: 100mA



6 950676 240139



6 950676 256208



6 950676 240184



6 950676 240160



6 950676 240191

OPTICAL MOUSE

TTO 406375



3 871284 063756



T-DATA
TECHNOLOGY
GT-99A

High precision optical mouse
Ergonomic design
Plug and play, no-driver required

COMFORTABLE
HIGH DEFINITION OPTICS ENGINE
ERGONOMIC DESIGN, FITTING AND COMFORTABLE

OPTICAL MOUSE

PERFECT DESIGN MAKES YOU FEEL NATURAL AND COMFORTABLE

OPTICAL MOUSE

Key Features
Advanced optical technology
Ergonomic design
Comfortable control
No need to use mousepad

Installation:

Plug USB connector of the mouse to computer or notebook. Turn on your computer or notebook.

Specification:

Product size: 114x71x34mm
The Number of Key: 3
Image processing: 3000 FPS
Resolution: 1000DPI
Key life: 3,000,000
Cable Length: 1.25m
Operating voltage: 5V
Operating current: 100mA
N.W.: 69g



OPTICAL MOUSE

4 levels of speed,

800-1200-1600-2400DPI,

Emergency response easily



7 color breathing light



HV 790MS



6 950676 206456

Size: 117.5*64.5*35.5MM
Interface Type: USB
The Number of Key: 4 keys
Key Life: 3,000,000

Resolution:
800-1200-1600-2400DPI
Cable Length: 1.6m
Operating Voltage: 5V

MAGIC EAGLE LIGHTING GAMING MOUSE

4 levels of speed,
800-1200-1600-2400DPI, Emergency response easily

LED breathing light



HV 691MS



6 950676 277708

Forward/Back function

Suitable size, smooth and soft hand feeling, light and comfortable touch feeling decrease the fatigue after long time using

Size: 130*70*40MM
Interface Type: USB
The Number of Key: 6 keys
Image processing: 3000 FPS

Resolution: 800-1200-1600-2400DPI
Key Life: 3,000,000
Cable Length: 1.6m
Operating Voltage: 5V



Wireless technology: 2.4GHz
Wireless distance: 30m
Size: 115x78x38mm

The number of keys: 6
Resolution: 1000-1500-2000dpi
Key life: 5,000,000 times
weight: 95g

HV 976GT



6 950676 246797



MAGIC EAGLE
OPTICAL GAMING MOUSE

OPTICAL GAMING MOUSE



Light-off mode: forward/back button + CPI

4 levels of speed, 800-1200-2000-3200DPI,
Emergency response easily

Size: 123*64*39mm

Interface Type: USB

The Number of Key: 6 keys

Resolution: 800-1200-2000-3200 DPI

Key Life: 1,000,000

Cable Length: 1.5m



HV 749MS



OPTICAL GAMING MOUSE



HV 798MS



Size: 121*90*41

Key number: 8 key

Chip: A3050

Resolution: 1000-2000-3000-4000 DPI

Key stroke: 0.8 mm

Key life: 3,000,000

Cable length: 1.6 m



OPTICAL MOUSE

HV 300MS



6 939119 013110

RGB backlit Programmable gaming mouse
InterfaceType: USB
Size: 131.8*65.8*50.6
Keynumber: 7
Chip: PMW3212
Resolution: 1200-2400-3500-5500-7200DPI
Keylife: 3,000,000 times
CableLength: 1.8m
With software



GAMING WIRELESS MOUSE

Stable wireless transmission

2.4GHZ wireless technology can provide a reliable connection and not be subject to any interference in the 360 degrees within 10 meters.

Wireless technology: 2.4GHz
Wireless distance: 10m
Size: 123*64*39(mm)
The number of keys: 6
Resolution: 800-1200-1600
Key life: 1,000,000 times



HV 997MSGT



6 950676 298284



HV 837MS



6 939119 009076



Specs: RGB backlit Programmable gaming mouse
Interface Type: USB
Size: 127*70*40.5mm
Key number: 7
Chip: PMW3325
Resolution: 1000-2000-3000-4000-6000-7000DPI
Key life: 20,000,000 times
Cable Length: 1.7m
With software



MOUSE PAD




HV 863MP



6 939119 014049

Size: 275×225×3MM
Material: Mutispandex



HV 839MP



6 950676 283648

Size: 275×225×3MM
Material: Mutispandex



HV 837MP



6 950676 283624

Size: 275×225×3MM
Material: Mutispandex

KEYBOARD



HV 378KB



6 950676 272314

Interface Type: USB/PS2
Dimension: 438.5 (L) * 136 (W) * 16.6 (H) MM
The number of keys: 104
Key Life: 8000000 times
Operation Stroke: 3.0±0.3 mm
Cable Length: 1400±20mm
Key Words Bounce Force: 55±15g
Operating Voltage: 5V
Operating Current: 100mA
Operating Temperature: -20~65°C



WIRELESS MOUSE AND KEYBOARD COMBO



Water-proof
design

2.4GHz wireless technology can provide a reliable connection and not be subject to any interference in the 360 degrees within 10 meters.

HV 553GCM



Mouse parameters:

Wireless technology: 2.4GHz
Wireless distance: 10m
Size: 100*58*35mm
The number of keys: 3
Resolution:
800-1200-1600dpi
Key life: 1,000,000 times
Power supply: 1*AA (Alkaline
batteries are recommended)



Keyboard parameters:

Wireless technology: 2.4GHz
Wireless distance: 10m
Size: 415*140*16mm

Key life: 5,000,000 times
Power supply: 2*AAA (Alkaline
batteries are recommended)



HV 327KB



Interface Type: USB
The number of keys: 104
Size: 460×145×25mm
Cable Length: 1450mm
Key life: 20,000,000 times
Operating Voltage: 5V
Operating Temperature: 0°C~45°C
Operating Humidity: 20% ~90% RH



19

anti-ghosting key

10 standard
multi-media key



MAGIC EAGLE

OPTICAL GAMING KEYBOARD

HV 406LKB



Dimension: 474.00MM*203MM*29MM
Operating force: 53±5g
Key number: 104 keys
Travel(Total): 3.9±0.1mm

Net weight: 1100g± 20g
Operating Voltage: 5V
Operating Current: 300mA
Cable length: 1500mm

There are two modes:breathing mode and lasting mode



COLORFUL MUSIC HEADPHONE

Streamlined fashionable structural design

Overall lightweight, with an adjustable headband, to ensure long-term comfortable wear

HV 2172D

Speaker: 40mm

Sensitivity: $-105\text{dB} \pm 3\text{dB}$

Impedance: $32\Omega \pm 5\%$

Frequency Response: 20 Hz to 20KHZ

Cord Length: Approx 1.2m $\pm 10\%$

Plug Type: 3.5 mm



HEADPHONE

With Bluetooth function

Unplug with up to 10 meters of connection range, and enjoy wireless music and phone calls.

HV 2575BT



Bluetooth version 3.0+EDR, Class II
Profile Support: HSP/HFP/A2DP/AVRCP
Micro USB charging port
120mAh rechargeable battery

Charging time: 2.5 hours
Music time up to 5 hours
Talking time: 6 hours
Standby time up to 150 hours

Headset battery icon can display on the iOS device
Weight: 19.1g
The main material: ABS

COLORFUL MUSIC HEADPHONE

Simple and fashionable design,
perfect streamlined structure

HV 2198D



Sensitivity: $98 \pm 3\text{dB/mW}$
Rated power: 15mW
Power capability: 100mW
Cable length: $1.2 \pm 0.15\text{m}$
Plug: 3.5mm

Speaker dimensions: 40mm
Speaker impedance: $32\Omega \pm 15\%$
Frequency response: 20Hz-20kHz

COLORFUL MUSIC HEADPHONE

FOLDING DESIGN

Adopting water transfer printing pattern
decoration, creates perfect streamlined
structure, simple but stylish.

HV 2238D



GAMING HEADPHONE

HV 2116HD



Speaker: 40mm

Sensitivity: 110dB

Impedance: 32Ω

Frequency Response: 20 Hz to 20KHZ

Cord Length: Approx 1.8m

Plug Type: 3.5 mm



BIG CABLE VOLUME CONTROL
FOR EASIER ADJUSTMENT.

PROFESSIONAL ACOUSTICS TECHNOLOGY

SUPER THICK EARMUFF ENSURES
COMFORTABLE WEARING.



GAMING HEADPHONE

A shell full of technology feel
with LED luminescence,
the specter of darkness is noticeable.

HV 2168D



Speaker: 40mm

Impedance: 32 ± 15% Ω

Sensitivity: 105dB ± 3dB at 1KHz

Frequency Response: 20 Hz to 20KHZ

Microphone: φ6*5.0mm

Operating Voltage:

Plug: 3.5 mm + USB 5V ± 5%

Operating Current: ≤ 40mA

Cord Length: 2.5M ± 10CM



STEREO HEADPHONE

STREAMLINED AND FASHIONABLE
DESIGN

HV H2105HD



IN-EAR EARPHONE

Suitable for Smartphone,
CRT computer and laptop. With microphone.
Compact body
makes it convenient to carry.

HV 29EP

Speaker: 10mm
Sensitivity: 95 +/- 3 dB
Impedance: 16Ω
Frequency Response: 20 Hz to 20KHZ
Plug Type: 3.5 mm
Cord Length: Approx 1.2m
With microphone



6 950676 239706



6 950676 239690



6 950676 239720



6 950676 239683



6 950676 239713

HV 670L

Speaker: 10mm
Sensitivity: 103dB
Impedance: 16Ω
Frequency Response:
20 Hz to 20KHZ
Plug Type: 3.5 mm
Cord Length: Approx 1.2m
With microphone



HV 52EP

Speaker: 10mm
Sensitivity: 95dB
Impedance: 16Ω
Frequency Response:
20 Hz to 20KHZ
Plug Type: 3.5 mm
With microphone



6 950676 284317



6 950676 284324



6 950676 284331



6 950676 284348



6 950676 208139



6 950676 208122



6 950676 260816



6 950676 279924

IN-EAR EARPHONE

HV 58EP

Suitable for Smartphone,
CRT computer and laptop. With microphone.
Compact body
makes it convenient to carry.

Speaker: 10mm

Sensitivity: 95+/-3 dB

Impedance: 16Ω

Frequency Response: 20 Hz to 20KHZ

Plug Type: 3.5 mm

Cord Length: Approx 1.2m

With microphone



6 939119 009007



6 939119 009014



6 939119 009021

GAMENOTE GAMING EARPLUGS IN-EAR GAMING

HV GE01

Speaker: 10 mm
Impedance: 18Ω+- 15 %
SNR: 91 dB +- 3dB
Frequency Response: 20 to 20 kHz
Microphone: Double g wind
Wire length: 1.2 m
Net weight: <= 21.5 g



TRUE WIRELESS SPORTS HEADPHONES

Portable charging case
Never-drop desing
Contactinduction power switch



HV G1TWS



Chip: AIROHA1526:Dust & Waterproof:IPX5
Bluetooth Version:V5.0
Chargingcasedimension: 38*60*60mm
Earbuddimensions: 22*28*29mm*2
Net weight: 6g*2(Earbuds)/59g(Chargingcase)
Wirelessworkingrange: 10M (withoutobstacles)
Speaker: Φ5.8MM, Titaniumdiaphragm
Speakersensitivity: 90±3dB 1kHz/1mW
Profilessupported: HSP, HFP, A2DP, AVRCP,TWS-AAC
Impedance: 16Ω±15% 1kHz
Speakerfrequency: 20Hz-20KHz
Input voltage / current: DC 5V/1A
EarbudBattery: 60mAh*2(Fullycharged in 1.5H)
Chargingcasebattery: 720mAh
Play time: 3.5H (mediumvolume)
Talk time: 4.5H
Standby time: 80H
Charging time: About 2H
Dust& Waterproof:IPX5
Material: Di-colorinjectionmolding



HEADSET WITH BLUETOOTH FUNCTION

Specs: Dimensions: 64.2*18.2*28MM
 Charging means: Micro USB
 Bluetooth Version: CSR 8615 V4.1
 Wireless working range: 10m (without obstacles)
 Battery: 200mAh
 Profile supported: HSP.HFP.A2DP.AVRCP
 Frequency: 2.40~2.48GHz
 Talk time: 13H
 Playing time: 13H
 Standby time: 300H
 Voice chat: Supported
 Voice prompt: Supported

HV 961HBT



6 950676 282993



GAMEPAD

HV 69G USB



6 950676 290134

USB PC gamepad
 1. Single controllers
 2. Vibration function



HV 85G



6 950676 270921

USB PC gamepad
 1. Single controllers
 2. Vibration function



LAPTOP COOLING PAD

FOLDABLE SUPPORT TO GIVE A BETTER VIEWING ANGLE

Ladder-style design makes the back higher, coordinate with the internal cooling fan, a large number of cooling inlet at the side.

HV-F2010



suitable for 10-14" laptop
Overall Dimension: 350*270*40mm
Fan size: 140*140*12mm
Rated Voltage: 5VDC
Net weight: 995g
Fan speed: 700±1000RPM
Noise Level: 25.3dBA
Bearing Type: Sleeve Bearing

havit
enjoy what I have



140mm Fan



Super Silent



High Performance

havit
enjoy what I have



HV-F2029



HV 2029F

DOUBLE 14 CM FAN

WITH LARGE AIR FLOW AND SILENT SOUND.

TWO PORTS USB HUB

MEETING THE REQUIREMENT OF USB DEVICES.



NOTEBOOK COOLING PAD



Metal Mesh Panel



Blue LED



Dual 140mm Fans



Super silent



2 USB Ports



Angle Adjustable

Specs.:
 Chip: RDA5856
 Bluetooth version: V4.2
 Productsize: 92*42mm
 Net weight: 232g
 Wirelessworkingrange: 10M (withoutobstacles)
 Speaker:innermagnetic 16 core, 40MM
 Input voltage:DC5V/500mA
 Peakpower: 5W
 Battery: 3.7V /1200mAH
 Playing Time: 10H -Mediumvolume;
 Talking Time: 12H
 Chargingtime:About 5 H
 Audio input: Bluetooth, Micro SD Card



Productsize: 126*70*54mm
 Net weight: 320g
 Wirelessworkingrange: 10M (withoutobstacles)
 Speaker: 53mm
 Profilessupported: A2DP;AVRCP;HFP;HSP
 SNR:≥85DB
 FrequencyResponse: 150Hz-20kHz
 Input voltage: DC5V/1A
 Maxpower: 5W
 Battery: 3.7V /2000mAH;power bankforperfectoutdoor;
 Playing Time: 7-8H -Mediumvolume;
 Talking Time: 10-12H
 Chargingtime:About 4H
 Standby time: Up to 70 H
 Voicechat: Supported
 Audio input: Bluetooth, AUX, Micro SD Card
 Material: ABS



WIRELESS BLUETOOTH SPEAKER

ENJOY GOOD SOUND

3.5mm input plug, easy to connect with PC, iPhone, MP3, MP4, Mobile Phone, etc

HV M13



WIRELESS BLUETOOTH SPEAKER

ENJOY GOOD SOUND

3.5mm input plug, easy to connect with PC, iPhone, MP3, MP4, Mobile Phone, etc

HV M66



WIRELESS BLUETOOTH SPEAKER

Wireless speaker
with dual alarm clocks

HV M29



6 939119009243



Productsize: 190*76*60mm
Net weight: 460g
Wirelessworkingrange: 10M (withoutobstacles)
Speaker: 45mm
FrequencyResponse: 20Hz-18kHz
Input voltage: DC3.7V/2000 mAh
Maxpower: 5W
Battery: 3.7V /2000mAh power bankforperfectoutdoor
Playing Time: 20 H
Talking Time: 20H
Chargingtime:About 4H



WIRELESS BLUETOOTH SPEAKER

HV M89



6 939119012571



Bluetooth Version: V4.2
Productsize: 70*66 mm
Net weight: 190g
Wirelessworkingrange: 8-10M (withoutobstacles)
Speaker: 3 W
FrequencyResponse: 100Hz-20kHz
Input voltage: DC3.7V/2000 mAh
Battery: 600 mAh power bankforperfectoutdoor
Playing Time: 4 H
Talking Time: 4 H
Chargingtime:2.5 H



WIRELESS BLUETOOTH SPEAKER

HV M75

IPX5 waterproof
Chip: JL6905B
Bluetooth version: V4.2
Size: $\Phi 102 \times 40$ mm
Net weight:
Wireless operation range: 10M-Without obstacles)
Speaker: 40mm*1
Profile supported: A2DP1.3, AVRCP1.6, HFP1.7
SNR: ≥ 65 dB
Input power: DC 5V/500mA
Speaker frequency: 90Hz-18kHz
Output power: 4W
Battery capacity: 3.7V/1000mAh
Play time: 5H
Talk time: 8H
Charging time: 3H
Support: Bluetooth, Micro SD card, handsfree calling
Interface: Micro SD slot/Micro USB charging port
Material: ABS



USB 2.0 SPEAKER

Fashion design, exquisite technology,
simply and elegant,
tasteful life
clear and powerful voice

HV 486SK

Output power: 3W*2(RMS)
Impedance: 4Ω
Signal to Noise Ratio: ≥60dB
Frequency response: 90 HZ-20KHZ
Power input: 5v DC power adapter



VOICE CLARITY

For detail voice,
Different type of sound
Shows clearly.

HV 473SK

Output power: 3W*2(RMS)
Impedance: 4Ω
Signal to Noise Ratio: ≥60dB
Frequency response: 90 HZ-20KHZ
Power input: 5v DC power adapter



POWER BANK

National standard Polymer battery cell,
high conversion
ratio, convenient and safe

HV 8804



10 000 mAh

Input: 5V/2,1A(MAX)

Output: 5V/2,4A(MAX)

Dimension: 146x61x23mm

Weight: 238g +/- 0,5g



HV 322H



10 000 mAh

Input: Micro DC5V/2,4A

Output: USB; DC 5V/2,4A

Dimension: 157x74x17 mm

Type-C: 5V/3A (MAX) Qi: 5V/3A



POWER BANK

ULTRA-THIN

National standard Polymer battery cell,
high conversion
ratio, convenient and safe



6 939119 007010



6 950676 275049



6 950676 275056



6 950676 275223



6 950676 275216



6 950676 275537

5000 mAh

Input :5V 1A
Output :5V 1A
Dimension:145*71.5*11mm
Weight:135g

HV 002PBX

3200mAh

Input :5V 1A
Output :5V 1A
Dimension:122*66*10.6mm
Weight:89g

HV 003PBD



HV 8805



6 939119 006839

POWER BANK

National standard Polymer battery cell,
high conversion
ratio, convenient and safe

HV 830PB

4400 mAh

Input: 5V 1A

Output: 5V 1A

Dimension:

Weight:



POWER BANK

National standard Polymer battery cell,
high conversion
ratio, convenient and safe

HV 126PB

2200 mAh

Capacity: 2200mAh

Input: DC 5V/1A

Output: DC 5V/1A

Charging time: about 4h

Cycle life: ≥500 times



USB CAR CHARGER



Small volume, light weight.
Specially for electronic devices
with input 5V or less.

HV 271UC

Support micro USB plug.

Input voltage: 12-24V

output voltage: 5V

Output current: 2.4A



Dual USB car charger

Dimensions: 65*30*30mm

Input Voltage: 12-24V

Output Voltage: 5V

Output current: 2.4A (With 2 USB port)

Weight: 20g

HV 515UC



COLORFUL USB CAR CHARGER

HV 307UC

Input voltage: 12-24V
Output voltage: 5V 1A
Dimensions: 42.6x24.7x18.8mm
Weight: 12.5g



USB CAR CHARGER

HV 213H

Specs:
2 PORTS car charger with QC 3.0+2.4A
input: 12-24V;
output 1: DC 5V/2.1A;
output 2: QC3.0 3.6-6.5V/3A, 6.9-9V/2A, 9V-12V/1.5A





STANDARD USB OUTPUT,
MICRO USB INPUT.

5PORTS

Can work efficiently under all kinds of
high-voltage electricity the charging

40W 5PORT 8A USB CHARGER

HV 241U5

Single USB port output: 5V/3A max
Rated Voltage: 110~240Vac
Variation Range: 100-264Vac

Rated Frequency: 50/60Hz
Variation Frequency: 47-63Hz
Cable length: 1.2m

COLORFUL USB TRAVEL ADAPTER

HV 215UC

Dimensions:48*44.3*40.3mm
Weight:30g
Input:100-240V 50-60Hz
Output: 5V-/1A MAX1.2A



DUAL USB TRAVEL ADAPTER

HV 309UC

Input voltage:AC100-240V
output voltage:5V
Output current:2.1A
Dimensions:47.81*27.95*86.03mm
Net Weight:45g



HV 114H



6 939119 007041



Specs:

AC input: 100-240V/50/60HZ QC3.0 Single USB
Output: 3.6V~6V 3A, 6V~9V 2A, 9V~12V 1.5A, 18W max
Input current: 500mA(Max) 100VAC
Material: ABS+PC fireproof
Product size: 25*44*85.5mm
Weight: 51.6g



HV H325



6 939119 011888



Wireless charge gravity holder

Material: Aluminum alloy+ABS
Input : 5V/ 2A 9V/1.67A
Output : Qi: 5V/1A 9V/1.1A
Dimension: 116.93*98.6*86 mm
Weight: 101g±0.5g



HV H330 CR/SI



6 939119 014209



Bracket wireless charge

Input : 5V/ 2A 9V/1.67A
Output : Qi: 5V/1A 9V/1.1A (10W compatible with 7.5W)
Wireless distance : ≤8mm
Dimension: 85*67*100 mm
Weight: 215.5g±0.5g



HV H330 CR



6 939119 014681



Bracketwirelesscharerg
Input : 5V/ 2A 9V/1.67A
Output : Qi: 5W/1A 9V/1.1A(10W compatiblewith 7.5W)
Wireless distance :≤8mm
Dimension:85*67*100 mm
Weight:215.5g±0.5g

National standard Polymer battery cell,
high conversion
ratio,convenient and safe

HV H33



6 939119 017088

Specs:

input:5V/2A;9V/1.67A;
output:5V/1A 9V/1.2A(10W compatiblewith 7.5W;5W;
conversionefficiency;>75%;
wireless distance:2-6MM;
Andplsmove H33 and H322 before H325 on page 27.
Because they are allbelong to wirlesscharger.



PORTABLE

CAR AIR VENT MOUNT FOR MOBILE PHONES

Material:ABS+Silica Gel
Maximum Opening:60-85mm
Weight:29g
Size:70*28*50mm

HV 009CH



6 950676 206890



HV 727



6 939119 014643

mobileand tablet holder
material:Aluminum,for 3.5"-11"

PORTABLE

CAR AIR VENT MOUNT FOR MOBILE PHONES



HV 005CH



6 950676 292527

Chucksupportwidth 48-90MM;
material:ABS+EVA+PVC+hardware

HV H723



6 939119 011895



USB HUB

Gravity car holder
The width of clip: 5.2-9.5cm

SUPPORT: WINDONS/MAC OS

HV 18H



6 950676 266078

4 ports USB HUB 1.1/2.0 version
Support high-speed (480 Mbps),
full-speed (12 Mbps) and low-speed (1.5 Mbps)
Chains up to 127 USB devices



LAPTOP CHARGER

HV 90WN



6 950676 200737

8 + 1 HP adaptor
Enter: DC11-16V
Output: 15, 16, 18, 19, 20, 22, 24
With eight adapter, the outer 5V1A USB,
suitable for all kinds of notebook computers



HIGH-SPEED TRANSMISSION SIGNAL

FLAT SHAPE AND FASHIONABLE DESIGN MAKE IT MORE
CONVENIENT TO TIDY, SAVE SPACE



Length: 1M 1.5M 3M 5M 7M 10M

HDMI CABLE



1 m



3 m



7 m



1,5 m



5 m



10 m



HDMI CABLE / MICRO HDMI 2M



HDMI CABLE / MINI HDMI 2M



CABLE DVI/DVI 1.8M



Cable VGA

Cable length: 1.8M/3M



CABLE 3.5MM TO 2X RCA JACK (CHINCH)

Cable length: 1.8M/3M



CABLE 3.5MM TO 3.5MM 1.8M



USB Cable 2.0

Cable length: 1.8M/3M





USB Extension cable 2.0

Cable length:1.5M/3M



MICRO USB CABLE 2.0

Cable length:1.8M



MINI USB CABLE 2.0

Cable length:1.8M



OTG MICRO CABLE

Cable length:10CM



CAT 5E NETWORK CABLE

Cable length:1.5M/3M/5M/10M/20 M



1,5 m



5 m



20 m



3 m



10 m



POWER SUPPLY CABLE 1.8M EURO-8



NOTEBOOK POWER SUPPLY CABLE 1.8M



PC POWER SUPPLY CABLE 1.8M





HDMI TO DISPLAY P 2 M



6 950676 206937



USB Extension cable Type-C

Cable length: 1 M, 1.8 M



6 939119 001643



6 939119 001698

1.8 M



USB All in 3 in 1



6 939119 008079



USB Lighting 1 M



6 950676 253238



USB Adapter Micro Type CM



6 939119 003241



USB Lighting 1 M



6 939119 005306



USB Mobile Type-C cable



6 939119 018139



USB to lightning cable 1m



6 939119 018122



USB to micro cable 1m



6 939119 018115



Power supply extension adapters

- *3x16A 250V
- *with children protection
- *polybag with headercard



3 871284 074424



Power supply extension adapters

- *2X2.5A+1X16A 250V
- *with kids protection
- *polybag with headercard



3 871284 074417



Power supply extension adapters

- *2x16A 250V
- *with kids protection
- *polybag with headercard



3 871284 074400

POWER SUPPLY EXTENSION CABLES



1.5 m
3 871284 074295
3.0 m
3 871284 074301
5.0 m
3 871284 074318

- * 3 socket extension cable
- * 3x 16A
- * with children protection switch
- * material: PP Fire proff
- * Voltage: 250V~50Hz Max: 3680W plastic headeracd with sticker

- * 4 socket extension cable
- * 4x16A
- * with children protection switch
- * material: PP Fire proff
- * Voltage: 250V~50Hz
- Max:3680W plastic headeracd with sticker

1.5 m
3 871284 074325
3.0 m
3 871284 074332



1.5 m
3 871284 074349
3.0 m
3 871284 074356
5.0 m
3 871284 074363

- * 5 socket extension cable
- * 5x 16A
- * with children protection switch
- * material: PP Fire proff
- * Voltage: 250V~50Hz Max:3680W plastic headeracd with sticker

3.0 m
3 871284 074370

- * 6x socket extension cable
- * 6x 16A
- * with children protection switch
- * material: PP Fire proff
- * Voltage: 250V~50Hz Max:3680W polybag with headercard



3.0 m
3 871284 074387

- *4x normal socket + 4x EUR8 socket
- *with children protection switch
- *Voltage: 250V~50Hz Max:3680W plastic headeracd with sticker

- * 3x16A 250V with chidren protection switch
- *2.1A USB plastic headeracd with sticker

3.0 m
3 871284 074394





GATARIĆ d.o.o.

St. Kninska bb
74400, Derventa
Bosnia and Herzegovina
tel.: + 387 53 315 000
fax: + 387 53 315 001

GATARIĆ Group d.o.o.

St. Dr. Mile Budaka 1
35000 Slavonski Brod
Croatia
tel.: + 385 35 500 190
fax: + 385 35 500 192

GATARIC Int. Group d.o.o.

St. Lazara Mamuzića br: 16E
11080 Beograd,
Serbia
tel.: + 381 11 655 65 60
fax: + 381 11 716 75 77