

USER MANUAL

QUICK START GUIDE

ATV30BRGB



**BLUETOOTH® ENABLED
ALL-TERRAIN SOUND SYSTEM**

BOSS
REBEL®

1

Thank you for purchasing this



ATV30BRGB All-Terrain Sound System

Please read through these instructions carefully so you will know
how to operate your model properly.

After you have finished reading the instructions, keep this document
in a safe place for future reference.

THIS PACKAGE CONTAINS

1 - ATV30BRGB All-Terrain Speaker System

1 - Bluetooth Multi-Function Controller

1 - Handlebar Mounting Kit



1 - RF RGB LED Remote w/ CR2032 Battery

1 - Quick Connect Power Extension Adaptor

4 - Hi-strength Nylon Mounting Straps

1 - User Manual Quick Start Guide / Poster

1 - Warranty Card



INFORMATION TO THE USER



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks is under license.
Other trademarks and trade names are those of their respective owners.

FCC COMPLIANCE STATEMENT

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause interference, and
- (2) this device must accept any interference, including interference that may cause undesired operation of this device.

This transmitter must not be co-located or operated in conjunction with any other antenna or transmitter. The Bluetooth antenna cannot be removed (or replaced) by user. This equipment complies with FCC/ IC radiation exposure limits set forth for an uncontrolled environment and meets the FCC radio frequency (RF) Exposure Guidelines and RSS-102 of the IC radio frequency (RF) Exposure rules. This equipment has very low levels of RF energy that it deemed to comply without maximum permissive exposure evaluation (MPE). But it is desirable that it should be installed and operated keeping the radiator at least 20 cm or more away from person's body (excluding extremities: hands, wrists, feet and ankles). Alteration or modifications carried out without appropriate authorization may invalidate the user's right to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- ☐ Relocate or reorient the receiving antenna.
- ☐ Increase the separation between the equipment and receiver.
- ☐ Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- ☐ Consult the dealer or an experienced radio/TV technician for help.

**CAUTION!!**

**ADJUSTMENT OR ALTERATIONS OF THIS DEVICE MAY RESULT
IN HAZARDOUS RADIATION EXPOSURE.**

IMPORTANT SAFETY PRECAUTIONS


- Do not operate mobile equipment while driving a motorized vehicle – safe driving and safety consideration of others should always be your highest priority.
- In the event you should notice smoke, strange noises or odor from this product, or any other abnormal signs, immediately turn off the power and consult your dealer or the nearest authorized **BOSS AUDIO** Service Center. Using this product in this condition may result in permanent damage to the system.
- Set your volume control at a low setting, then slowly increase the sound until you can hear it comfortably without distortion, or ear discomfort.
- **BE SURE TO OBSERVE THE FOLLOWING GUIDELINES:**
 - Do not turn up the volume so high that you can't hear what's around you.
 - Use caution or temporarily discontinue use in potentially hazardous situations.

INSTALLATION PRECAUTIONS**WARNING - Always consult a professional installer**

- Do not attempt to install or service this product by yourself. Installation or servicing of this product by persons without professional training and experience in electronic equipment and motorized vehicle accessories may be dangerous and could expose you to the risk of electric shock, injury or other hazards
- Refer any repairs to a qualified **BOSS AUDIO SYSTEMS** Service Center
- The **ATV30BRGB** can be powered from a vehicles cigarette lighter / auxiliary power port, or hard wired directly to the battery through an optional relay / accessory switch
- When wiring directly to the vehicles battery, be sure to disconnect the batteries negative terminal wire before starting any wiring procedures, it is suggested that an optional fuse and fuse holder (not included) with minimum rating of **20 Amps** be in line with the positive battery terminal
- The ground cable length should not exceed 18-inches (See wiring diagram)
- The **ATV30BRGB** has a weather resistant design, it should not be submerged in or under water under any circumstances
- Use only the installation parts provided with the **ATV30BRGB**

**CAUTION!! Using other mounting methods may void this warranty**

GETTING TO KNOW YOUR ATV30BRGB MULTIFUNCTION CONTROLLER (MFC)



1

MFC - MULTIFUNCTION CONTROLLER

2

BLUETOOTH INDICATOR LED - BLUE COLOR

3

POWER INDICATOR LED - RED COLOR

4

3.5mm AUX-INPUT

5

PREVIOUS TRACK / Press and hold for VOL -


6

PLAY/PAUSE / Press and hold for POWER ON

7

NEXT TRACK / Press and hold for VOL +

GETTING TO KNOW YOUR ATV30BRGB LED RF CONTROLLER




USING THE REMOTE CONTROL

- When use for the first time, pull out the film protruding the tray
- RF controller range: Up to 25ft (LoS)
- Do not obstruct the RF remote with metal
- Always keep away from small children
- Do not store in direct sunlight
- Do not submerge in mud and/or water

INSTALLING THE BATTERY


- Slide the tray out on back of the remote control and insert battery with the (+) and minus (-) poles pointing in the proper direction

- A** RF CONTROLLER
- 1** POWER ON / OFF
- 2** MODE UP
- 3** AUTO DEMO (LONG PRESS FOR SINGLE COLOR MODE)
- 4** SPEED UP
- 5** BRIGHTNESS UP
- 6** BRIGHTNESS DOWN
- 7** MODE DOWN
- 8** COLOR DOWN
- 9** COLOR UP
- 10** SPEED DOWN




REPLACEMENT BATTERY - CR2032

6



PAIRING & DISCOVERING A NEW BLUETOOTH CONNECTION

1) Power on the **ATV30BRGB** by pressing and holding down the  **Play/Pause** multi-function button for 3 seconds, the **2** blue and **3** red LEDs will start to alternately flash, signalling that the ATV30BRGB is now ready for Bluetooth pairing.

NOTE: You have 2 minutes before you must restart this procedure over again.

2) Now that the **ATV30BRGB** is in pairing mode:

ANDROID users:


- Go into the **Settings Menu** of your device
- Enter the **Bluetooth Menu**
- TURN ON Bluetooth** and press **SCAN**
- "ATV30BRGB"** will now be displayed under **AVAILABLE DEVICES**
- If prompted, enter passcode: **"0000"**

iOS users:


- Go into the **Settings Menu** of your **iOS** device
- Enter the **Bluetooth Menu**
- TURN ON Bluetooth**
- "ATV30BRGB"** will now be displayed
- If prompted, enter passcode: **"0000"**

3) If the **ATV30BRGB** is not seen, repeat the above steps to refresh the **"Device List"**

4) When the connection is successful, you are now ready to stream music from your favorite media player to the **ATV30BRGB**




RECONNECTION

- 1) Power on the **ATV30BRGB** and your last paired device Bluetooth.
- 2) The unit will now automatically reconnect
- 3) If your device was previously paired with the **ATV30BRGB**, but it wasn't the last paired device:
 - a. Ensure no other devices are currently paired
 - b. Enter the **Bluetooth Menu** on your device being paired
 - c. "**ATV30BRGB**" will display under **AVAILABLE DEVICES**
 - d. Choose the "**ATV30BRGB**" to reconnect
- 4) If the device is out of range from the **ATV30BRGB**, it will disconnect automatically:
 - a. To reconnect once device is back in range, press the  **Play/Pause** button once
 - b. The **ATV30BRGB** will now reconnect to the device






Tips:



To avoid battery exhaustion, be sure to occasionally run the vehicles engine while using this product.
Using this product without running the engine can drain the battery.



MULTIFUNCTION CONTROLLER BLUETOOTH OPERATION

- 1) Press the  **PLAY/PAUSE** once to start playing music or press the **PLAY** button from your device touch screen
- 2) To skip songs or advance, press the  **NEXT TRACK** button
- 3) To select the previous song, press the  **PREVIOUS TRACK** button

VOLUME CONTROL

- 4) To raise the volume **Press and Hold** the  **VOL +** button 2 ~ 3 seconds
- 5) To lower the volume **Press and Hold** the  **VOL -** button 2 ~ 3 seconds




Tips:


Make sure your device Bluetooth volume is set at 75% level before stowing

ATV30BRGB can play audio from any device that has a 3.5mm headphone audio jack.



YOUR DEVICE



MULTIFUNCTION CONTROLLER AUX-IN OPERATION

- 1) Power on the **ATV30BRGB** by pressing and holding down the  **PLAY/PAUSE** multi-function button for 3 seconds
- 2) Disconnect any paired **Bluetooth** device by turning off **Bluetooth** in your devices **Settings Menu**
- 3) Connect the integrated 3.5mm **AUX-IN** cable located on right side of the MFC to your devices headphone jack
- 4) Route the wire back to ATV30BRGB, secure your device in a safe position

VOLUME CONTROL

- 5) To raise the volume **Press and Hold** the  **VOL +** button 2 ~ 3 seconds
- 6) To lower the volume **Press and Hold** the  **VOL -** button 2 ~ 3 seconds




Tips:

Make sure your device headphone volume is set at 75% level before stowing.

BEFORE INSTALLING THIS PRODUCT

10



To avoid potential shorts in the electrical system, be sure to disconnect the (–) battery cable before installation. Use this unit with a 12-Volt battery and negative grounding only. Failure to do so may result in a fire or malfunction.




When replacing the fuse, be sure to only use a fuse of the rating specified on this product. To avoid short-circuiting, cover any disconnected leads with insulating tape. It is especially important to insulate any unused wires, which if left uncovered may cause a short circuit. When connecting other devices to this product, refer to the manual for the product to be connected. The black cable is ground, make sure to connect the ground wire first. Ensure that the ground wire is properly connected to metal parts of the vehicles body frame or direct to the battery if your vehicle does not have a grounded chassis frame The ground wire of this units power amp and a second powered system must be connected to the frame separately with different screws. If the screw for the ground wire loosens or falls out, it could result in fire or malfunction.

SPEAKER MOUNTING SUGGESTIONS

**Route strap
around the speaker body to vehicle frame**

**Route strap
through the hole
and to vehicle
frame**




**Route strap
through the hole
and to vehicle
frame**

CAUTION!!





Mounting straps should be double checked to be sure they are pulled tight and secure before each use of the vehicle.



TOOLS NEEDED:

- 12mm Socket, Wrench or Pliers
- 6mm Allen Wrench

WIRE DIAGRAM



SPECIFICATIONS

BLUETOOTH

- Version: 3.0 w/ EDR
- A2DP
- Range: 33ft (10m) Class 2

SPEAKERS


- Dimensions: 6.5"
- Impedance: 4Ω
- Cone Type: PP CARBON + RUBBER SURROUND
- Tweeter Size: 1" PEI SOFT DOME

AMPLIFIER

- Maximum Output Power: 450 Watts
- Input impedance: 10kΩ
- Frequency Response: 45Hz-25kHz

GENERAL

- Operational Power: 14.4VDC (10-16V allowable)
- MAX Current Draw: 13.7A
- Replacement Fuse: 15A AGC TYPE
- Color: Black
- Weight: 14.26lbs / 6.47Kg
- Dimensions cm WxHxD: 72.4 x 20.2 x 29.4
- Dimensions Inches WxHxD: 28.50 x 7.95 x 11.58



- Storage Temperature: 5°F to 113°F / -15°C to 45°C
- Operation Temperature: 14°F to 140°F / -10°C to 60°C

USER MANUAL

ATV30BRGB

BLUETOOTH® ENABLED | ALL-TERRAIN SOUND SYSTEM

WITH RF RGB LED REMOTE CONTROLLER



BOSS Audio Systems
3451 Lunar Court • Oxnard, CA 93030

www.bossaudio.com | 805-751-4853
Tech Support: www.bossaudio.com/technical-support



iPod / iPhone are trademarks of Apple Inc. registered in the U.S. and other countries
Android is a trademarks of Google Inc. registered in the U.S. and other countries.
BOSS Audio Systems is not affiliated with Apple Inc. or Google Inc.

All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of AVA Enterprises Inc.

Copyright © 2015 BOSS AUDIO Inc.

0815 VER:1.0 EN



PRINTED IN CHINA

BOSS

REBEL[®]

WWW.BOSSAUDIO.COM

PLEASE WRITE A REVIEW on
Amazon.com and BOSSaudio.com



Like us on Facebook!



SHARE YOUR
BOSS Audio Systems photos and videos
on our website and Facebook!

WIN PRIZES!



THANK YOU

from **BOSS AUDIO SYSTEMS**
FOR YOUR PURCHASE

There's a reason we have been a leader and innovator
in the business since 1987.

Our goal is for you to be completely satisfied with your purchase.

If for any reason you are unsatisfied, please let us
be the first to know.

Contact our Customer Care dept. at 800.999.1236

WE WANT YOUR POSITIVE FEEDBACK AND REVIEWS!

www.bossaudio.com



3451 Lunar Court • Oxnard, CA 93030

TECHNICAL SUPPORT:

PHONE: 805.751.4853

ONLINE: www.bossaudio.com/technical-support



ONLINE PRODUCT REGISTRATION:

Scan this QR Code with your smart device, fill-in the online form to register your product. Or fill-in the online form by visiting: www.bossaudio.com/technical-support/warranty-registration

We hope you are enjoying your new BOSS Audio Systems product. We are always working to improve our products and provide a great customer experience. We welcome your feedback. Please consider writing a review for your new product on our website. We look forward to hearing about your experience.

FOLD HERE

PLACE
POSTAGE
HERE



3451 Lunar Court
Oxnard, CA 93030



LIMITED WARRANTY

This product has a manufacturer's warranty against defects in materials and workmanship to the original purchaser for a period of one year from the date-of-purchase (DOP). This manufacturer warranty is non-transferable. The warranty is for repair or replacement at the sole discretion of BOSS AUDIO SYSTEMS (BAS). For service under this warranty you need to return the product to BAS. If replaced, BAS reserves the right to replace it with a new or reconditioned product of the same or similar design.

Your product may qualify for a free extended warranty. Please see www.bosssaudio.com for the qualifications and details of this program.

Obtain Warranty Service

Within the first 30 days from the original DOP, BAS will provide a return shipping label for any defective product shipped from within the 50 US States. After the first 30 days you are responsible for the freight charges incurred to send the product back to BAS. To send a product in for warranty service you will need the following:

- A Return Authorization number (RA#). Please contact our Technical Support Team to receive a RA#.
- A legible copy of the proof-of-purchase with your name, the name of the authorized dealer, the DOP and the model number of the product requiring service.
- Enclose a note stating the problem or issues with the product, your daytime phone number, email and return shipping address (within the USA, no P.O. Box please).

This warranty does not cover any product subjected to abuse, neglect, incorrect wiring, water or physical damage or any attempt to repair or modify the product by anyone other than an BAS Repair Technician. Any damages, resulting from legal action for breach of expressed or implied warranty shall be limited to the cost of the original purchase price of the product. All liability for coincidental damages are excluded under this warranty. The Customer agrees to retain the original proof-of-purchase for establishing the effective date of this warranty. If BAS or an Authorized Dealer replace your product under warranty, the replacement product shall be considered a transaction under the original warranty, and does not extend the original warranty period.

FOLD HERE

0815

To register this product fill-in this form and mail this card to
the address shown on the reverse side.
For online registration, see reverse side of this card for instructions.

NAME

AGE

ADDRESS

CITY

STATE

ZIP

E-MAIL

PHONE

MODEL NO.

DATE OF PURCHASE

PURCHASE PRICE

PURCHASED FROM

INSTALLED BY

SERIAL NUMBER (If applicable)

VEHICLE: YEAR, MAKE AND MODEL