

Document number: Q-HJ-C11-00

HJC11 Control box specification sheet



version	Changes	Change of person	Change date
A	First release	Song Yukun	

Reporter	reviewer	Approver
Song Yukun		

Ríchmat 豪江


一、 Product Features

- > Simple structure and easy to use;
- > Flame retardant material, safe and reliable;
- > Multiple sockets, strong compatibility;
- > Side ear structure, easy to install

二、Specification parameters

- ➤ INPUT VOLTAGE: DC29V
- > Maximum current: 1A
- > Installation size: 1.5m Wire harness
- ➤ Cooperate with the product: T85;C65;T79+T78A;SR96
- > Color: Black (Leather Texture)
- > Rated work schedule, 10% work schedule, working for 2 minutes and resting for 20 minutes, totaling over 10000 hours
- ➤ Usage environment: indoor environment, temperature 5-45 °C, humidity 45-75% RH, atmospheric pressure 86-106Kpa
- > The product meets the standards

三、 Detailed socket



Ríchmat 豪江



四、Mechanical properties

Rev	N o	project	Specification requirements	Is it	notes
	1	Protectio n grade	IP20	NA	
	2	Body strength	Press the body with a vertical pressure of 5Kgf for 15 seconds, with the force surface being the entire body and the front being the main force. No mechanical damage, normal function.	√	
	ဘ	Bare machine falling	requirement: There are no foreign objects inside the machine; No major appearance defects in the manufacturing process; Normal function;	√	


\pm . Electrical control performance

Rev	N o	project	Specification requirements	Is it checked	note s
	1	Rated input voltage	AC 100-240V	✓	




	2	maximum power	200W	√	
	3	Short circuit protection	yes	√	
	4	Overcurrent protection	yes	√	
	5	Overheat protection	yes	√	


2. HJC11 Specification drawing







3. Specification code attachment1.





Caution:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference. (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- —Consult the dealer or an experienced radio/TV technician for help.