



Magic Chef HMAR45HCSE Compact All Refrigerator User Manual

[Home](#) » [Magic Chef](#) » Magic Chef HMAR45HCSE Compact All Refrigerator User Manual 

Contents

- [1 Magic Chef HMAR45HCSE Compact All Refrigerator](#)
- [2 Product Registration](#)
- [3 NAMES OF THE PARTS](#)
- [4 SAFETY INSTRUCTIONS](#)
- [5 INSTALLATION INSTRUCTIONS](#)
 - [5.1 Electrical Connection](#)
- [6 OPERATING YOUR REFRIGERATOR](#)
- [7 CARE AND MAINTENANCE](#)
- [8 TROUBLESHOOTING GUIDE](#)
- [9 Limited Warranty](#)
- [10 Documents / Resources](#)
- [11 Related Posts](#)



Magic Chef HMAR45HCSE Compact All Refrigerator




Product Registration

Thank you for purchasing a Magic Chef product. The first step to protect your new product is to complete the product registration on our website: www.mcappliance.com/register. The benefits of registering your product include the following:

1. Registering your product will allow us to contact you regarding a safety notification or product update.
2. Registering your product will allow for more efficient warranty service processing when warranty service is required.
3. Registering your product could act as your proof of purchase in the event of insurance loss.
4. Once again, thank you for purchasing a Magic Chef product.

NAMES OF THE PARTS

MODEL NO. HMAR45HCWE/HMAR45HCBE/ HMAR45HCSE



1. Temperature Control (with integrated Interior light assembly)
2. Shelf
3. Crisper with Glass Cover
4. Leveling Leg
5. Top Cover
6. Refrigerator Door Bin
7. Transparent Plastic Shelf

WARNING: Never touch the interior of the Freezer Chamber or frozen foods in the compartment with wet hands as this could result in frost bite.

SPECIFICATIONS

Model # HMAR45HCWE/HMAR45HCBEI HMAR45HCSE

Product Description	Magic Chef Compact All Refrigerator		
Model No.	HMAR45HCWE/HMAR45HCBE/ HMAR45HCSE		
Capacity	4.4 Cu. Ft.		
Unit Dimensions (inches)	Width	Depth	Height
	20.3"	21.7 "	31.3"
Net Weight (lbs)	47.84(lbs)		

SAFETY INSTRUCTIONS

IMPORTANT

<p>WARNING</p>	<p>To reduce the risk of fire, electrical shock, or injury when using your refrigerator, follow these basic precautions:</p>
<ul style="list-style-type: none"> • Read all instructions before using the refrigerator. • DANGER or WARNING: Risk of child entrapment. • To avoid the possibility of child entrapment, please take the following precautions before throwing out the refrigerator. • Remove all doors from the unit. • Leave the shelves in place so that children may not easily climb inside. • Never allow children to operate, play with, or crawl inside the refrigerator. • Never clean refrigerator parts with flammable fluids. The fumes can create a fire hazard or explosion. • Do not store or use gasoline or any other flammable vapors and liquids near this refrigerator. The fumes can create a fire hazard or an explosion. • Save these instructions- 	

WARNING

To reduce the risk of fire, electrical shock, or injury follow these basic precautions when using your refrigerator.

1. **WARNING** Keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction.

2. **WARNING-Do** not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
3. **WARNING-Do** not damage the refrigerant tubing to increase the risk of a leak when handle, move and use of refrigerator.
4. **WARNING-** Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
5. **WARNING-DANGER:** Never allow children to play with, operate, or crawl inside the refrigerator. Risk of child entrapment. Before you throw away your old refrigerator or freezer:
 - Take off the doors
 - Leave the shelves in place so that children may not easily climb inside.
6. The appliance has to be unplugged before carrying out user maintenance on the appliance.
7. This appliance can be used by children age 8 years and above and persons with reduced physical sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children should not play with the appliance. Cleaning and maintenance should not be made by children without supervision.
8. If the component part is damaged, it must be replaced by the manufacturer, its service agent or similar qualified persons in order to avoid a hazard.
9. Please abandon the refrigerator according to local regulations as the unit contains flammable blowing gas and refrigerant.
10. Follow local regulations regarding disposal of the appliance due to flammable refrigerant and blowing gas. All refrigeration products contain refrigerants, which under the guidelines of federal law must be removed before disposal. It is the consumer's responsibility to comply with federal and local regulations when disposing of this product.
11. This appliance is intended to be used in households and similar environments such as
 - staff kitchen areas in shops, offices, and other working environments;
 - farmhouses and by clients in hotels, motels, and other residential-type environments;
 - bed and breakfast type environments;
 - catering and similar non-retail applications.
12. Do not store or use gasoline or any inflammable liquors and liquids inside or near the refrigerator.
13. Do not use an extension cord with this appliance. If the power cord is too short, have a qualified electrician install an outlet near the appliance. The use of an extension can negatively affect the unit's performance.

Caution: risk of fire

IT IS HAZARDOUS FOR ANYONE OTHER THAN AUTHORIZED SERVICE PERSONNEL TO CARRY OUT SERVICES OR REPAIRS INVOLVING THE REMOVAL OF COVERS.

TO AVOID THE RISK OF AN ELECTRICAL SHOCK DO NOT ATTEMPT REPAIRS YOURSELF.

INSTALLATION INSTRUCTIONS


Before Using Your Refrigerator

- Remove the exterior and interior packing.
- Before connecting the refrigerator to the power source, let it stand upright for approximately 4 hours. This will reduce the possibility of a malfunction in the cooling system from improper handling during transportation.

- Clean the interior surface with lukewarm water using a soft cloth

Installing Your Refrigerator

- This appliance is designed to be free standing only, and should not be recessed or built-in Place your refrigerator on a floor that is strong enough to support the refrigerator when it is fully loaded.
- Allow 5 inches of space between the back and sides of the refrigerator, which allows the proper air ventilation. Adjust the feet to keep the refrigerator level.
- Locate the refrigerator away from direct sunlight and sources of heat (stove, heater, radiator, etc.). Direct sunlight may affect the acrylic coating and heat sources may increase electrical consumption.
- Ambient temperature below 50°F (10°C) or above 90°F (32.2°C) will hinder the performance of this appliance. This unit is not designed for use in a garage or any other outside installation.
- Avoid locating the refrigerator in moist areas Plug the refrigerator into dedicated, properly installed-grounded wall outlet. Do not under any circumstances cut or remove the third (ground) prong from the power cord. Any questions concerning power and/or grounding should be directed toward a certified electrician or an authorized service center. This unit is not designed to be installed in an RV or used with an inverter.
- After plugging the appliance into a wall outlet, turn the unit on and allow the unit to cool down for 2~3 hours under before placing food in the refrigerator or freezer compartment.
- Door Reversal Instruction
- Remove the top hinge cover.
- Using Phillips Head Screwdriver, loosen and remove the screws holding the top hinge in place
- Remove top hinge and carefully lift off the door.
- Remove the screw hole plugs from the opposite side and insert the plugs in the screw hole openings of the just removed screws.
- Remove any loose items in the refrigerator and carefully turn refrigerator on its back and place in a secure area.
- Loosen the screws holding the lower hinge bracket to the refrigerator and remove screws and bracket.
- Remove (2) screws from the other side and insert in the previously removed screw holes.
- Remove door pin by turning counter clockwise and reinsert to the underside of the bracket and tighten.
- Align bracket and insert (2) remaining screws into the holes provided .
- Align hole in the door with the door pin and washer and gently push down until firm.
- Align upper hinge bracket with screw holes insert screws and partially secure, check that door and cabinet are properly aligned, and then secure tightly
- Replace hinge cap



Electrical Connection


WARNING

- Improper use of the grounded plug can result in the risk of electrical shock. If the power cord is damaged, have it replaced by an authorized service center?
- This refrigerator should be properly grounded for your safety. The power cord of this refrigerator is equipped with a three-prong plug which mates with standard three-prong wall outlets to minimize the possibility of electrical shock.
- Do not, under any circumstances, cut or remove the third ground prong from the power cord supplied
- This refrigerator requires a standard 115 Volt A.C. ~/60Hz electrical outlet with three-prong ground.
- This refrigerator is not designed to be used with an inverter.
- The cord should be secured behind the refrigerator and not left exposed or dangling to prevent accidental injury.
- Never unplug the refrigerator by pulling the power cord. Always grip the plug firmly and pull it straight out from the receptacle.
- Do not use an extension cord with this appliance. If the power cord is too short, have a qualified electrician or service technician install an outlet near the appliance. The use of an extension cord can negatively affect the performance of the unit.
- If any problems with the appliance persist, please contact our Customer Service Dept. to consult with a representative at 888 775-0202 or visit our website to request warranty service at www.mcappliance.com.

OPERATING YOUR REFRIGERATOR

Temperature Control

- Your refrigerator has one control for regulating the temperature. The temperature control is located on right side of the refrigerator compartment.
- The first time you turn the unit on, adjust the temperature control knob to “7” and run for at least 2 hours before putting foods inside. This will ensure the cabinet is thoroughly chilled before food is put in.
- The range of the refrigerator temperature control is from position “” the cold to *7” the coldest. Adjust the temperature control to the setting that best suits your needs
- The setting of 4” should be appropriate for home or office refrigerator use.
- Turning the temperature control knob to “0” position stops the cooling cycle but does not shut off the power to the unit.




NOTE;

- If the unit is unplugged, loses power; you must wait 3 to 5 minutes before restarting the unit. If you attempt to restart before this time delay, the refrigerator will not start.
- Large amounts of food will lower the cooling efficiency of the appliance.
- Do not place the foods on the air outlet, and leave spaces for airflow.
- If you choose to change the thermostat setting, adjust the thermostat control by one increment at a time. Allow several hours for the temperature to stabilize between adjustments.


How To Change the interior light

- **NOTE:** All parts removed must be saved to do the reinstallation of the light bulb. Before removing the light bulb, unplug the appliance from the power supply. Failure to do so could result in electrical shock or personal injury.

1. Use a Phillips screwdriver to remove the screw that secures the light cover.




2. Remove the interior light cover.



3. Unscrew and remove the old light bulb.



4. Screw in the new light bulb



5. Reinstall the light cover.



CARE AND MAINTENANCE

- Cleaning Your Refrigerator
- Upon installation of your new appliance, it is recommended that it be cleaned thoroughly.
- Turn off the refrigerator first and then unplug the unit from the wall outlet.
- Remove all food content.
- Wash the inside with a damp warm cloth soaked in lukewarm water and baking soda solution
- The solution should be about 2 tablespoons of baking soda to a quart of water.
- Be sure to keep the door gasket (seal) clean to keep the unit running efficiently.
- The outside of the refrigerator should be cleaned with mild detergent and warm water.
- Dry the interior and exterior with a soft cloth.

Vacation Time

- Turn off the refrigerator first and then unplug the unit from the wall outlet.

- Remove all the food.
- Clean the refrigerator.
- Leave the door open slightly to avoid possible formation of condensation, mold, or odor.
- Use extreme caution in the case of children. The unit should not be accessible to child's play.
- **Short vacations:** Leave the refrigerator operating during vacations of less than three weeks.
- **Long vacations:** If the appliance will not be used for several months, remove all food and unplug the power cord. Clean and dry the interior thoroughly. To prevent odor and mold growth, leave the door open slightly: blocking it open if necessary or have the door removed.

Moving Your Refrigerator

- Turn off the refrigerator first and then unplug the unit from the wall outlet.
- Remove all the food
- Securely tape down all loose items inside your refrigerator.

Tape the doors shut.

- Be sure the refrigerator stays in the upright position during transportation.

Energy Saving Tips

- The refrigerator should be located in the coolest area of the room, away from heat producing appliances or heating ducts. and out of the direct sunlight.
- Let hot foods cool to room temperature before placing in the refrigerator. Overloading the refrigerator forces the compressor to run longer. Foods that freeze too slowly may lose quality, or spoil.
- Be sure to wrap foods properly, and wipe containers dry before placing them in the refrigerator.
- This cuts down on frost build-up inside the refrigerator.
- Organize and label food to reduce door openings and extended searches. Remove as many items as needed at one time, and close the door as soon as possible.

TROUBLESHOOTING GUIDE

You can solve many common refrigerator problems easily, saving you the cost of a possible service call. Try the suggestions below to see if you can solve the problem before calling for service.

PROBLEM	POSSIBLE CAUSE

<p>The refrigerator does not operate.</p>	<p>Not plugged in.</p> <p>The circuit breaker tripped or a blown fuse.</p>
<p>The compressor turns on and off frequently.</p>	<p>The room temperature is hotter than normal. A large amount of food has been added to the refrigerator.</p> <p>The door is opened too often.</p> <p>The door is not closed completely.</p> <p>The temperature control is not set correctly. The door gasket does not seal properly.</p> <p>The refrigerator does not have the correct clearance.</p> <p>The refrigerator has recently been disconnected for a period of time. 4 hours are required for the refrigerator to cool down completely.</p>
<p>The temperature inside the refrigerator is too warm.</p>	<p>Temperature control is set too warm. Turn the control to a cooler setting and allow several hours for the temperature to stabilize.</p> <p>The door is kept open too long or is opened too frequently. Warm air enters the refrigerator every time the door is opened. Open the door less often.</p> <p>The door is not closed completely.</p> <p>The door gasket does not seal properly.</p> <p>A large amount of warm or hot food might have been stored recently. Wait until the refrigerator has had a chance to reach its selected temperature.</p> <p>The refrigerator has recently been disconnected for a period of time. 4 hours are required for the refrigerator to cool down completely.</p>

<p>The temperature inside the refrigerator is too cold.</p>	<p>Temperature control is set too cold. Turn the control to a warmer setting and allow several hours for the temperature to stabilize.</p>
<p>The temperature of the external refrigerator surface is warm.</p>	<p>The exterior refrigerator walls can be as much as 30°F warmer than room temperature. This is normal while the compressor works to transfer heat from inside the refrigerator cabinet.</p>
<p>Popping or cracking sound when the compressor comes on.</p>	<p>Metal parts undergo expansion and contraction, as in hot water pipes. This is normal. The sound will level off or disappear as the refrigerator continues to run.</p>
<p>Bubbling or gurgling sound, like water boiling.</p>	<p>Refrigerant (used to cool refrigerator) is circulating throughout the system. This is normal.</p>
<p>Vibrations.</p>	<p>Check to assure that the refrigerator is on a level surface.</p> <p>The floor is uneven or weak. Refrigerator rocks on the floor when it is moved slightly. Be sure the floor can adequately support the refrigerator. Level the</p>

	<p>refrigerator by putting wood or metal shims under part of the refrigerator.</p> <p>The refrigerator is touching the wall. Re-level the refrigerator and move it from the wall.</p> <p>See “Installation Instructions “</p>
Moisture forms on inside refrigerator walls.	<p>The weather is hot and humid, which increases the internal rate of frost build-up. This is normal.</p> <p>The door is slightly open.</p> <p>The door is kept open too long, or is opened too frequently. Open the door less often.</p> <p>The door is not sealed properly.</p>
Moisture forms on the outside of the refrigerator.	<p>The door is slightly open, causing cold air from inside the refrigerator to meet warm moist air from outside.</p>
The door will not close properly.	<p>The refrigerator is not on a level surface.</p> <p>The gasket is dirty.</p>

Limited Warranty

- MC Appliance Corporation warrants each new Compact Refrigerator to be free from defects in material and workmanship, and agrees to remedy any such defect or to furnish new parts), at the company's option, for any parts) of the unit that has failed during the warranty period. Parts and labor expenses are covered on this unit for a period of one year from the date of purchase. A copy of the dated sales receipt or invoice is required to receive warranty service, replacement, or refund.
- In addition, MC Appliance Corporation warrants the compressor (parts only) to be free from defects in material and workmanship for a period of five years. The consumer is responsible for all labor and transportation expenses related to the diagnosis and replacement of the compressor after the initial one-year warranty expires. In the event the unit requires replacement or refund under the terms of this warranty, the consumer is responsible for all transportation expenses to return the unit to our factory prior to receiving a replacement unit or refund. A copy of the dated sales receipt/invoice is required to receive warranty service, replacement, or refund.
- This warranty covers appliances in use within the contiguous United States, Alaska, Hawaii, and Puerto Rico. This warranty does not cover the following:
 - Damages due to shipping damage or improper installation.
 - Damages due to misuse or abuse.
 - Content losses due to failure of the unit.
 - Inside components such as door panels, door shelves, racks, light bulbs, etc.
 - Repairs performed by unauthorized service agents.
 - Service calls that do not involve defects in material and workmanship such as instructions on proper use of the product or improper installation.
 - Replacement or resetting of house fuses or circuit breakers.
 - Failure of this product if used for other purposes than its intended purpose.
 - Disposal costs for any failed unit not returned to our factory.
 - Any delivery/ installation costs incurred as the result of a unit that fails to perform as specified.
 - Expenses for travel and transportation for product service if your appliance is located in a remote area where service by an authorized service technician is not available
 - The removal and reinstallation of your appliance if it is installed in an inaccessible location or is not installed in accordance with published installation instructions.
 - Refunds for non-repairable products are limited to the price paid for the unit per the sales receipt.
 - This warranty is nontransferable. This warranty applies only to the original purchaser and does not extend to any subsequent owners)


Limitations of Remedies and Exclusions:

- Product repair in accordance with the terms herein, is your sole and exclusive remedy under this limited warranty. Any and all implied warranties including merchantability and fitness for a particular purpose are hereby limited to one year or the shortest period allowed by law. MC Appliance
- The corporation is not liable for incidental or consequential damages and no representative or person is authorized to assume for us any other liability in connection with the sale of this product. Under no circumstances is the consumer permitted to return this unit to the factory without the prior written consent of MC Appliance Corporation.
- Some states prohibit the exclusion or limitation of incidental or consequential damages or limitations on implied

warranties. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

- Model
- Parts & Labor
- Compressor (Parts Only)
- Type of Service
- one rear
- Five Years
- One Year
- rive Years
- One Year
- rive Years
- Carry-In
- Carry in
- For Service or Assistance please call 888-775-0202 or visit us on the web at www.mcappliance.com to request warranty service or order parts.
- **CNA International, Inc. d/b/a MC Appliance Corporation. All rights reserved.**
- **The Magic Chef® logo is a registered trademark of CNA International, Inc.**
- www.mcappliance.com
- **Printed in China**

Documents / Resources

	<p>Magic Chef HMAR45HCSE Compact All Refrigerator [pdf] User Manual HMAR45HCWE, HMAR45HCBE, HMAR45HCSE, HMAR45HCSE Compact All Refrigerator, Compact All Refrigerator, Refrigerator</p>
---	---