



MATRIX C-LS-LED Lifestyle ClimbMill with LED Console User Manual

[Home](#) » [MATRIX](#) » MATRIX C-LS-LED Lifestyle ClimbMill with LED Console User Manual 

Contents

- [1 MATRIX C-LS-LED Lifestyle ClimbMill with LED Console](#)
- [2 FRAME LOCKABLE](#)
- [3 Documents / Resources](#)
- [4 Related Posts](#)

MATRIX

MATRIX C-LS-LED Lifestyle ClimbMill with LED Console



FRAME LOCKABLE

COMING SOON — Designed for low-volume installations, our ClimbMill Lifestyle features a compact design that allows installations with low ceilings to offer climbing workouts. The smart features make workouts comfortable and safe, and our components durable will keep your users climbing for years. It is also as easy to maintain as it is to use, and will therefore always be ready.

The Touch console with Wi-Fi support provides an interface for type application that resembles that of the operating systems of smart phones and tablets, which allows members access content that encourages them to move.


Note: Products with Console Touch must be connected to a power source

CONSOLE	
DISPLAY	41 cm / 16" LCD capacitive touch screen
WORKOUTS	Go, Manual, Sprint 8†, Landmarks†, Virtual Active, Target Heart Rate, Interval Training, Fat Burn, Hilly Terrain, Constant Watts†, Glute Workout†, Goal Workout, Fitness Tests, Custom
LANGUAGES	English, German, French, Italian, Spanish, Dutch, Portuguese, Chinese(s), Chinese(t), Japanese, Korean, Swedish, Finnish, Russian, Arabic, Turkish, Polish, Welsh, Basque, Vietnamese, Somali, Danish, Thai, Malay, Catalan
IFIT ON-DEMAND WORKOUTS	Optional
FAN	yes
ANALOG TV	NTSC, PAL, SECAM
DIGITAL TV	ATSC 1.0, QAM-B, ISDB-T, ISDB-Tb, DVB-C/S/S2/T/T2
IPTV	Contenu : Protocoles MPEG2/H262, AVC/H264 : UDP, RTSP, HTTP, HTTPS
WIFI	Yes
BLUETOOTH	Yes, smartphones, headphones, heart rate
CONNEXION RFID WIRELESS	Yes
DESIGNED FOR IPHONE, IPAD, IPOD	Yes
PORT USB	Yes, device charging, device media, software updates
CONNECTS TO SAMSUNG GALAXY WATCH	Yes
Charge sans fill (ki)	Yes
COMPATIBLE CSAFE	Yes
SELF-AWAKENING	Yes
†This program may not be available on this frame.	

FRAME

LOCKABLE STAIRCASE	Oui
MINIMUM USER WEIGHT	45 kg / 99 lbs.
POIDS MAXIMUM USER	136 kg / 300 lbs.
POWER REQUIRED	100–240 V — 50/60Hz AC
SERVICE ROLLER	Non
RESISTANCE LEVELS	30
RESISTANCE RANGE	24–160 SPM
ASSEMBLED UNIT WEIGHT	147,1 kg / 324,4 lbs.
UP AND DOWN LEVELERS	Non
SHIPPING WEIGHT	164,1 kg / 361,8 lbs.
ACCESS HEIGHT	:quoted:"
DIMENSIONS STEP	23 x 40,2 x 14,3 cm / 9" x 15,8" x 5,6"
ETHERNET CONNECTIVITY	Oui
CONTACT AND TELEMETRIC HEART RATE	Oui
DRIVE SYSTEM	ECB à embrayage avec chaîne et courroie d'entraînement de qualité industrielle
CONTROL AREA	Non
ASSEMBLED UNIT DIMENSIONS	160,4 x 71,7 x 207,6 cm / 63,1" x 28,2" x 81,7"
HANDLEBAR DESIGN	Côté

Documents / Resources

	<p>MATRIX C-LS-LED Lifestyle ClimbiMill with LED Console [pdf] User Manual C-LS-LED Lifestyle ClimbiMill with LED Console, C-LS-LED, Lifestyle ClimbiMill with LED Console, LED Console, Console, Lifestyle ClimbiMill, ClimbiMill</p>
---	--