

MATRIX H-PS-GTLED Performance Hybrid Cycle



MATRIX H-PS-GTLED Performance Hybrid Cycle Instructions

[Home](#) » [MATRIX](#) » MATRIX H-PS-GTLED Performance Hybrid Cycle Instructions 

Contents

- [1 MATRIX H-PS-GTLED Performance Hybrid Cycle](#)
- [2 Instructions](#)
- [3 Documents / Resources](#)
 - [3.1 References](#)

MATRIX

MATRIX H-PS-GTLED Performance Hybrid Cycle



Offer members an intense experience with our ultra-durable, one-of-a-kind Performance Hybrid Cycle. Our innovative command seating position optimizes ergonomics for maximum comfort and workout efficiency during hard rides. Ergonomically sculpted, easily adjustable touchpoints enhance comfort even further, and advanced design features streamline service and maintenance while simplifying cardio floor placement.

Make group training smoother and more rewarding with our Group Training LED Console. The interface is easy to navigate, and smart features help participants of all ages and stages stay in sync with instructor cues.



Instructions


CONSOLE

CONSOLE	
DISPLAY	Large number LED with message center
WORKOUTS	Manual
IFIT ON-DEMAND WORKOUTS	No
LANGUAGES	English, German, French, Italian, Spanish, Dutch, Portuguese, Swedish, Finnish, Turkish, Danish, Polish
FAN	No
IPTV	No
BLUETOOTH	No
ANT+	No
RFID WIRELESS LOGIN	Optional
CONNECTS TO APPLE WATCH	No
MADE FOR IPHONE, IPAD, IPOD	No
CONNECTS TO SAMSUNG GALAXY WATCH	No
USB PORT	Yes; device charging, software updates
WIRELESS CHARGING (QI)	No
CSAFE READY	Yes
AUTO WAKE-UP	No

FRAME

FRAME	
CRANK DESIGN	Three piece with forged arms and integrated puller
ETHERNET CONNECTIVITY	Yes
CONTACT & TELEMETRIC HR	Yes
REAR-LIFT HANDLE	Yes
POWER REQUIREMENTS	Self-powered or 100–240 V — 50/60 Hz AC
PEDAL SPACING	17.5 cm / 6.9"
SEAT ADJUSTMENT	Single-hand lever
TOP-DOWN LEVELERS	Yes
ASSEMBLED DIMENSIONS	147 x 65 x 159 cm / 57.9" x 25.6" x 62.6"
HANDLEBAR DESIGN	Front vertical ergo bend
MINIMUM RPM	10 RPM powered or 25 RPM self- powered
MINIMUM WATTS	4 W powered or 10 W self-powered
RESISTANCE SYSTEM	Brushless generator
MAXIMUM USER WEIGHT	182 kg / 400 lbs.
RESISTANCE RANGE	1–500 W
SEAT MATERIAL	Custom one-piece, molded seat back and bottom
SHIPPING WEIGHT	108.6 kg / 239.4 lbs.
ASSEMBLED WEIGHT	96.3 kg / 212.3 lbs.
RESISTANCE LEVELS	30

Documents / Resources

	<p>MATRIX H-PS-GTLED Performance Hybrid Cycle [pdf] Instructions H-PS-GTLED Performance Hybrid Cycle, H-PS-GTLED, Performance Hybrid Cycle, Hybrid Cycle, Cycle</p>
---	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.