



Maxblue MB-C06-42 Water Filter Cartridge Instruction Manual

[Home](#) » [Maxblue](#) » Maxblue MB-C06-42 Water Filter Cartridge Instruction Manual 

Contents

- [1 Maxblue MB-C06-42 Water Filter Cartridge](#)
- [2 Performance data](#)
- [3 Instructions](#)
- [4 Contact](#)
- [5 Documents / Resources](#)
 - [5.1 References](#)
- [6 Related Posts](#)

Maxblue

Maxblue MB-C06-42 Water Filter Cartridge



REPLACEMENT
ELEMENT

Tested and Certified by NSF International against NSF/ANSI Standard 42 in model ECF-7014XX-06BZ/ECF-7015XX-06BZ for the reduction of the claims specified on the Performance Data Sheet, and to NSF/ANSI 372 ($\leq 0.25\%$ lead).

Performance data

System Model No: ECF-7014XX-06BZ/ECF-7015XX-06BZ

Substance reduction

The system has been tested and certified by the NSF International according to NSF/ANSI Standard 42 and NSF/ANSI Standards 372. The concentration of the indicated substances in water entering the system was reduced to a concentration less than or equal to the permissible limit for the water leaving the system, as specified by NSF/ANSI Standard 42. While testing was performed under standard laboratory conditions, actual performance may vary.

Performance Data Sheet			
Substance	Inf. Average	NSF Specified Challenge Concentration	Ave. % Reduction
Chlorine Taste and Odor	2.0 mg/L	2.0 mg/L \pm 10%	93.9%
Average Product Water Concentration	Max Permissible Product Water Concentration	NSF Reduction Requirements	NSF Test Report
0.05 mg/L	N/A	\geq 50%	J-00355921

System to be used with municipal or well water sources treated and tested on regular basis to ensure bacteriological safe quality. Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system.


Warning: Testing was performed under standard laboratory conditions, actual performance may vary.

Instructions

Replacement for Brita® Laica® and many other brands.



In accordance with EN 17093;
Average Chlorine Reduction 86%
Filtration Capacity: 150L



1. Place the filter into a bowl of clean cold tap water, push gently down until submerged and bubbles of air are released. Leave for 15 minutes.



2. Fit the filter into your filter jug as per the manufacturers instructions.



3. Replace hopper and fill with cold water, allow to filter through and discard. Repeat this step twice more.
 - Your filter is now ready to use.
 - It is advised that all filtered water is stored in the refrigerator and discarded after 48 hours if not consumed.


Contact

Qingdao Ecopure Filter Co., Ltd

- **Tel:** 1-888-352-3558 (U.S.)
- **E-mail:** service@maxbluefilter.com
- **Add.:** No.13, Yishengbai Road Jimo, Qingdao, China

Made in China

Documents / Resources



[Maxblue MB-C06-42 Water Filter Cartridge](#) [pdf] Instruction Manual
MB-C06-42, MB-C06-42 Water Filter Cartridge, Water Filter Cartridge, Filter Cartridge, Cartridge

References

- [User Manual](#)

Manuals+.