

MERCATOR A19911 Tempo 10W LED Task Lamp Instructions

Home » MERCATOR » MERCATOR A19911 Tempo 10W LED Task Lamp Instructions

Contents

- 1 MERCATOR A19911 Tempo 10W LED Task
- **2 PRODUCT OVERVIEW**
- 3 Specifications:
- **4 INSTALLATION**
- 5 Operation:
- 6 Smart Alarm Settings (Gradual Wake Up)
- 7 Using yourTempoTask Lamp
- 8 Documents / Resources
- 9 Related Posts



MERCATOR A19911 Tempo 10W LED Task Lam



PRODUCT OVERVIEW



Please note the following safety precautions:

This appliance is not intended for use by young children or infirm persons unless they have been adequately supervised by a responsible person to ensure that they can use the appliance s.afely. Young children should be supervised to ensure that they do not play with the appliance.

if the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified person in order to avoid a hazard.

To prevent damage to the appliance do not use alkaline cleaning agents when cleaning. Use asoft clothanda mildde tergent. Always switch it off before cleaning.


Failure to maintain the lamp in a clean condition could lead to deterioration of the surface 1hatcouldadverselyaffect the life of the appliance and possibly1esultina hazardous situation This product is not repairable. if any parts are broken, the whole unit should be replaced.

THE MAXIMUM OUTPUT OF THIS USB CHARGER IS SV 1A. THIS PRODUCT IS NOT SUITABLE FOR CHARGING HIGH-POWERED PRODUCTS SUCH AS TABLETS. THE CONNECTION OF ANY DEVICE REQUIRING MORE THAN THE MAXIMUM AVAILABLE OUTPUT MAY CAUSE DAMAGE TO THE PRODUCT OR THE DEVICE IN USE.


Specifications:

| Driver Input | 100-240V~ 50Hz | |
|--------------------|-----------------|--|
| Driver Output | 12VDC, Max 1A | |
| Power Consumption | 10W | |
| Globe Type | 7.5W LED | |
| Lumens | 450lm | |
| Colour Temperature | | |
| Audio Input | 3.5mm AUX Cable | |
| USB Output | 5VDC, 1A | |


INSTALLATION



1. Place lamp body into base.




2. Fasten screws on the base to secure.



Operation:





Smart Alarm Settings (Gradual Wake Up)

This task lamp is equipped with a smart pre-alarm setting. This pre-alarm will go off before the main alarm and replicates birds tweeting and gradually turns on the light. This pre-alarm can be set at2,5,10 or 15-minute intervals before the alarm and will continue to sound each minute before the main alarm. See instructions below

- 1. After the alarm has been set, press the BIRD TWEETING ALARM" button on the light control panel to begin setting a gradual alarm.
- 2. Tap between the settings below, and adjust using the PLUS w and "MINUS buttons.

| 0 (No tweeting or gradual light) | 2 | 5 | 10 | 15 | |
|----------------------------------|---|---|----|----|--|
| light) | | | | | |

- 3. Press the BIRD TWEETING PRE-ALARM button again to confirm pre-alarm.
- 4. The music icon on the screen will be blinking when the pre-alarm is active and will continue to sound daily
- 5. When the pre-alarm rings, turn off by pressing the "CALENDAR /TIME SETTINGS button on the control panel
- 6. To cancel the pre-alarm, press the "BIRD TWEETING PRE-ALARM" button.

Using yourTempoTask Lamp

To turn on the lamp, gently tap the OFF /ON switch.

Dimmable Lamp and Colour Changing Modes

| 3500K (Warm Light) | 5000K (Daylight) | 6300K (Cool Light) | |
|--------------------|------------------|--------------------|--|
|--------------------|------------------|--------------------|--|

To adjust the brightness, gently tap and hold the "DIM DOWN and DIM UP 1. To adjust the brightness, gently tap and hold the "DIM DOWN [S'.] "and DIM UP [2S]

Calendar Settings

1.

| Γ | Year | Month | Day | Hour | Minute | Exit Calendar Setting |
|---|------|-------|-----|------|---------|------------------------|
| | rear | WOITE | Day | Hour | Millate | Exit Calefidai Setting |

To adjust the calendar settings press the "CALENDAR/TIME SETTINGS to begin time setting mode

2. Tap between the settings below, and adjust using the PLU5 and "MINUS buttons

Alarm Settings

1.

| Hour | Minute | Exit Alarm Setting |
|------|--------|--------------------|
| | | |

Press the ALARM SETTING button on the light control panel to begin setting an alarm

- 2. Tap between the settings below, and adjust using the PLUS and MINUS buttons.
- 3. Press the "ALARM SETTING button to confirm the alarm.
- 4. The alarm icon on the screen will be blinking when the alarm is active and will continue to sound daily.
- 5. When the alarm rings, turn off by pressing the "CALENDAR /TIME SETTINGS button on the control panel.
- 6. T cancel alarm, pressthe ALARM SETTING button

Documents / Resources



MERCATOR A19911 Tempo 10W LED Task Lamp [pdf] Instructions A19911, Tempo 10W LED Task Lamp, A19911 Tempo 10W LED Task Lamp

Manuals+.