

# **MERCATOR SPP01G Power Points Switch User Guide**

Home » MERCATOR » MERCATOR SPP01G Power Points Switch User Guide



### **Contents**

- 1 Isaac series
- 2 Power Points (Zigbee)
  - 2.1 Features
  - 2.2 Network/Device
  - Requirements
  - 2.3 Included Accessories
  - 2.4 Technical Specifications
  - 2.5 Dimensions
- 3 Documents / Resources
  - 3.1 References
- 4 Related Posts



Isaac series


## **Power Points (Zigbee)**

### SPP01G / SPP02G/ SPPUSB02G/ SPP04G SPP02GMBK/ SPPUSB02GMBK

This product must be installed by a licensed electrician

**Features** 

- Zigbee 3.0 compliant
- Touch capacitive switches
- Blue backlight to indicate switch status
- Retrofit to standard mounting brackets
- White, UV resistant material
- · Matt black finish available on selected products
- · Combination head screws
- On/off control via the app (both individual & master)
- · Current and historical power monitoring
- · Customizable timers & schedules via the app
- Works with both Amazon Alexa and Google Assistant
- 3 year in-home warranty



### **Network/Device Requirements**

Connectivity	Zigbee		
Requirements	Mercator Ikuü zigbee hub		
Protocol	IEEE 802.15.4		
Wireless Frequency	2.4GHz		
App Requirements	Mobile device running iOS or Android. (Refer to ikuu.com.au for minimum specs)		

## **Included Accessories**

Faceplate, Cut-out template, Mounting screws.


SPP04G only: Mounting bracket, Strapping cables


### **Technical Specifications**

	SPP01G	SPP02G SPP02GM BK	SPPUSB02G SPPU SB02GMBK	SPP04G		
Sockets	1	2	2	4		
Colour	White	White or Matt black	White or Matt black	White		
Supply Voltage	230 – 250V a.c. 50Hz					
Standby Wattage	<0.05W					
Operating Load	2500W total (max) – all channels combined					
Switched Poles	Active					
IP Rating	IP20 (indoor use only)					
Terminal Size	6mm² (can fit up to 3 x 2.5mm² wires per terminal)					
Rear Colour	Yellow					
Housing Material	Polycarbonate					
Contact Material	Brass					
Weight	145g	150g	160g	300g		
Dimensions		215mm x 74mm x 5 4mm				
Cut-out Dimensions		180mm x 55mm				
Mounting Centres	84mm					
USB Port	N/A	N/A	2x USB 2.0 Type A	N/A		
USB output	N/A	N/A	2A (total)	N/A		
Compliance / Standard s	AS/NZS 3100, AS/NZS 3112, AS/NZS 4268, AS/NZS 60669.1, AS/NZS 60669.2.1, CISPR 14, CISPR 32 AS/NZS 61558 (SPPUSB02G/SPPUSB02GMBK only)					


### **Dimensions**

# SPP01G







# SPP02G, SPP02GMBK, SPPUSB02G & SPPUSB02GMBK



# SPP04G





## † Strapping cables supplied



This product is valid for 3 years in-home warranty from the date of purchase. Please retain proof of purchase and certificate of compliance from the installation to make a claim. Please visit <a href="https://www.mercator.com.au/productsupport/warranty">https://www.mercator.com.au/productsupport/warranty</a> for more information. For Mercator Ikuü contractor or end consumer support please visit www.ikuu.com.au or contact our customer service team on 1300 552 255 or via email at customercare@mercator.com.au

\*Download the app using the QR code or visit the iOS or Google Play store.

#### www.ikuu.com.au









#### **Documents / Resources**



MERCATOR SPP01G Power Points Switch [pdf] User Guide SPP01G, SPP02G, SPPUSB02G, SPP04G, SPP02GMBK, SPPUSB02GMBK, SPP01G Power Points Switch, Power Points Switch

### References

- <u>Homepage | Ikuü</u>
- <u>Homepage | Ikuü</u>
- Product Support Mercator

Manuals+,