



METABO UB 18DE 18V Lithium Ion LED Torch/Flashlight User Manual

[Home](#) » [metabo](#) » METABO UB 18DE 18V Lithium Ion LED Torch/Flashlight User Manual 

METABO UB 18DE 18V Lithium Ion LED Torch Flashlight



Contents

[1 INTRODUCTION](#)

[2 SPECIFICATIONS](#)

[3 CORDLESS TORCHLIGHT UB1 SOE INSTRUCTION MANUAL](#)

[4 HOW TO USE](#)

[5 Documents / Resources](#)

[6 Related Posts](#)


INTRODUCTION





①	Head
②	Lens
③	LED
④	Switch
⑤	Battery replacement notification lamp (lighting color: red)
⑥	Battery (sold separately)
⑦	Latch
⑧	Handle
⑨	Hook (sold separately)
⑩	Band (sold separately)

SPECIFICATIONS

LED	4.7W
Voltage	18V
Usable batteries	Li-ion battery multi volt type, SSL18 series
Dimensions (without battery)	3-5/8 1 1 (92 mm) (Depth} x 3-7/64 1 1 (79 mm) (Width} x 9-27/32 1 1 (250 mm) (Height}
Weight (without battery)	0.7 lbs. (0.3 kg)

Operating time (Appeox) : Using full Charge Battery

		3.0 Ah 37 hours	5.0Ah 63 hours	8.0 Ah 100 hours
18V	120 I m (Low)	16 hours	28 hours	44 hours
	250 I m (High)			

	<p>Symbol's</p> <p> WARNING</p> <p>The following show symbols used for the machine. Be sure that you understand their meaning before use.</p>
	<p>To reduce the risk of injury, user must read instruction manual.</p> <p>Failure to follow the warnings and instructions may result in electric shock, fire and/or serious injury.</p>
	<p>When the light is lit, do not look directly into it, aim it at a person or animal, or direct it toward the eyes. Doing so may harm the eyes.</p>

CORDLESS TORCHLIGHT UB1 SOE INSTRUCTION MANUAL


WARNING:

- Be careful of electrical shock.
- When not in use or during inspection and maintenance, be sure to turn the switch OFF on the unit, and remove the battery from it.
- Do not cover the torchlight with cloth, cardboards or other materials when the light is on. Doing so may result in fire.
- When using flashlights or lanterns, additional precautions should always be followed, including the following:
 - a) To reduce the risk of injury, close supervision is necessary when a product is used near children.
 - b) Do not contact hot parts.
 - c) Only use attachments recommended or sold by the manufacturer.
 - d) Do not use in the rain.
 - e) To reduce the risk of electrical shock, do not put battery in water or other liquid. Do not place or store product where it can fall or be pulled into a tub or sink.

CAUTION:

- Do not look at the LED directly.
- Do not use the torchlight if the lens is damaged or detached.
- Be sure to turn the switch OFF when not using.
- Do not shock or disassemble the torchlight
- Do not allow the torchlight to contact gasoline, thinner etc.
- Do not leave the torchlight in a car or the like that tends to be exposed to be searching heat of the sun (above 50°C). Otherwise, troubles can result.
- Do not hold the main unit by the bending part. Fingers may get pinched, resulting in injury.

HOW TO USE



1. Battery insert/removal Insert the battery in direction A until it clicks. To remove, extract it in direction B while holding down the latch. (Fig. 2)
2. Head angle adjustment The angle of the head can be adjusted according to use. The head rotates from 0° to 130° and can be fixed in 6 steps. (Fig. 3)
3. Turn on the LED light The brightness of the light can be adjusted in two steps. Each time you press the switch, it switches between "High", "Low", and "Off".

WARNING: When using the unit in a high location, set it down on a stable surface. If the unit falls, it may cause injury. When hanging the unit in a high location, fix it in place with a band (sold separately) or string. If the unit falls, it may cause injury. (Fig. 4)

CAUTION:

If the battery replacement notification lamp flashes when the torchlight is turned on, the battery power is low. Replace or recharge the battery. Failure to do so may result in the light suddenly going off due to the over discharge protection circuit. As discharging shortens the battery life, charge the battery promptly.

STORAGE


- o When storing the power tool, be sure to turn OFF the switch and pull out the battery.
- O Store the power tool and the battery in a place in which the temperature is less than 40°C and out of reach of children.



Please contact Koki Holdings America Ltd. at 1-800-59-TOOLS (toll free), or metabo HPT AUTHORIZED POWER TOOL SERVICE CENTER regarding COLLECTION.

Issued by
Koki Holdings Co., Ltd.
Shinagawa Intercity Tower A, 15-1 , Konan 2-chome,
Minato-ku, Tokyo 108-6020, Japan
Distributed by
Koki Holdings America Ltd.
1111 Broadway Ave,
Braselton, Georgia, 30517
Koki Holdings America Ltd. Canadian Branch
3405 American Drive, Units 9-10,
Mississauga, ON, L4V 1T6

Documents / Resources

	<p>METABO UB 18DE 18V Lithium Ion LED Torch/Flashlight [pdf] User Manual UB 18DE 18V Lithium Ion LED Torch Flashlight, UB 18DE, 18V Lithium Ion LED Torch Flashlight, LED Torch Flashlight, Torch Flashlight, Flashlight</p>
---	--