



Use and Care Manual for Square Scaffolding Wheels

Contents [[hide](#)]

[1 Installation Guide](#)

[2 Usage Instructions](#)

[3 Documents / Resources](#)

[3.1 References](#)

Installation Guide

1. Prepare Tools: Gather necessary tools such as wrenches before installation.
2. Position the Wheels: Align the 1 1/4" square stem of each 5 inch -baker scaffold wheel with the corresponding socket on the scaffolding unit. Ensure a proper fit.
3. Secure the Wheels: Insert the provided spring lock pins through the 2 -1/2" holes (center) on the scaffolding and the wheels. Make sure the pins are fully engaged to prevent the wheels from detaching during use. A total of 4 spring lock pins are included for the set of 4 wheels.

Usage Instructions

1. Application Scenarios: These wheels are designed for baker scaffolding and can be used as metal tech scaffolding accessories.
2. Braking Operation: Each wheel features a dual – locking brake mechanism. To engage the brakes, push down on both brake levers simultaneously. This will lock both the horizontal and vertical axes, ensuring the scaffolding remains stationary. When you need to move the scaffolding, release both brake levers to unlock the wheels

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

Search:

e.g. whirlpool wrf535swhz

Search

[Manuals+](#) | [Upload](#) | [Deep Search](#) | [Privacy Policy](#) | [@manuals.plus](#) | [YouTube](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.