


MGC IPS-4848DS Programmable Input Switches Module Owner’s Manual

[Home](#) » [MGC](#) » MGC IPS-4848DS Programmable Input Switches Module Owner’s Manual 

MGC IPS-4848DS Programmable Input Switches Module



Contents

- [1 Description](#)
- [2 Features](#)
- [3 Cable Connections](#)
- [4 Power Consumption](#)
- [5 Ordering Information](#)
- [6 Customer Support](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)

Description


The IPS-2424DS Programmable Input Switches Module, mounts into a series of enclosures as part of the fire alarm system. This adder module provides 48 programmable switches, 48 bi-coloured (red/amber) LEDs for fire alarm zone annunciation and 48 amber trouble LEDs. Compatible with FX-2000, FleX-Net™ (FX-2000N) and MMX Fire Alarm panels.

The bi-colored Led will flash red to indicate an alarm or it will flash amber to indicate that a supervisory alarm will be processed when the switch is returned to normal (unbypassed) position.

Features

- Provides 48 programmable switches
- 48 bi-coloured (red/amber) LEDs for fire zone annunciation
- 48 Amber Trouble LEDs
- Programmable for Zoned/Group/Device bypass
- Connects to to the main panel or RAX-LCD, RAXN-LCD, or RAXN-LCDG
- Compatible with FX-2000 & FleXNet™ (FX2000N) and MMX Fire Alarm panels panels

Cable Connections



Power Consumption

Voltage	24VDC
Standby Current	10 mA
Alarm Current	22 mA

Ordering Information

Model	Description
IPS-4848DS	48 Programmable Input Switches Module

THIS INFORMATION IS FOR MARKETING PURPOSES ONLY AND NOT INTENDED TO DESCRIBE THE PRODUCTS TECHNICALLY.



Intertek

For complete and accurate technical information relating to performance, installation, testing and certification, refer to technical literature. This document contains intellectual property of Mircom. The information is subject to change by Mircom without notice. Mircom does not represent or warrant correctness or completeness.

CATALOG NUMBER [5335](#)

Customer Support

Canada

25 Interchange Way Vaughan, ON L4K 5W3
Telephone: (905) 660-4655 | Fax: (905) 660-4113



U.S.A.

4575 Witmer Industrial Estates Niagara Falls, NY 14305
Toll Free: (888) 660-4655 | Fax Toll Free: (888) 660-4113

www.mircom.com



Documents / Resources

	MGC IPS-4848DS Programmable Input Switches Module [pdf] Owner's Manual IPS-4848DS, Programmable Input Switches Module, IPS-4848DS Programmable Input Switches Module, Input Switches Module, Switches Module, Module
	MGC IPS-4848DS Programmable Input Switches Module [pdf] Owner's Manual IPS-4848DS, Programmable Input Switches Module, IPS-4848DS Programmable Input Switches Module, Input Switches Module, Switches Module, Module

References

- [🔥 Fire Alarm Resources | Download fire alarm documents](#)
- [🏢 Mircom - Smart Buildings. Smarter Solutions.](#)