



# MICRO TECH ZMC12 AutoLock Car Mount Dashboard or Window User Manual

[Home](#) » [MICRO TECH](#) » MICRO TECH ZMC12 AutoLock Car Mount Dashboard or Window User Manual 

## Contents

- [1 MICRO-TECH-ZMC12-AutoLock-Car-Mount-Dashboard-or-Window-product](#)
- [2 INTRODUCTION](#)
- [3 PACKAGE CONTENTS](#)
- [4 PRODUCT OVERVIEW](#)
- [5 SPECIFICATIONS & FEATURES](#)
- [6 HOW TO USE](#)
- [7 CARE AND SAFETY](#)
- [8 Documents / Resources](#)
- [9 Related Posts](#)



**MICRO-TECH-ZMC12-AutoLock-Car-Mount-Dashboard-or-Window-product**



## INTRODUCTION

Auto Clamping Dashboard Mount is the last mount you'll need to purchase. The sleek black design ensures that it matches with every dashboard and car environment it is put into. It can bend in all different types of directions so you could place it and use it however you would like. The suction cup doesn't only suck the product to the dashboard or windshield but it also has a sticky like adhesive on it that way there is no possible chance it could fall or tip over in the middle of your journey.

## PACKAGE CONTENTS

- 1x Clamp and Release Phone Holder
- 1x Socket
- 1x Suction Cup Stand

## PRODUCT OVERVIEW



## SPECIFICATIONS & FEATURES



Mount Body is 6 cm x 10.5 cm with a 3.5 cm depth Adjustable clamp can go from 5.5 cm to 9 cm The wings expand to 10.5 cm Stand is normally 12 cm tall It can extend in height to 16 cm The suction cup is 6.5 in diameter The phone holder feet are 3 cm wide Strong and secure suction cup to stick to any flat surface Tight fitting clamp with rubber grips Quick-Use Spring loaded clamping mechanism Extendable Arm for optimal viewing angle 360 rotating phone bracket Easy Installation Sticky suction cup Can adhere to windshield or dashboard .

## HOW TO USE

### Constructing the Mount

1. Unbox all pieces and make sure you have everything
2. Screw joint part onto the back of the mount body but loosely
3. Leaving it loose will allow for the ball to pop in easily
4. Once the ball is in socket, tighten knob to make sure its tight
5. Take plastic peel off of suction cup
6. Place mount on dashboard or windshield in desire location
7. Squeeze the wings in to expand the clamp
8. Put phone in clamp and press it towards the back of the mount to close the clamps and tighten in
9. Pull down lever on the bottom of the stand to make sure that the suction is extră secure
10. Use the two feet on the bottom to extend and make it longer so your phone fits better if phone is larger
11. Squeeze wings again to release phone

### CARE AND SAFETY

- Do not use this unit for anything other than its intended use.
- Keep the unit away from heat source, direct sunlight, humidity, water or any other liquid.
- Do not expose the device to extremely high or low temperatures, as it may damage the battery.
- Do not operate the unit if it has been wet or moist to prevent against electric shock and/or injury to yourself and damage to the unit
- Do not use the unit if it has been dropped or damaged in any way.
- Repairs to electrical equipment should only be performed by a qualified electrician. Improper repairs may place the user at serious risk.
- Keep the unit out of reach of children.
- This unit is not a toy.

### BATTERY DISPOSAL:

This product contains a lithium polymer battery. Lithium polymer batteries are environmentally safe when fully discharged. Please refer to your local and state laws for battery disposal procedures.

OSM TEK GROUP INC., All rights reserved. MicroTech is a trademark of SM TEK GROUP INC. All trade names are the registered trademarks of the manufactures listed. New York, NY 10001 | [www.smtekgroup.com](http://www.smtekgroup.com)

### Documents / Resources

