

Microsemi M2S090TS SmartFusion2 SoC FPGA Security Evaluation Kit User Guide


[Home](#) » [Microsemi](#) » Microsemi M2S090TS SmartFusion2 SoC FPGA Security Evaluation Kit User Guide 

Contents

- [1 Microsemi M2S090TS SmartFusion2 SoC FPGA Security Evaluation Kit](#)
- [2 Kit Contents](#)
- [3 Overview](#)
- [4 Hardware Features](#)
- [5 Evaluation Board Block Diagram](#)
- [6 Software and Licensing](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)




Microsemi M2S090TS SmartFusion2 SoC FPGA Security Evaluation Kit



Kit Contents

M2S090TS-EVAL-KIT



- 1 SmartFusion®2 system-on-chip (SoC) FPGA 90K LE M2S090TS-1FGG484 Evaluation Board
- 1 USB 2.0 A-Male to mini-B cable
- 1 12 V, 2 A AC power adapter
- 1 Quickstart card
- 1 Software ID letter for Libero Gold License
- 1 FlashPro4 programmer

Overview

Microsemi's SmartFusion2 Security Evaluation Kit makes it easy to develop secure embedded systems and provides the best-in-class solutions for both Design Security—when protecting your design IP is critical; and Data

Security—when protecting application data is necessary. The kit provides a cost effective SoC field programmable gate array (FPGA) platform for developing SoC FPGA designs using Microsemi's SmartFusion2 SoC FPGAs, which integrates inherently reliable flash-based FPGA fabric, a 166 MHz ARM Cortex-M3 processor, advanced security processing accelerators, DSP blocks, SRAM, eNVM, and industry-required high-performance communication interfaces—all on a single chip.


Hardware Features

This kit enables you to do the following:

- Evaluate the Data Security features of SmartFusion2 SoC FPGAs including:
 - Elliptic Curve Cryptography (ECC)
 - SRAM-PUF (Physically Unclonable Function)
 - Random Number Generator (RNG)
 - AES/SHA
 - Anti-Tamper
- Develop and test PCI Express Gen2 x1 lane designs
- Test the signal quality of the FPGA transceiver using full-duplex SERDES SMA Pairs
- Measure the low power consumption of the SmartFusion2 SoC FPGA
- Quickly create a working PCIe link with the included PCIe Control Plane Demo
- Program the FPGA device using FlashPro4, FlashPro5, or embedded FlashPro5 programmers

The board includes an RJ45 interface to 10/100/1000 Ethernet, 512 MB of LPDDR, 64 MB SPI Flash, and USB-UART connections, as well as I2C, SPI, and GPIO headers. The kit includes a 12 V power adapter but can also be powered through the PCIe edge connector. Also included is a free Gold license for the Libero SoC software toolset to enable FPGA development and to utilize the reference designs made available with the kit.

Evaluation Board Block Diagram



Software and Licensing

Libero® SoC Design Suite is required for designing with the SmartFusion2 SoC FPGA Security Evaluation Kit. Libero® SoC Design Suite offers high productivity with its comprehensive, easy-to-learn, easy-to-adopt development tools for designing with Microsemi's low power Flash FPGAs and SoC. The suite integrates industry standard Synopsys Synplify Pro® synthesis and Mentor Graphics ModelSim® simulation with best-in-class constraints management and debug capabilities.

Download the latest Libero SoC release

www.microsemi.com/products/fpga-soc/design-resources/design-software/libero-soc#downloads

A Software ID letter enclosed with the kit contains Software ID and instructions on how to generate a Libero Gold license.

For further details on generating a Gold license please visit

www.microsemi.com/products/fpga-soc/design-resources/dev-kits/smartfusion2/sf2-evaluationkit#licensing

Documentation Resources

For more information about the Smartfusion2 SoC FPGA Security Evaluation Kit, including user's guides, tutorials, and design examples, see the documentation at www.microsemi.com/products/fpga-soc/design-resources/dev-kits/smartfusion2/sf2-evaluationkit#documentation

Support

- Technical support is available online at www.microsemi.com/soc/support and by email at soc_tech@microsemi.com
- Microsemi sales offices, including representatives and distributors, are located worldwide.
- To find your local representative, go to www.microsemi.com/salescontacts

Microsemi Corporation (Nasdaq: MSCC) offers a comprehensive portfolio of semiconductor and system solutions for aerospace & defense, communications, data center and industrial markets. Products include high-performance and radiation-hardened analog mixed-signal integrated circuits, FPGAs, SoCs and ASICs; power management products; timing and synchronization devices and precise time solutions, setting the world's standard for time; voice processing devices; RF solutions; discrete components; enterprise storage and communication solutions, security technologies and scalable anti-tamper products; Ethernet solutions; Power-over-Ethernet ICs and midspans; as well as custom design capabilities and services. Microsemi is headquartered in Aliso Viejo, California, and has approximately 4,800 employees globally. Learn more at www.microsemi.com.

Microsemi makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its products and services for any particular purpose, nor does Microsemi assume any liability whatsoever arising out of the application or use of any product or circuit. The products sold hereunder and any other products sold by Microsemi have been subject to limited testing and should not be used in conjunction with mission-critical equipment or applications. Any performance specifications are believed to be reliable but are not verified, and the Buyer must conduct and complete all performance and another testing of the products, alone and together with, or installed in, any end-products. Buyer shall not rely on any data and performance specifications or parameters provided by Microsemi. It is the Buyer's responsibility to independently determine the suitability of any products and to test and verify the same. The information provided by Microsemi hereunder is provided "as is, where is" and with all faults, and the entire risk associated with such information is entire with the Buyer. Microsemi does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other IP rights, whether with regard to such information itself or anything described by such information. Information provided in this document is proprietary to Microsemi, and Microsemi reserves the right to make any changes to the information in this document or to any products and services at any time without notice.

Microsemi Corporate Headquarters One Enterprise, Aliso Viejo, CA 92656 USA

Within the USA: +1 (800) 713-4113

Outside the USA: +1 (949) 380-6100


Fax: +1 (949) 215-4996

Email: sales.support@microsemi.com

www.microsemi.com




©2016–2017 Microsemi Corporation. All rights reserved. Microsemi and the Microsemi logo are registered trademarks of Microsemi Corporation. All other trademarks and service marks are the property of their respective owners

Documents / Resources

	<p>Microsemi M2S090TS SmartFusion2 SoC FPGA Security Evaluation Kit [pdf] User Guide M2S090TS SmartFusion2 SoC FPGA Security Evaluation Kit, M2S090TS, SmartFusion2 SoC FPGA Security Evaluation Kit, FPGA Security Evaluation Kit, Security Evaluation Kit</p>
---	---

References

-  [Microsemi | Semiconductor & System Solutions | Power Matters](#)

-  [Libero® SoC Design Suite Versions 2022.3 to 12.0 | Microchip Technology](#)
-  [Microsemi | Semiconductor & System Solutions | Power Matters](#)
-  [Global Sales and Distribution | Microchip Technology](#)
-  [Libero® SoC Design Suite Versions 2022.3 to 12.0 | Microchip Technology](#)

Manuals+.