



Miele CVA 7875 Built In Coffee System Owner’s Manual

[Home](#) » [Miele](#) » Miele CVA 7875 Built In Coffee System Owner’s Manual 

Miele CVA 7875 Built In Coffee System Owner’s Manual



Built-in coffee machine with Direct Water Perfectly combinable design with Coffee Select + Auto Descale for highest demands.

- Large touch display with proximity sensor – M Touch + Motion React
- Individual coffee enjoyment with 3 bean containers – Coffee Select
- Perfect care – fully automatic with Auto Descale and Auto Clean
- Perfectly positioned: thanks to the patented Cup Sensor
- 2 coffees at once at the touch of a button – OneTouch for Two

EAN: 4002516800200 / **Material number:** 12579040 / **Old Material Number:** 29787521 USA

Construction type and design	
Built-in bean-to-cup coffee machine	•

Pure Line	•
Art Line	•
Convenience features	
Aromatic System Fresh	•
Coffee Select	•
OneTouch preparation	•
One Touch and OneTouch for Two	•
Double Shot	•
Programmable User profile	10
Flavor preserving conical grinding unit	•
Grinding grade selectable	•
Ground quantity programmable	•
Water quantity programmable	•
Water temperature programmable	•
Amount of milk can be programmed	•
Amount of milk froth can be programmed	•
Pre-brewing programmable	•
Tea Timer	•
Design	
Color	Obsidian Black matte
User convenience	
Networking with Miele @ home	•
Control panel	M Touch
Motion React: light comes on when movement is detected	•
Motion React: display comes on when movement is detected	•
Cup Sensor	•
Height adjustment of infinitely adjustable central spout min in in.(cm)	1 5/8 (4.0)
Height adjustment of infinitely adjustable central spout max in in.(cm)	6 1/2 (16.5)
Performance Mode	•
Easy Click milk container	•
Direct Water	•
Comfort Door	•
Hidden door handle	•

Brilliant Light	•
Brew unit lighting	•
Expert mode	•
Multi-lingual	•
My Miele	•
Help function	•
No. of bean types	3
No. of bean containers	3
Bean container capacity, each in oz (g)	150
Capacity of bean container B in g	300
Capacity of bean container C in g	150
Bean container capacity, total in oz (g)	21.16 (600)
Removable bean container	•
Capacity of water container in fl oz (l)	91.3 (2.7)
Milk container capacity in l	0.7
Capacity of waste container in servings	17
Drip tray capacity in fl oz (l)	54.1 (1.6)
Easily accessible containers	•
Time-of-day display	•
Time synchronization	•
Date display	•
Programmable switch-on time	•
Programmable switch-off time	•
Programmable stand-by time	•
Individual settings	•
Drink specialties	
Adjustable beverage portion size in ml	20-300
Restreet to, single	•
Restreet to, double	•
Espresso, single	•
Espresso, double	•
Coffee, single	•
Coffee, double	•


Long coffee, single	•
Long coffee, double	•
Cappuccino, single	•
Cappuccino, double	•
Latte macchiato, single	•
Latte macchiato, double	•
Hot milk, single	•
Latte macchiato, double	•
Milk froth, single	•
Milk froth, double	•
Espresso macchiato, single	•
Espresso macchiato, double	•
Cappuccino italiano, single	•
Cappuccino italiano, double	•
Flat white, single	•
Flat white, double	•
Café au lait, single	•
Café au lait, double	•
Caffè latte, single	•
Caffè latte, double	•
Caffè americano, single	•
Caffè Americano, double	•
Long black, single	•
Long black, double	•
Allwater	•
Warm water, double	•
Hot water, single	•
Hot water, double	•
Black tea, single	•
Black tea, double	•
Herbal tea, single	•
Herbal tea, double	•
Fruit tea, single	•

Fruit tea, double	•
Green tea, single	•
Green tea, double	•
White tea, single	•
White tea, double	•
Japanese tea, single	•
Japanese tea, double	•
Chai latte, single	•
Chai latte, double	•
Coffee pot	•
Teapot	•
Efficiency and sustainability	
Energy-saving Eco mode option	•
Power rating in standby mode in W	0.8
Power rating in networked standby in W	1.4
Time until automatic switch to off mode in min	20
Time until automatic switch to standby in min	20
Time until automatic switch to networked standby in min	20
Cleaning convenience	
Auto Descale	•
Manual descaling	•
Auto Clean	•
Automatic rinsing of the milk pipework from the water container	•
Convenient cleaning programs	•
Auto-Off function	•
Comfort Clean	•
Removable milk pipework	•
Removable brew unit	•
Adjustable water hardness	•
Appliance networking	
Mobile Control	•
Remote Service	•
Super Vision display	•


WiFi Conn @ct	•
Safety	
System lock	•
Technical data	
Niche width min in in.(mm)	28 5/8 (724)
Niche width max in in.(mm)	28 3/4 (728)
Niche height min in in.(mm)	18 1/8 (460)
Niche height max in in.(mm)	18 5/8 (472)
Niche depth in in.(mm)	24 1/8 (610)
Appliance width in in.(mm)	29 7/8 (757)
Appliance height in in.(mm)	18 7/8 (479)
Appliance depth in in.(mm)	18 7/8 (478)
Depth with door open in in.(cm)	48 3/4 (123.8)
Total connected load in kW	1.45
Voltage in V	120
Fuse rating in A	15
Number of phases	1
Length of electrical wire in ft (m)	6 (2.0)
Standard accessories	
Glass milk container	•
Descaling cartridge	•
Auto Cleaner	•
Available display languages	

Available display languages via Multilingual : AU


- CVA7775, CVA7875, installation drawing, side view, 30 Inch, Flush insert *(Footnote)
7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




- CVA7370, CVA7775, CVA7875, installation drawing, view from above, 30 Inch, Flush inset




- CVA7370, CVA7775, CVA7875, installation drawing, view from above, 30 Inch, Flush inset




- CVA7370, CVA7775, CVA7875, installation drawing, view from above, 30 Inch, Flush inset




- CVA7370, CVA7775, CVA7875, installation drawing, view from above, 30 Inch, Flush inset




- CVA7370, CVA7775, CVA7875, installation drawing, built in, 30 Inch, Flush inset $\frac{7}{8}"$ – 22^* mm – Glass, $\frac{15}{16}"$ – 23.3^{**} mm – Stainless steel




- CVA7775, CVA7875, installation drawing, 30 Inch, Flush insert



- CVA7370, CVA7775, CVA7875, installation drawing, view from above, 30 Inch, Proud




- CVA7370, CVA7775, CVA7875, installation drawing, view from above, 30 Inch, Flush
A – Cut-out (1 1/2" x 20" / 38 mm x 508 mm) in the bottom of the cabinet for power cord and ventilation, – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., E = Electric connection, W =




Water connection


- CVA7370, CVA7775, CVA7875, installation drawing, view from above, 30 Inch, Proud



- CVA7370, CVA7775, CVA7875, installation drawing, view from above, 30 Inch, Proud




- CVA7370, CVA7775, CVA7875, installation drawing, built in, 30 Inch, Proud




- CVA7775, CVA7875, installation drawing, installation, 30 Inch, Proud

A – Cut-out (1 1/2" x 20" / 38 mm x 508 mm) in the bottom of the cabinet for power cord and ventilation, – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., E = Electric connection, W = Water connection



- CVA7775, CVA7875, installation drawing, side view, 30 Inch, Proud 7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless steel




Contents

[1 Documents / Resources](#)

[1.1 References](#)

[2 Related Posts](#)

Documents / Resources

	<p>Miele CVA 7875 Built In Coffee System [pdf] Owner's Manual CVA7875OBSWMATTE, 12579040, 29787521USA, CVA 7875 Built In Coffee System, CVA 7875, Built In Coffee System, Coffee System, System</p>
---	---

References

-  [Welcome to Miele â€“ Immer Besser](#)
- [User Manual](#)

[Manuals+.](#) [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.