


# MifiData MIFSPOTE5573S 4G Hotspot Wifi Router User Manual

[Home](#) » [MifiData](#) » MifiData MIFSPOTE5573S 4G Hotspot Wifi Router User Manual 



**MIFSPOTE5573S 4G Hotspot Wifi Router  
User Manual**

## Contents

- [1 Manage your device](#)
- [2 For fast support](#)
- [3 FCC Statement](#)
- [4 Documents / Resources](#)

## Manage your device

### Using the Web Configuration utility

Change the network name SSID the Security Mode and Key configure the sleep modem and other settings.

1. Connect your Computer/Smartphone to device over USB or Wi-Fi interface.
2. Enter the URL: 192.168.8.1 in address bar of the browser to open the web configuration page
3. Click on Login button on the middle of web page screen by using "admin" as password to access the homepage of Web Configuration utility.

## For fast support

### A user connected access the internet

Please check if the user is connected to wifi SSID.

Make sure your battery sticker is removed.

Make sure your SIM card is properly inserted.

Check if your wifi is connected to the network

Ensure your sim card is activated and has adequate data balance available.

## 4G Wifi Router how to set your device through the web configuration page

### 1. Know your Wifi.

The signal light on the left, battery light on the right.

If the battery light flashes red, it means your machine needs to be charged.

If the signal light flashes green after inserting the card, it means the machine is in normal use.

If red, you need to check whether the data of the SIM card is sufficient, or whether the SIM card is inserted in the correct position.


### 2. How to change SSID name and password.

The screenshot shows the web configuration page of a 4G LTE router. The top navigation bar includes 'Home', 'Statistics', 'SMS', 'Phonebook', and 'Settings'. The 'Settings' tab is selected. On the left sidebar, 'WLAN' is highlighted, and a red box is drawn around the 'WLAN Basic Settings' link. The main content area is titled 'WLAN Basic Settings'. It contains fields for 'Name SSID (Service Set Identifier):', 'SSID' (set to 'E5576-MIFI-151096'), '802.11 authentication:' (set to 'WPA2(AES)-PSK'), 'Password' (set to '12345678'), and 'SSID Broadcast:' (checked). A red box is drawn around the SSID, authentication, and password fields. The 'Apply' button is at the bottom right.

### 3. How to know bands


The screenshot shows the web configuration page of a 4G LTE router. The top navigation bar includes 'Home', 'Statistics', 'SMS', 'Phonebook', and 'Settings'. The 'Settings' tab is selected. The main content area shows 'China Mobile' and 'Connected' status. Below this, there are two sections: 'Current connection' and 'WLAN status'. The 'Current connection' section shows 'Received/Sent' as '0.01MB/ 0MB' and 'Duration' as '00:00:00'. The 'WLAN status' section shows 'WLAN status' as 'On' and 'Current WLAN user' as '0'. At the bottom, there is a section for 'APN' and 'User name'. The 'APN' section shows 'APN: cmnet', 'Dial-up number: authType', and 'IMEI: 351757113151096'. The 'User name' section shows 'User name: Network Mode: NETWORK\_auto', 'MCC: 460', and 'Password: Band : 3 MNC: 02'. A red box is drawn around the 'Band : 3' text.

### 4. How to choose the band you want




## 5. How to choose 4G only — Network Settings

### A. Keep data disconnected




### B. Choose the Network Settings



## 6. How to set APN

### A. First keep the data disconnected



### B. Then choose setting, find sim card carrier APN and then fill in.

4G LTE

English admin Logout

Home Statistics SMS Phonebook Settings

Quick Setup

- Dial-up
- Mobile Connection
- Profile Management
- Network Settings
- Dns Setting
- Band Mode

WLAN

Power-save

USSD

Security

Network Tool

System

Update

### Profile Management

Current APN: CMNET

MCC: 460

MNC: 00

Mode: ☐ Auto ☒ Manual

Profile: Default Cancel

PDP Type: IPv4

Profile Name \*: APN of your sim

APN \*:

Authentication: NONE

User Name:

Password:

Dial No.:

Set as default

## FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harm full interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**Caution:** Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.

## Specific Absorption Rate (SAR) information:

This Device meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health. FCC RF Exposure Information and Statement the SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types: Device has also been tested against this SAR limit. This device was tested for typical body-worn operations with the back of the device kept 10mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain an 10mm separation distance between the user's body and the back of the device. The use of belt clips, holsters and similar

accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.

Documents / Resources

<div><div>User Manual</div><div><div>Storage your device</div><div>Before using the device, please read the following instructions carefully. The device is not to be used in the following situations:<ul style="list-style-type: none"><li>When the device is used in the vicinity of flammable or explosive materials, it may cause a fire or explosion.</li><li>When the device is used in the vicinity of medical equipment, it may cause the equipment to malfunction.</li><li>When the device is used in the vicinity of aircraft, it may cause the aircraft to malfunction.</li><li>When the device is used in the vicinity of other electronic equipment, it may cause the equipment to malfunction.</li></ul></div><div>For best results</div><div>For best results, please use the device in the following situations:<ul style="list-style-type: none"><li>When the device is used in the vicinity of flammable or explosive materials, it may cause a fire or explosion.</li><li>When the device is used in the vicinity of medical equipment, it may cause the equipment to malfunction.</li><li>When the device is used in the vicinity of aircraft, it may cause the aircraft to malfunction.</li><li>When the device is used in the vicinity of other electronic equipment, it may cause the equipment to malfunction.</li></ul></div><div>For best results</div><div>For best results, please use the device in the following situations:<ul style="list-style-type: none"><li>When the device is used in the vicinity of flammable or explosive materials, it may cause a fire or explosion.</li><li>When the device is used in the vicinity of medical equipment, it may cause the equipment to malfunction.</li><li>When the device is used in the vicinity of aircraft, it may cause the aircraft to malfunction.</li><li>When the device is used in the vicinity of other electronic equipment, it may cause the equipment to malfunction.</li></ul></div><div>For best results</div><div>For best results, please use the device in the following situations:<ul style="list-style-type: none"><li>When the device is used in the vicinity of flammable or explosive materials, it may cause a fire or explosion.</li><li>When the device is used in the vicinity of medical equipment, it may cause the equipment to malfunction.</li><li>When the device is used in the vicinity of aircraft, it may cause the aircraft to malfunction.</li><li>When the device is used in the vicinity of other electronic equipment, it may cause the equipment to malfunction.</li></ul></div></div></div>	<div><div><a href="#">MifiData MIFSPOTE5573S 4G Hotspot Wifi Router</a> [pdf] User Manual</div><div>2AYE8MIFSPOTE5573S, MIFSPOTE5573S, MIFSPOTE5573S 4G Hotspot Wifi Router, 4G Hotspot Wifi Router, Wifi Router, Router</div></div>
---	--