

Milesight

**C8175 Make Sensing
Matter Network Camera**



Milesight C8175 Make Sensing Matter Network Camera Installation Guide

[Home](#) » [Milesight](#) » Milesight C8175 Make Sensing Matter Network Camera Installation Guide 

Contents

- [1 Milesight C8175 Make Sensing Matter Network Camera](#)
- [2 Introduction](#)
- [3 Four Different Installation Modes for Different Needs](#)
- [4 INSTALLATION AND USING INSTRUCTION](#)
- [5 Milesight Technology](#)
- [6 MORE INFORMATION](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)

Milesight

Milesight C8175 Make Sensing Matter Network Camera



Introduction

Milesight 12X/20X/23X Mini PTZ Dome Network Camera is designed for high-grade all-round monitoring. To erase the hassle of installation and maximize the convenience, the camera fits for four different installation modes with various accessories. Apart from that, Milesight also provides Smoked Dome Cover (AC-71) to hide the direction in which the lens is pointing while maintaining the UHD video images, preventing intruders from taking advantage of knowing where security cameras are pointing and their vulnerable spots.



Four Different Installation Modes for Different Needs

Considering different requirements from customers for specific installation environments, the Mini PTZ Dome Camera accesses to four different installation modes. The Mini PTZ Dome Camera with the Mounting Bracket (Picture 1) is the basic installation mode. Also, Milesight offers A78 (Picture 2) and A79 (Picture 3) for ceiling installation. For wall or parapet installation, A77 (Picture 4) is available. Before installing the camera, please make sure the installed side can withstand 8 times weight of the Mini PTZ Dome Camera, which is around 2kg.



Mounting Bracket
(Picture 1)



A78 Recessed Mount
(Picture 2)



A79 Pendant Mount
(Picture 3)



A77 Wall Mount
(Picture 4)

INSTALLATION AND USING INSTRUCTION

Installed with Mounting Bracket

Installation Environment:

For easy installation on the ceiling or wall to meet the monitoring needs.



1. **Step 1:** Take off the mounting bracket from the camera;



2. **Step 2:** Fix the bracket on the ceiling or wall where the camera is intended to be installed. Then secure the screws;

Note: If you need cables out through the side, please loose the screw in the bottom.



3. **Step 3:** Connect cables, rotate the camera to the bracket clockwise;
4. **Step 4:** Tighten the set screw to finish the installation.



Installed with A78 Recessed Mount

Installation Environment:

For the containing of electrical connections which need to be concealed from sight and deter tampering so that the camera could better merge with the structure.



1. **Step 1:** Ensure that the intended installed ceiling is suitable. The thickness of ceiling should be less than 30mm. Then drill a 220mm round hole on it;



2. **Step 2:** Assemble the Recessed Mount. Stand up the legs of the big part, then put the small part on it and screw the three screws;



3. **Step 3:** Take off the black cover of the Mini PTZ Dome Camera;
4. **Step 4:** Put the whole Mini PTZ Dome Camera into the combined Recessed Mount and cables through it;
5. **Step 5:** Lock the camera with a mounting bracket to the Recessed Mount;



6. **Step 6:** Connect the cables and install the camera with R.ecessed Mount into the drilled hole;
7. **Step 7:** Tighten the three screws of the Recessed Mount to make sure the mount leg is stuck in the wall;
8. **Step 8:** Put the Recessed Mount Cover on to finish the installation.



Installed with A79 Pendant Mount

Installation Envi.ronment:


Used to install camera on a ceiling or horizontal structure. If the ceiling or horizontal structure is high, the Pendant Mount will help to give the best monitoring angle.




1. **Step 1:** Mark holes with the pendant head, and then drill 4 holes in the ceiling. Take off the mounting bracket from the camera. Then secure the mounting bracket with the pendant base;



2. **Step 2:** Put the cables through the pendant base and then rotate the camera clockwise and secure the set screw;



3. **Step 3:** Put the cables through the pendant pipe. And rotate it with the base and secure set screws. Put the cables through the pendant head, and rotate it with the pipe and secure the set screws;



4. **Step 4:** Fix the whole pendant and camera to the drilled holes in the ceiling.



Installed with A77 Wall Mount

Installation Environment:

For wall or parapet installations such as on the outside walls or poles on the road.



- **Step 1 :** Put the cables through the back part A77 Wall Mount. And secure the screws to fix it on the wall or parapet;
- **Step 2:** Take off the mounting bracket from the camera. Fix it on the head part of the A 77 with the screws corresponding to the holes;



- **Step 3:** Put the cables through the head part of the A 77 and connect the back part and head part;
- **Step 4:** Connect cables and rotate the camera to the bracket clockwise;
- **Step 5:** Tighten the set screw to finish the installation.



Conclusion

Mini PTZ Dome Camera could be regarded as a true user-friendly one. It offers four different installation modes. Various accessories satisfy different installation requirements making the installation much more flexible and convenient. Especially with Recessed Mount, the Mini PTZ Dome Camera could better hide itself and merge with the environment.

Milesight Technology

Established in 2011, Milesight Technology is a high-tech company, specializing in the design, developing, and manufacture of best-in-class AIoT video surveillance solutions including Network Cameras, NVRs, Software, and APP with superior image quality, exceptional flexibility and reliability for the global market. Milesight Technology markets its products through a worldwide network of distributors and resellers, offering excellent pre/after-sales and technical support services that exceed customers' expectations.

For more information about Milesight Technology, please visit our website www.milesight.com.


MORE INFORMATION

Milesight Technology | www.milesight.com

Contact Us: sales@milesight.com support@milesight.com

- **Add:** 220 NE 51st Street, Oakland Park, Florida 33334, USA
- **Tel:** +1-[800-561-0485](tel:800-561-0485)
- **Add:** 925, Anyang SK V1 Center, LS -ro 116beon-gil, Dongan-gu, Anyang-si, Korea
- **Tel:** +82-31-990-7732
- **Add:** Building C09, Software Park Phase III, Xiamen 361024, Fujian, China
- **Tel:** +86-592-5922772

Documents / Resources

	Milesight C8175 Make Sensing Matter Network Camera [pdf] Installation Guide C8175 Make Sensing Matter Network Camera, C8175, Make Sensing Matter Network Camera, Sensing Matter Network Camera, Matter Network Camera, Network Camera, Camera
-----------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

References

- [User Manual](#)

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.