

# Millennia HV-32 Single Channel 200 Series Microphone Preamplifier Module User Guide

Home » Millennia » Millennia HV-32 Single Channel 200 Series Microphone Preamplifier Module User Guide 🖺



Millennia HV-32 Single Channel 200 Series Microphone Preamplifier Module User Guide



#### **Contents**

- 1 Protecting Against
- **Electrostatic**
- 2 World Wide Warranty
- 3 Discarding Units
- 4 Support
- **5 Documents / Resources** 
  - **5.1 References**
- **6 Related Posts**

## **Protecting Against Electrostatic**

**Discharge** – Static electricity can harm delicate components on the HV-32 board.

To prevent static damage, discharge static electricity from your body before you touch any jumpers or switches with the cover removed. You can do so by touching an unpainted metal surface on the API rack's chassis.

Do not install or remove the module until the console or rack's power is off.

**Compatible Racks** – The HV-32 is designed to work in an API L200 rack, Vision or Legacy console. If you are using another brand, be sure it meets or exceeds the API spec.

The HV-32 power consumption is: +140mA,-25mA with Phantom Power selected

Signal LEDs indicate signal level at -30dBu (green), +8dBu (yellow) and +18dBu (red).

**Gain** is a continuously variable gain control. It has a high gain jump near full clockwise for low level signals.

**Ribbon-Dyn Mic DC** couples the mic to the gain stage and also provides an additional 10dB of gain. Use with any Ribbon or Dynamic mic (like an SM-57).

A mic requiring phantom power will not work in this mode.

Pad – Attenuates the input signal after the gain stage by 15dB.

**Phantom Power** –turns the +48V phantom power supply on.

Avoid connecting or disconnecting mics with the +48V on (hot patching). This can damage the mic, preamp and make some very loud pops that can damage your monitoring system and ears.

#### **World Wide Warranty**

We will repair our products, free of charge, in the event of defect of materials or workmanship for two (2) years following date of purchase.

This limited warranty covers failures due only to defects in materials and workmanship which occur during normal, intended use and does not cover damage which occurs in shipment or failures which are caused by products not supplied by Millennia Media.

This limited warranty does not cover failures which arise from accident, misuse, abuse, neglect, mishandling, misapplication, faulty installation, improper adjustment, alteration or modification of product, incompatibilities, line-power surges, acts of God, or service performed by anyone other than Millennia Media or its authorized agent.

Limits and Exclusions – There are no express warranties except as listed above. Millennia shall not be liable for special, subsequent, incidental, consequential, or punitive damages, including, but not limited to: damage to recordings, broadcasts,

microphones, mixing consoles, or any associated equipment, downtime costs, loss of goodwill, or claims of any party dealing with purchaser for such damages resulting from the use of this product. All warranties express and implied, including the warranties of merchantability and fitness for a particular purpose are limited to the applicable warranty period set forth above.

Vacuum tube and bulb failures are not covered under warranty. Shipping costs to/from factory are not covered under this warranty. International warranty law may vary from country to country, and Millennia will abide by the law of each country from which the product was initially sold.

For North American repairs and service, contact Millennia (<u>tech@milmedia.com</u>) to obtain a Return Authorization number. Please include your shipping address, daytime phone number and description of the problem. Outside of North America, please contact your local Millennia Distributor.

## **Discarding Units**

In the event that any Millennia equipment manufactured after July 1, 2006 needs to be discarded, you must return it to Millennia, at our headquarters in California, USA.

Please contact the distributor in your country or Millennia directly for instructions. We will make arrangements to have the equipment shipped to us at no cost to you, and we will dispose of it in a manner that complies with whatever regulations are in existence at that time.

### **Support**

Millennia Media, SPC
http://www.mil-media.com
6411 Capitol Avenue
Diamond Springs, CA 95619
(530) 647-0750

#### **Documents / Resources**



Millennia HV-32 Single Channel 200 Series Microphone Preamplifier Module [pdf] User Guide

HV-32, Single Channel 200 Series Microphone Preamplifier Module, HV-32 Single Channel 200 Series Microphone Preamplifier Module

#### References

- <u>Media.com domain name is for sale. Inquire now.</u>
- M Home | Millennia Music & Media Systems

Manuals+