

MININGEEK

S300CB Case Test  
and Comparison



# MiningEEK S300CB Case Test and Comparison Instruction Manual

[Home](#) » [MiningEEK](#) » MiningEEK S300CB Case Test and Comparison Instruction Manual 

## Contents

- 1 MiningEEK S300CB Case Test and Comparison
- 2 PACKING LIST
- 3 Specification
- 4 Installation Steps
- 5 Documents / Resources
  - 5.1 References

M I N I N G E E K

## MiningEEK S300CB Case Test and Comparison




## PACKING LIST



S300 \* 1




User manual \* 1



3.5" hard drive / power stand screw \* 4



Power/side board screw \* 6



Motherboard/graphics card  
extension cable screw \* 10



2.5" hard drive screw \* 4


## Specification

Model	S300CB(Black)/S300CW(White)
Product size	312x1 35x1 93mm(LxWxH)
Supported motherboard	ITX (170x170mm)
Supported hard disk	2.5SSDx1, 3.5HDDx1 (Graphics card length less than 180mm)
Graphics card length	≤ 305mm
CPU cooler height	≤ 60mm
Fans	8010×1 (Bottom plate), 12015×1
Interface	POWER, USB 3.0×1, TYPE-C
Power supply	SFX/SFX-L

## Installation Steps


**Note:** To use a PCIe 3.0 riser cable and if your motherboard and graphics card are of Gen 4, then connect your graphics card directly to the motherboard so that you can set BIOS to switch the PCIe port to accepting Gen 3 speed. Otherwise a PCIe 4.0 riser cable is needed.

**Step 1:** Remove side plates




### **Step 2: Install the fan(s)**

The I/O cables may get in the way of fitting one fan, you may need a 80x15mm, or just omit it and install only the 120x15mm one




### **Step 3: Install the graphics card riser cable and the motherboard**

1. Plug in the riser cable into the motherboard
2. Thread the riser cable through the top opening in the case
3. Fasten the motherboard and the riser cable into the standoffs.




#### **Step 4: Install the power supply**

Detach the PSU mounting bracket from the case and attach it to the PSU




#### **Step 5: Install the graphics card**

Connect the power cable to the graphics card before fastening it to the case.




### **Step 6: Install the hard drive**

An HDD can be installed if the length of the graphics card is less than 180mm.



**Note:** Power cable connection


## POWER LED POWER SW



[www.mininggeek.com](http://www.mininggeek.com)  
[support@mininggeek.com](mailto:support@mininggeek.com)



### Documents / Resources

	<a href="#">Mininggeek S300CB Case Test and Comparison</a> [pdf] Instruction Manual S300CB, S300CW, S300CB Case Test and Comparison, S300CB, Case Test and Comparison, Test and Comparison, Comparison
---	--

### References

- [Mininggeek](http://www.mininggeek.com)
- [User Manual](#)

