



Mircom RTI-1 Remote Trouble Indicator Owner's Manual


[Home](#) » [Mircom](#) » Mircom RTI-1 Remote Trouble Indicator Owner's Manual 

Contents

- [1 Mircom RTI-1 Remote Trouble Indicator](#)
- [2 FIRE ALARM ACCESSORIES](#)
- [3 WG-Series Wire Guards](#)
- [4 MP-300 End Of Line Plates](#)
- [5 Fire Alarm Batteries](#)
- [6 Ordering Information](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)



Mircom RTI-1 Remote Trouble Indicator



FIRE ALARM ACCESSORIES

- Loud piercing sound

- Easy to install
- UL & ULC listed

Mircom's Remote Trouble Indicator provides remote annunciation of fire alarm troubles. The RTI-1 mounts onto a standard single gang electrical box. The RTI-1 can be used with any of Mircom's fire alarm control panels.



WG-Series Wire Guards

- Easy to install
- Chrome plated steel construction
- Fits directly over detector or bell

The WG-Series wire guards provide protection of bells and detectors from physical damage in manufacturing plants, gymnasiums, warehouses and related hazardous areas. The guards fit directly over most heat, smoke detectors or bells. They will not mount over detectors which are installed on to surface mounted electrical boxes.



MP-300 End Of Line Plates

- UL and ULC listed
- Rated up to 47K @ 1W
- Complementary white exterior

- Fits over a standard single gang box

Mircom's MP-300 End of Line Resistor plate provides an attractive and accessible location for fire alarm circuit resistor mounting. The resistor mounted on the E.O.L. plate is of a value specified by the control panel manufacturer.

Fire Alarm Batteries



- Long Life
- Completely Sealed
- Maintenance Free
- Wide range of amperage ratings

Mircom's sealed lead-acid batteries are completely maintenance-free. The sealed lead-acid batteries provide full rated power on demand. The 12V batteries have a wide range of amperage ratings from 4AH to 65AH.

Ordering Information

Model	Description
Wire Guards	
WG-008	Chrome Plated Wire Guard, 8" Diameter
WG-010	Chrome Plated Wire Guard, 10" Diameter
WG-012	Chrome Plated Wire Guard, 12" Diameter
WG-150	Detector Guard for CR-135
WG-152	Detector Guard, built into standard snap-in detector cover plate
Remote Trouble Indicator	
RTI-1	Remote Trouble Indicator
End Of Line Plates	
MP-300	EOL Resistor Plate - Beige
MP-300R	EOL Resistor Plate - Red
MP-300S	EOL Resistor Plate - Stainless Steel Finish
Batteries	
BA-104	Gel-Cell 12V / 4 AH Battery
BA-1065	Gel-Cell 12V / 7.2 AH Battery
BA-110	Gel-Cell 12V / 12 AH Battery
BA-117	Gel-Cell 12V / 18 AH Battery
BA-124	Gel-Cell 12V / 26 AH Battery
BA-140	Gel-Cell 12V / 40 AH Battery
BA-165	Gel-Cell 12V / 65AH Battery

NOT TO BE USED FOR INSTALLATION PURPOSES.

Canada

25 Interchange Way
Vaughan, Ontario L4K 5W3
Telephone: (905) 660-4655
Fax: (905) 660-4113

Web page: <http://www.mircom.com>

U.S.A.

4575 Witmer Industrial Estates
Niagara Falls, NY 14305
Toll Free: (888) 660-4655
Fax Toll Free: (888) 660-4113
Email: mail@mircom.com

ISO 9001:2008
REGISTERED



firealarmresources.com

Documents / Resources

The image shows the Mircom RTI-1 Remote Trouble Indicator. It is a small, rectangular, light-colored device with a circular lens on the front. To the left of the device is a diagram of a wire guard. The Mircom logo is at the top left of the image.	<p>Mircom RTI-1 Remote Trouble Indicator [pdf] Owner's Manual WG-Series Wire Guards, RTI-1 Remote Trouble Indicator, RTI-1, Remote Trouble Indicator, Trouble Indicator, Indicator</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

References

- [Fire Alarm Resources | Download fire alarm documents](#)
- [Mircom - Smart Buildings. Smarter Solutions.](#)