

MIRRORSTONE NXT Gen Ceiling Bracket Installation Guide

Home » MIRRORSTONE » MIRRORSTONE NXT Gen Ceiling Bracket Installation Guide 🖫



Contents

- 1 MIRRORSTONE NXT Gen Ceiling **Bracket**
- **2 Product Information**
- **3 Product Usage Instructions**
- 4 Installation
- 5 Documents / Resources
 - **5.1 References**
- **6 Related Posts**



MIRRORSTONE NXT Gen Ceiling Bracket



Product Information

The Ceiling Bracket is an essential accessory for installing panels such as the NXTGen, NexusIR, and ClassicIR Panels. It is available in three different sizes: 350mm, 500mm, and 580mm. The size of the bracket depends on the size and wattage of your panel. The brackets are designed to securely mount the panels to the ceiling.

Product Usage Instructions

- 1. Before installation, ensure that you have the correct size bracket for your panel.
- 2. Locate the black caps on the ends of the mounting brackets at the back of the panel.
- 3. Using either your fingernail or a flathead screwdriver, gently pry off the black caps from the end of the mounting brackets. Repeat for all four caps.
- 4. The brackets should now be open on all sides.
- 5. Insert one lip of the ceiling bracket into the side of one of the wall brackets on the back of the heater.
- 6. Pull the ceiling bracket all the way into the wall mounts, ensuring that both lips are inside the wall mounts on the back of the panel.
- 7. Ensure that both lips of the ceiling bracket fit into the frame holes on both sides.
- 8. Drill and mount the ceiling brackets into your ceiling according to the width of the brackets for your panel. Repeat these steps with your brackets mounted to the ceiling.

For any further assistance or inquiries, please contact Mirrorstone Heating:

• Email: sales@mirrorstone.co.uk

• Website: www.mirrorstoneheating.co.uk

Address: 86 Scudamore Road, Leicester, LE3 1UQ

• Phone: +44(0) 116 436 2250

Before installation, please make sure that you have the correct size bracket for your panel.

350mm Bracket can be used with:

- 595 x 595 (350w) NXT Gen & Nexus IR Panels
- 595 x 995 (580w) NXT Gen, Nexus & Classic IR Panels
- 595 x 1195 (700w) NXT Gen, Nexus & Classic Panels

500mm Bracket can be used with:

795 x 1195 (900w) NXT Gen, Nexus & Classic

580mm Bracket can be used with:

995 x 1195 (1200W) NXT Gen, Nexus & Classic

Please read through this guide before attempting installation of the ceiling brackets, to understand how to correctly install them.

Once the panel is installed, it should be no more than 3m away from the floor of the room. This is because the infrared waves are less effective at distances of more than 3m

Installation


• Step 1: On the back of the panel, locate the black caps on the ends of the mounting brackets



• Step 2: Using either your fingernail, or a flathead screwdriver, gently pry the black cap off the end of the mounting bracket. Repeat for all four caps.



• Step 3: The brackets should now be open on all sides, like in the picture below.



• Step 4: Insert one lip of the ceiling bracket into the side of one of the wall brackets on the back of the heater



• Step 5: Pull the ceiling bracket all the way into the wall mounts, like shown in the image below.



• Step 5: Pull the other end of the ceiling brackets into the opening, so that both lips are inside the wall mounts on the back of the panel



• Step 7: Ensure that both lips of the ceiling bracket fit into the frame holes on both sides, like shown in the picture below



• Step 8: Drill and mount the ceiling brackets into your ceiling, according to the width of the brackets for your panel, and repeat these steps with your brackets mounted to the ceiling

Documents / Resources



MIRRORSTONE NXT Gen Ceiling Bracket [pdf] Installation Guide
NXT Gen, Nexus IR Panels, NXT Gen Ceiling Bracket, NXT Gen, Ceiling Bracket, Bracket

References

• M Mirrorstone Heating – Supplier of IR Heating Panels & Bar Heaters

Manuals+,