MOCREO SW2 Water Leak Detector Sensor



MOCREO SW2 Water Leak Detector Sensor User Guide

Home » Mocreo » MOCREO SW2 Water Leak Detector Sensor User Guide 🖺



Contents

- 1 MOCREO SW2 Water Leak Detector
- Sensor
- **2 Product Information**
- **3 Product Usage Instructions**
- 4 Dimensions
- **5 Introduction**
- **6 Features**
- **7 Specifications**
- 8 Documents / Resources
 - 8.1 References



MOCREO SW2 Water Leak Detector Sensor



Product Information

Specifications:

· Model: SW2

• Dimensions: 2.4in x 2.4in x 0.7in

• Weight (Including Probe): Not specified

· Battery: Included, battery life up to more than 2 years

• Working Temperature Range: Not specified

· Working Humidity Range: Not specified

• Wireless Connection: Yes

· Communication Range: Not specified

· Alarm Level: Not specified

Product Usage Instructions

Setting Up the Water Leak Detector

To set up the MOCREO SW2 Water Leak Detector, follow these steps:

- 1. Place the detector in the desired location where water leakage may occur.
- 2. Ensure the device is powered on and connected to a wireless network.
- 3. Download the corresponding app on your phone, computer, or tablet for monitoring.

Monitoring and Alerts

The Water Leak Detector provides real-time monitoring and alerts:


- 24/7 monitoring for detecting water leakage.
- Receive instant alerts through sensor beeping, hub beeping, app notifications, or email notifications.


Maintenance and Support

To ensure proper functioning of the detector:

- Check the battery life periodically and replace as needed.
- Keep the detector clean and free from obstructions for accurate detection.
- Contact customer support for any technical issues or integration with third-party systems.

Dimensions





Introduction

The MOCREO SW2 Sensor is the Water Leak Detector. It will sensitively detect water leakage. Once there is a leakage, it will immediately sound a loud audible alarm and send App notifications or e-mail alerts to keep you one step ahead of the problem. With ST7 Sensor, it can be widely used in basements, kitchens, pipes, water heaters and any other place where leakage and flooding may occur.

Features

- 24/7 Real-time Monitoring
- 4 Optional Instant Alerts (Sensor Beeping/Hub Beeping/App notification/E-mail)
- Battery Life Up to More than 2 Years
- Multi-Device Access to View the Data (Phone/Computer/Tablet)
- Support to Third-party System Integration
- · Scalable Deployment

Specifications

Model	SW2
Dimensions	2.4 x 2.4 x 0.7in (L x W x H)
Weight (Including Probe)	2.89 Ounces
Battery	3.7V 1800mAh Lithium Battery; Rechargeable
Working Temperature Range	14°F~131°F (-10°C ~ 55°C)
Working Humidity Range	0 ~ 95% RH (No Condensation)
Wireless Connection	BLE
Communication Range	131ft/40m (No Obstacles)
Alarm Level	95dB

Frequently Asked Questions (FAQ):

Q: Can the Water Leak Detector be used outdoors?

A: The MOCREO SW2 Water Leak Detector is designed for indoor use only to detect water leakage in basements, kitchens, pipes, and similar areas.

Q: How far is the communication range of the detector?


A: The communication range of the detector is not specified, but it is recommended to place it within a reasonable distance from the monitoring device for optimal performance.

Tel: +1 <u>530-988-8608</u> Sales: <u>b2b@mocreo.com</u>

Support: contact@mocreo.com
© 2023 MOCREO. All rights reserved.

mocreo.com

Documents / Resources



MOCREO SW2 Water Leak Detector Sensor [pdf] User Guide

SW2 Water Leak Detector Sensor, SW2, Water Leak Detector Sensor, Leak Detector Sensor, D etector Sensor, Sensor

References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.