



Home » MODLAND » Modland Three Function Constant Temperature Shower User Manual 📆

Contents [hide]

- 1 Modland Three Function Constant Temperature Shower
- **2 BEFORE INSTALLATION**
- **3 INSTALLATION STEPS**
- **4 DIMENSIONS**
- **5 CLEANING CARE**
- 6 Documents / Resources
 - 6.1 References


Modland


Modland Three Function Constant Temperature Shower






Installation Manual






BEFORE INSTALLATION

This product has been inspected and debugged by the factory to the best condition. Please do not disassemble and assemble it yourself.



Before installing the product, please be sure to remove sundries and sludge from the water pipe to prevent sundries from blocking the product.



- 1. Please read the manual firstly before installation;
- 2. Please check the condition of all the parts, and the installation tools are not included, please prepare it by yourself;
- 3. User manual includes matters needing attention during installation, please keep it properly;
- 4. The size chart in the manual is for reference only, please refer to the actual product that you receive.


Recommend Tools:








Hex Key




Slotted Screwdriver




Phillips Screwdriver


- The sundries at the connection area must be cleared before installation to avoid blockage or leakage;
- 2. Connect the inlet pipe correctly as shown in the figure;
- 3. The maximum temperature of hot water is not higher than 80°C (176° F);
- 4. Please contact seller for consultation if you need to install in other method.



Note: Please do not disassemble this product under non professional guidance. The sketch is for reference only. The right of interpretation belongs to our company. If relevant content changes, please refer to the latest "Installation Manual" issued by our company, thank you!




INSTALLATION STEPS




1. According to the basic size of conceal box, dig a hole on solid wall. Depth of hole should be between 85 to 95 mm from tile surface to bottom of hole.

2.




Embedded water pipe as sketch. Pay attention to the correct direction of conceal box. fi sign should be up.


Warning: make sure connect hot water and cold water inlet strictly as instruction.




3. Turn on water and check the tightness of cold and hot water connection, make sure no leaking. Keep water on, check the tightness of mixed water connection. Fixed conceal box inside wall with screw.




4. Keep the conceal box in horizontal level by the help of level gauge. Failure to install will impact the cover plate effect.




5. Once again confirm the pipe connection,make sure no leaking.Install all the conceal spare parts to shower system. Fix and seal the hole with filler. The installation of conceal box is finished.




6. Remove the protective cover




7. After placing the tiles around the conceal box, cut the protruding part of conceal box.




8. Adjust the height of the button as showing in the diagram




9. As showing in the gram, Install the before cover plate and handles. Pay attention to red mark on cartridge to align with 38 °C. Use the Allen key to fix the handle onto the cartridge by clockwise direction.




10. Finished




Install the square showerhead on the joint pin, lock with M4 pointed screws After installation, open the switch to check the showerehad water condition and whether there is leakage Install the hand shower seat.






DIMENSIONS



Thank you very much for choosing our products! Please read this installation carefully before installation Manual, please after opening the product, Match against the list of Standard Accessories Check if the fittings are complete Please contact your local dealer immediately



CLEANING CARE



In order to keep the appearance of faucet clean, bright and good performance, please take care of the faucet as follows:

- 1. Rinse with water only and dry with soff cotton cloth;
- 2. Use mild liquid and colorless glass cleaner to remove surface dirt and scale film, or use polish without abrasive effect;
- 3. Do not use abrasive detergent, polish, emery cloth, paper towel or scraper, etc.;
- 4. Do not use acid cleaner, or cleaner and soap with insoluble gran etc.;
- 5. In the process of use, mud my accumulate in the bubbler and make the water flow show, The bubbler can be unscrewed, rinsed with water, and then installed back in place.

Please feel free to contact us if you have any questions. We will help to solve the issue together with you.

IAPMO RESEARCH AND TESTING, INC.









CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T
Product Listing Directory at pld.lapmo.org

Flexible Water Connectors Product: File No. 5311

Fanski Group Inc. Mechanical & Electrical Industrial Zone, Issued To: Yuhuan County, Yuhuan 317600, ZHEJIANG China

Identification: Products shall be marked with manufacturer's name or trademark, a statement "For use with water in accessible locations only." The products shall also bear the cUPC® certification mark. Markings shall be by means of either a permanent mark on the product, a label on the product or a tag attached to

Characteristics: Plexible water connectors manufactured in various sizes, lengths and metal end fittings for hot or cold water applications that consist of an inner tube, which may or may not have an outer braided cover. Connectors are to be installed for use in accessible locations only. To be installed in accordance with the manufacturer's instruction, and the latest edition of the Uniform Plumbing Code and National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO RAT recognized laboratory. This recognition has been granted based upon the



IAPMO RESEARCH AND TESTING, INC.









CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T
Product Listing Directory at pld.lapmo.org

Plumbing Fixture Fittings File No. 10633 Product:

Issued To:

Aqua Gallery Co., 1td 13th-15th A10 Block International Ceramics& Sanitary City, 528000 Foshan, China

Identification: Plumbing supply fittings complying with this Standard shall be marked with the manufacturer's recognized name, trademark, or other mark or,

with the manufacturer's recognized name, trademark, or other mark or, in the case of private labeling, the name, trademark or other mark of the customer for whom the fitting was manufactured. The marking shall be accomplished by use of a permanent mark or by placing a permanent label on the product. Markings on plumbing supply fittings shall be visible after installation.

Single-handle, single-control, and automatic compensating mixing bath and shower valves shall have identifiable temperature control settings in which the settings are indicated by words ("cold", "warm", "hot", etc.), by numbers, or graphically.

Packages shall be marked with the manufacturer's name, trademark, or other mark as well as the model number or, in the case of private

Im Collengy
Chairman, Product Certification Committee



IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 - USA • 909-472-4100 • 909-472-4244 • www.iapmort.org









CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Effective Date: March 2019 Void After: March 2024

Product: Plumbing Fixture Fittings - Components File No. MC-9703

Issued To: Ningbo Wanhai Cartridge Technology Co., Ltd.

Xiachen Zone, Chunhu Fenghua, NINGBO 315538

China

Identification: Each fitting component shall bear permanent legible markings to identify the

manufacturer. This marking shall be the trade name, trademark, or other mark known to identify the manufacturer. The product shall also bear all other markings required by the standard. The marking shall be applied so as to be visible after installation. The product or packaging shall also bear the

 \mathtt{cUPC}^{\oplus} certification mark along with the term "COMPONENT" above.

Characteristics: Plumbing fixture fitting components to be installed in accordance with the

manufacturer's instructions and the requirements of the latest edition of the

Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

Chairman, Product Certification Committee

CEO, The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence o non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



Documents / Resources



Modland Three Function Constant Temperature Shower [pdf] User Manua

DSLB03RB13, MB03, Three Function Constant Temperature Shower, Function Constant Temperature Shower, Constant Temperature Shower, Temperature Shower

References

- User Manual
- MODLAND
- Constant Temperature Shower, DSLB03RB13, Function Constant Temperature Shower, MB03, MODLAND, Temperature Shower, Three Function Constant Temperature Shower
 - —Previous Post

Post Comment

e.g. whirlpool wrf535swhz

Search:

Modland Stainless Steel Shower System User Manual

Leave a comment

Your email address will not be published. Required fields are marked*
Comment *
Name
Email Control of the
Website
☐ Save my name, email, and website in this browser for the next time I comment.
_ sare injusting and reported in the provider for the floor and resonant

Search

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.