



Moes ZSS-KB-TH-LF-C Temperature Humidity Sensor User Manual

[Home](#) » [MOES](#) » Moes ZSS-KB-TH-LF-C Temperature Humidity Sensor User Manual 

Contents

- [1 Moes ZSS-KB-TH-LF-C Temperature Humidity Sensor](#)
- [2 User Manual](#)
- [3 Table Placement Mode](#)
- [4 Hanging Mode](#)
- [5 Maintenance and Care](#)
- [6 Packaging](#)
- [7 Product Introduction](#)
- [8 Getting Ready for Use](#)
- [9 Specifications](#)
- [10 Warranty Conditions](#)
- [11 EU Declaration of Conformity](#)
- [12 Documents / Resources](#)
 - [12.1 References](#)
- [13 Related Posts](#)



Moes ZSS-KB-TH-LF-C Temperature Humidity Sensor



Specifications

- **Product Name:** Temperature Humidity Sensor
- **Battery:** CR2032 positive button battery
- **Wireless Protocol:** Zigbee
- **Temperature Measurement Range:** N/A (not specified)
- **Humidity Measurement Range:** N/A (not specified)
- **Working Voltage:** N/A (not specified)
- **Dimensions:** N/A (not specified)
- **Screen:** N/A (not specified)
- **Weight:** N/A (not specified)

Product Introduction

This smart device accurately detects real-time temperature variations and changes in humidity within its surroundings. It promptly relays this information to the user. Furthermore, when integrated with other smart devices, it enables multifunctional scenarios, contributing to a comprehensive smart home system.

Temperature Humidity Sensor

User Manual

Dear customer,

Thank you for purchasing our product. Please read the following instructions carefully before first use and keep this user manual for future reference. Pay particular attention to the safety instructions. If you have any questions or comments about the device, please contact the customer line.


www.alza.co.uk/kontakt

Importer

+44 (0)203 514 4411

Alza.cz a.s., Jankovcova 1522/53, Holešovice, 170 00 Praha 7, www.alza.cz

Table Placement Mode




Hanging Mode

The temperature sensor can be hung on a nail on the wall.

Wall-Mounted Mode

Remove the wall sticker release paper and affix one side of the sticker to the adhesive area on the back of the product. Then, remove the remaining release paper and attach the product to the indoor wall.



Maintenance and Care

Replacing the Battery

To replace the battery, open the back cover located at the bottom of the device. Insert a CR2032 positive button

battery into the battery compartment, ensuring a firm press against the clasp, then snap the back cover shut securely.

Maintenance


Do not expose the product to water or clean it with acidic or alkaline detergents to prevent damage.

Packaging

- 1× Temperature humidity sensor
- 1× Manual
- 1× Wall sticker

Product Introduction

This smart device accurately detects real-time temperature variations and changes in humidity within its surroundings. It promptly relays this information to the user. Furthermore, when integrated with other smart devices, it enables multifunctional scenarios, contributing to a comprehensive smart home system.



Getting Ready for Use

1. **Connect Cell Phone to Zigbee Gateway**

Make sure that the product falls within the effective coverage range of your smartphone or Zigbee gateway network for a seamless connection between the product and the smartphone or Zigbee gateway network.


2. **Download and Launch the App**

Search for “Smart Life” in your app store or scan the QR code provided on the package or manual to download and install the app. If this is your first time downloading, click on the “Register” button to create an account. For existing users, simply click “Login” to access your account.




Zigbee Link / Reset Instructions


1. Remove the insulator from the Zigbee Hygrometer to power it on normally.
2. Access the ZigBee gateway for device addition. Note: Ensure that you have successfully connected a Zigbee gateway hub.
3. Ensure the device is in pairing mode by long-pressing the reset button on the back until the ZigBee icon flashes.




4. Click on “Add subdevice” and wait for the device’s LED to blink to initiate the device search.



5. Once the device is successfully added, click “DONE” to proceed to the next step.



6. Access the device to enjoy its intelligent control for home automation.



Specifications

- **Product Name** ZigBee Temperature humidity sensor
- Battery CR2032 Button cell
- Wireless Protocol ZigBee
- Temperature Measurement Range -10 C – 50 °C

- Humidity Measurement Range 0% – 90% RH
- Working Voltage DC, 2,4 V – 3 V
- Dimensions $\varnothing 60 \times 16,7 \text{ mm} / 16,7 \times 60 \times 60 \text{ mm}$
- Screen $\varnothing 46,5 \text{ mm} / 46,5 \times 46,5 \text{ mm}$
- Weight 42 g / 49,5 g

Warranty Conditions

A new product purchased in the Alza.cz sales network is guaranteed for 2 years. If you need repair or other services during the warranty period, contact the product seller directly, you must provide the original proof of purchase with the date of purchase.

The following are considered to be a conflict with the warranty conditions, for which the claimed claim may not be recognized:

- Using the product for any purpose other than that for which the product is intended or failing to follow the instructions for maintenance, operation, and service of the product.
- Damage to the product by a natural disaster, the intervention of an unauthorized person or mechanically through the fault of the buyer (e.g., during transport, cleaning by inappropriate means, etc.).
- Natural wear and aging of consumables or components during use (such as batteries, etc.).
- Exposure to adverse external influences, such as sunlight and other radiation or electromagnetic fields, fluid intrusion, object intrusion, mains overvoltage, electrostatic discharge voltage (including lightning), faulty supply or input voltage and inappropriate polarity of this voltage, chemical processes such as used power supplies, etc.
- If anyone has made modifications, modifications, alterations to the design or adaptation to change or extend the functions of the product compared to the purchased design or use of non-original components.

EU Declaration of Conformity


This equipment is in compliance with the essential requirements and other relevant provisions of EU directives.

WEEE

This product must not be disposed of as normal household waste in accordance with the EU Directive on Waste Electrical and Electronic Equipment (WEEE – 2012/19 / EU). Instead, it shall be returned to the place of purchase or handed over to a public collection point for the recyclable waste. By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product. Contact your local authority or the nearest collection point for further details. Improper disposal of this type of waste may result in fines in accordance with national regulations.








Documents / Resources



[Moes ZSS-KB-TH-LF-C Temperature Humidity Sensor](#) [pdf] User Manual
ZSS-KB-TH-LF-C, ZSS-KB-TH-LF-C Temperature Humidity Sensor, Temperature Humidity Sensor, Humidity Sensor, Sensor

References

-  alza.at
-  Alza | Alza.co.uk
-  alza.de
-  alza.hu
-  alza.sk
- [User Manual](#)