

Momentum Front Rack Large User Manual

Home » momentum » Momentum Front Rack Large User Manual



Momentum Front Rack Large User Manual



Contents

- 1 Package Contents
- 2 Installation
- 3 Usage information
- **4 Specifications**
- **5 LIMITED PRODUCT WARRANTY**

INFORMATION

- 6 Documents / Resources
- **7 Related Posts**

Package Contents

• 1 x Large Momentum Front Rack

- 2 x strut
- 4 x M5*16 bolts
- 2 x M5*30 bolts
- 2 x M5 nuts
- 2 x 10*9 washers

Warning

- Read all information in this manual carefully before you start using the Large Momentum Front Rack. Safety
 instructions are very important and should not be overlooked. By reading the manual you will have a better
 understanding of the general operation.
- The Momentum Front Rack is not suitable to carry passengers.
- Only use the Momentum Front Rack and supplied installation hardware.
- · Do not modify the Momentum Front Rack in any way.
- Do not exceed maximum load weight limit, 33lbs/15kg.
- Periodically check all bolts are tight as vibrations may loosen them over time.
- Do not use the Momentum Front Rack to move or lift the bike.
- If you are not confident with compatibility and installation of this product, please consult your local authorized dealer.
- Regulation can vary by country, and/or location, always check in advance

Installation

- 1. Ensure the bike is switched off with kickstand engaged and is on level ground.
- 2. Remove any accessories that may interfere with the installation and/or use of the Momentum Front Rack.
- 3. Assemble rack plate and strut first with two M5*16 bolts, M5 nuts. Use a 4mm hex torque wrench to tighten with 5-8Nm.
- 4. Install rack with front fork:
 - Upper side: use a 4mm hex torque wrench to tighten the two M5*30 bolts with 5-8Nm. (Note: if your model is Vida E+, please add 10*9 washers on both sides.) Lower side: use a 4mm hex torque wrench to tighten the two M5*16 bolts with 5-8Nm.
- 5. If you assemble Momentum fender together, please purchase additional Dual Mounting Kit.
- 6. Double check if the Momentum Front Rack is properly installed. The Momentum Front Rack should not move or rotate in any direction.

Usage information

- Check if the Momentum Front Rack is firmly mounted before every ride.
- Regulary check the state of the carrier and mounting parts for any signs of looseness, deterioration, corrosion
 or other damage.
- Secure all cargo before riding. Straps, if applied, should be secured and not loose.
- · Distribute and secure the cargo loads evenly.
- Do not exceed maximum load weight limit of 33lbs/15kg.

Specifications

• Material: aluminum

· Color: black

• Weight: 2lbs/0.9kg

• **Dimensions:** 15.4" x 17.3" x 4.3"/39cm x 44cm x 11cm

Max load: 33lbs/15kg

LIMITED PRODUCT WARRANTY INFORMATION

Giant Global Inc. warrants its products for a period of one (1) year from the date of purchase, this applies only for the original owner. This warranty applies only to this product when purchased new from an Authorized Giant Dealer and assembled by that dealer at the time of purchase.

LIMITED REMEDY

Unless otherwise provided, the sole remedy under the above warranty, or any implied warranty, is limited to the replacement of defective parts with those of equal or greater value at the sole discretion of Giant Global Inc. This warranty extends from the date of purchase, applies only to the original owner, and is not transferable. In no event shall Giant Global Inc. be responsible for any direct, incidental or consequential damages, including, without limitation, damages for personal injury, property damage, or economic losses, whether based on contract, warranty, negligence, product liability, or any other theory. EXCLUSIONS

The above warranty, or any implied warranty, does not cover:

- Normal wear and tear on parts in situations where there are no assembly or material defects.
- Products serviced by other than an Authorized Giant dealer.
- Modifications of the product from its original condition.
- Use of this product for abnormal, competition and/or commercial activities or for purposes other than those for which this product was designed.
- Damage caused by failing to follow the User's Manual.
- Paint, finish and decal damage resulting from taking part in competitions, jumping, downhill and/or training for such activities or events or as a result of exposing the product to, or operating the product in, severe conditions or climates.
- · Labor charges for part replacement or changeover

Except as is provided by this warranty and subject to all additional warranties, Giant Global Inc. and its employees and agents shall not be liable for any loss or damage whatsoever (including incidental and consequential loss or damage caused by negligence or default) arising from or concerning any Giant Global Inc. product.

Giant Global Inc. makes no other warranties, express or implied. All implied warranties, including the warranties of merchantability and fitness for a particular purpose are limited in duration to that of the express warranties stated above.

Any claim against this warranty must be made through an Authorized Giant Dealer or distributor. The purchase receipt or other proof of the date of purchase is required before a warranty claim may be processed. Claims made outside the country of purchase may be subject to fees and additional restrictions. Warranty duration and details may differ by country.

This warranty gives you specific legal rights, and you may also have other rights which may vary from place to place. THIS WARRANTY DOES NOT AFFECT YOUR STATUTORY RIGHTS.

Disclaimer

To ensure safety, quality and reliability, use only original parts or Giant authorized replacements for repair and replacement. Giant is not responsible for any direct, incidental or consequential damages, including, without limitation, damages for personal injury, property damage, or economic losses due to improper use.





Momentum and its symbol are trademarks of Giant Group. All rights reserved.



Documents / Resources



FRONT RACK -LARGE

Momentum Front Rack Large [pdf] User Manual Front Rack Large, Front, Rack Large, Large

Manuals+,