Manuals+ — User Manuals Simplified.

MONDOLUX AGLO-EU-PLUG 2 Pin Flex and Plug Installation Guide

Contents

MONDOLUX AGLO-EU-PLUG 2 Pin Flex and Plug

Product Information 2 Pin Flex and Plug POWER CORD

The 2 Pin Flex and Plug POWER CORD has a product code of AGLO-EU-PLUG and is manufactured and imported by Mondolux. The power cord has a certification of IEC 60570:2003+AMD1:2017 and must be installed by a licensed electrician. The fitting's surface may reach high temperatures and can cause skin burns, so it is recommended to install the fitting out of reach to avoid any physical contact. Always turn off the mains prior to installation or maintenance, and disconnect the fitting from power supply and other control wiring. Faulty cables and wiring should be replaced by the manufacturer only. For disposal, please follow instructions in accordance with EU Directive WEEE (Waste Electrical).

Product Usage Instructions

Before beginning the installation or maintenance of the 2 Pin Flex and Plug POWER CORD, always turn off the mains. Disconnect the fitting from power supply and other control wiring. It is recommended to always wear safety glasses and gloves during installation. For safety reasons, keep children away from the installation site.

Installation Steps

1. Unscrew the latches on the base side of the remote controller.
2. Disconnect the existing flex cable from the controller.
3. Insert 2 wires into each socket on the primary side of the controller.
4. Screw the latches back onto the controller.
5. Installation is complete.

DIMENSIONS

Warnings

- The safety and compliance of this fitting are not assured unless the following instructions are adhered to. Please retain these instructions for future reference.
- Always turn the mains OFF prior to installation. See Picture below.
- The system is IEC 60570:2003+AMD1:2017 certified and Installation must be carried out by a licensed electrician
- **Risk of Electric Shock**: Prior to installation or maintenance, disconnect the fitting from power supply and other control wiring. Faulty cables and wiring need to be replaced by manufacturer only.
- **Risk of Burns**: When in use, the fitting's surface may reach high temperatures and can cause skin burns. It is recommended to install the fitting out of reach to avoid any physical contact.
- It is recommended to always wear safety glasses and gloves during installation.
- For safety reasons please keep children away from installation site.
- Please follow below instructions for disposal in accordance with EU Directive WEEE (Waste Electrical and Electronic Equipment):
    - Fittings cannot be disposed alongside other household waste.
    - Remove the lamp/ battery for decommissioning (if applicable)
    - Send them to nearest WEEE collection center.
- For further inquiries, please contact Mondolux at **https://www.mondolux.com.au/**

Notes

- This product complies with EN 50075:1990 (flat two-pole plugs without reconnectable, without ground contact, rated voltage 250 V AC, rated current 2.5 A)
- Do not interchange any parts of this product.
- If you have any questions regarding the installation of this product, please contact Mondolux.

Installation Diagram

Manufacturer and Importer Details

- **Manufacturer**: Mondolux
- **Address**: 10 Plane Tree Ave, Dingley Village VIC, 3172, Australia
- **Phone**: +61 9551 3748
- **Web**:www.mondolux.com.au
- **Importer:** Lovisa Germany GMBH
- **Address:** RichmondStrasse 6, Neumarkt-Galeri 50667 Cologne, Germany
- **TIN**: DE340001753
- **EORI**: DE895514661097043

Documents / Resources

[**MONDOLUX AGLO-EU-PLUG 2 Pin Flex and Plug**](#) [pdf] Installation Guide
AGLO-EU-PLUG 2 Pin Flex and Plug, AGLO-EU-PLUG, 2 Pin Flex and Plug, Flex and Plug, Plug, Flex

References

- ML [Mondolux | Innovative Commercial Lighting Supplier Australia](#)
- ML [Mondolux | Innovative Commercial Lighting Supplier Australia](#)
- ML [Mondolux | Innovative Commercial Lighting Supplier Australia](#)
- ML [Mondolux | Innovative Commercial Lighting Supplier Australia](#)