



MONITOR AUDIO C2S In Ceiling User Guide

[Home](#) » [MONITOR AUDIO](#) » MONITOR AUDIO C2S In Ceiling User Guide 



Contents

1 C2S In Ceiling

2 Documents / Resources

2.1 References

C2S In Ceiling




monitoraudio.com/support




	Nominal Impedance	Power Handling (RMS into Nominal Impedance, Pink Noise with 6dB Crest Factor)	Cut Out Diameter	Mounting Depth	External Dimensions (inc. grille where fitted) (Ø x D)	Weight
--	-------------------	---	------------------	----------------	--	--------

C1S	8 Ohms	50 W	Ø 171 mm	99 mm	Ø 201 x 103 mm Ø 7 15/16 x 4 4/16"	1.4 kg 3 lb 1 oz
C1M	8 Ohms	65 W	Ø 212 mm	99 mm	Ø 242 x 103 mm Ø 9 1/2 x 4 4/16"	1.9 kg 4 lb 3 oz
C1L	8 Ohms	75 W	Ø 248 mm	99 mm	Ø 278 x 103 mm Ø 10 15/16 x 4 4/16"	2.5 kg 5 lb 8 oz
C2S	8 Ohms	65 W	Ø 171 mm	99 mm	Ø 201 x 103 mm Ø 7 15/16 x 4 4/16"	1.5 kg 3 lb 5 oz
C2M	8 Ohms	75 W	Ø 212 mm	99 mm	Ø 242 x 103 mm Ø 9 1/2 x 4 4/16"	2 kg 4 lb 6 oz
C2M-T2X	4 Ohm (Mono) 8 Ohm (Stereo)	150 W (Mono) 2 x 75 W (Stereo)	Ø 212 mm	99 mm	Ø 242 x 103 mm Ø 9 1/2 x 4 4/16"	2.1 kg 4 lb 10 oz
C2M-CP	8 Ohms	65 W	Ø 212 mm	177.5 mm	Ø 242 x 181.5 mm Ø 9 1/2 x 7 1/8"	2.6 kg 5 lb 11 oz
C2L	8 Ohms	120 W	Ø 248 mm	99 mm	Ø 278 x 103 mm Ø 10 15/16 x 4 4/16"	2.5 kg 5 lb 8 oz
C2L-T2X	4 Ohm (Mono) 8 Ohm (Stereo)	240 W (Mono) 2 x 120 W (Stereo)	Ø 248 mm	99 mm	Ø 278 x 103 mm Ø 10 15/16 x 4 4/16"	2.7 kg 6 lb
C2L-CP	8 Ohms	100 W	Ø 248 mm	177.5 mm	Ø 278 x 181 mm Ø 10 15/16 x 7 1/8"	3.3 kg 7 lb 5 oz
C3M	6 Ohms	120 W	Ø 212 mm	147.5 mm	Ø 242 x 151 mm Ø 9 1/2 x 5 15/16"	3.4 kg 7 lb 8 oz
C3L	6 Ohms	150 W	Ø 248 mm	157 mm	Ø 278 x 161 mm Ø 10 15/16 x 6 5/16"	5 kg 11 lb
C3L-CP	6 Ohms	120 W	Ø 248 mm	177.5 mm	Ø 278 x 181 mm Ø 10 15/16 x 7 1/8"	5.7 kg 12 lb 10 oz
C3L-A	6 Ohms	150 W	Ø 248 mm	157 mm	Ø 278 x 161 mm Ø 10 15/16 x 6 5/16"	5.1 kg 11 lb 3 oz




3 – Pinch clips & remove Quik-Link terminal


4 .




5 – Connect Quik-Link terminal to speaker




7 – Tighten Tri-Grip II screws



Tri-Grip x 3 = 5Kgf/cm; 4.34 lbf/inch; 0.5 NM



Documents / Resources

	MONITOR AUDIO C2S In Ceiling [pdf] User Guide C2S In Ceiling, C2S, In Ceiling, Ceiling
---	--

References

- [🔗 Monitor Audio | Hi-Fi, Cinema & Architectural Speakers](#)
- [🔗 Support | Help | Monitor Audio](#)
- [User Manual](#)

Manuals+.