



# MoTrade RX400 Carplay Android Auto interface Installation Guide

Home » MoTrade » MoTrade RX400 Carplay Android Auto interface Installation Guide 🖺



#### **Contents**

- 1 MoTrade RX400 Carplay Android Auto interface
- 2 Specifications
- 3 Step 1: Remove the Gear Lever Cover Plate
- 4 Step 2: Remove the Panel Underneath the Radio (unclip)
- 5 Step 3: Remove the Radio
- 6 Step 4: Remove the Display
- 7 FAQs
- 8 Documents / Resources
  - 8.1 References



MoTrade RX400 Carplay Android Auto interface




The interface is connected via a connection plug on the radio and a video cable on the display. It is estimated to take 30-45 minutes of work to connect the interface. No programming is required.

## **Specifications**

- Product Name: Carplay Android Auto Interface LEXUS RX400 LEX4/LEX5
- Connection: Radio connection plug and video cable on display
- Estimated Installation Time: 30-45 minutes
- Programming: No programming is required

## **Step 1: Remove the Gear Lever Cover Plate**

Unclip the gear lever cover plate, lift and loosen the cover panel, and unscrew the gear lever.



Step 2: Remove the Panel Underneath the Radio (unclip)

Pull the panel underneath the radio forward and out.



Step 3: Remove the Radio

The radio is fastened on both sides with 4x 10 mm bolts (2 left and 2 right). Be careful not to let the bolts fall (the use of a magnetic socket wrench is recommended).



**Step 4: Remove the Display** 

The screen is secured with 2x 10mm bolts. Unscrew these bolts to remove the display. This manual has been compiled based on experience. The screen is secured with 2x 10 mm bolts. For improvement suggestions, please contact <a href="mailto:motrade@kpnmail.nl">motrade@kpnmail.nl</a>



Step 5. Connect the plugs and the microphone to the interface

Make sure that the video cable does not kink at the connection point on the interface.

#### Step 6. Test the system

Plug in the interface. Choose a CD to switch from the radio to the Vline. Remove and forget the existing bluetooth connection to the car. Connect the phone to the bluetooth signal of the interface and turn on WIFI. Test the system concerning graphics, sound, radio and interface switching, and reverse.

#### Step 7. Seal the system

Reconnect all parts in reverse order. Place the microphone near the interior rearview mirror. Smooth out the deed in the seams.

#### Step 8. Have fun!

This manual has been compiled based on experience and with due care. No rights can be derived from it. Improvement tips/tricks are of course always welcome! (<a href="mailto:motrade@kpnmail.nl">motrade@kpnmail.nl</a>)



#### **FAQs**

#### Q: Is any programming required for the Carplay Android Auto interface?

A: No programming is required for this interface.

#### Q: How long does it take to connect the interface?

A: It is estimated to take between 30-45 minutes to connect the interface.

#### **Documents / Resources**



MoTrade RX400 Carplay Android Auto interface [pdf] Installation Guide RX400, LEX4, LEX5, RX400 Carplay Android Auto interface, RX400, Carplay Android Auto interface, Android Auto interface, interface

## References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.